

**BEFORE THE PUBLIC SERVICE COMMISSION  
OF THE STATE OF MISSOURI**

In the Matter of the Application of Kansas City)  
Power & Light Company for Approval to)  
Make Certain Changes in its Charges)  
for Electric Service to Implement its)  
Regulatory Plan. )


Case No. ER-2007-0291

**UNITED STATES DEPARTMENT OF ENERGY AND UNITED STATES  
NATIONAL NUCLEAR SECURITY ADMINISTRATION ERRATA TO ITS  
POSITION ON ISSUES**

The United States Department of Energy and National Nuclear Security Administration ("DOE/NNSA") submits the following Errata to its Position on Issues filed herein on September 26, 2007,

- 1) It has been brought to the attention of DOE/NNSA that in filing its Position on Issues that it inadvertently omitted page 9 of the filing.
- 2) Attached hereto as Exhibit "1" is page 9 of its Position on Issues that was omitted from DOE/NNSA's September 26, 2007 filing.

Respectfully submitted,



Lewis O. Campbell, Esq.  
Law Offices of Lewis O. Campbell  
Attorney for DOE, NNSA and FEA  
P.O. Box 51508  
Albuquerque, NM 87181-1508  
Voice: 505-323-8292  
Fax: 505-298-1088  
Email: [Lcampbell4@comcast.net](mailto:Lcampbell4@comcast.net)

- a) Does the Stipulation and Agreement incorporating the KCPL Experimental Regulatory Plan that the Commission approved in Case No. EO-2005-0329 allow the signatories to the Stipulation and Agreement to make rate design modifications within the Large Power Service rate schedule?

Response: Yes.

- b) If so, what are the appropriate demand and energy charges for the Large Power Service rate schedule?

Response: The appropriate energy and demand charges are as set forth in Maurice Brubaker's Direct Testimony, Schedule 1.

- 2) General Service All-electric tariffs and general service separately-metered space-heating tariff provisions:


Response: DOE/NNSA takes no position on any of the issues relating to General Service All-electric tariffs and general service separately metered space heating tariffs.

**KCPL Experimental Regulatory Plan Additional Amortization**

- 3) KCPL Experimental Regulatory Plan Additional Amortization: What, if any, additional amortization is required by KCPL's Experimental Regulatory Plan approved by the Commission in Case No. EO-2005-0329?

Response: No additional regulatory plan amortization is required by KCPL.

Respectfully submitted,

  
\_\_\_\_\_  
Lewis O. Campbell, Esq.  
Law Offices of Lewis O. Campbell  
Attorney for DOE, NNSA and FEA  
P.O. Box 51508  
Albuquerque, NM 87181-1508  
Voice: 505-323-8292

**Exhibit 1**

### Certificate of Service

I hereby certify that copies of the foregoing have been mailed, hand-delivered, transmitted by facsimile or emailed to all counsel of record this 5<sup>th</sup> day of November 2007.

A handwritten signature in cursive script, appearing to read "Lewis O. Campbell", is written over a horizontal line.

Lewis O. Campbell, Esq.  
Attorney for DOE, NNSA and FEA