

**BEFORE THE PUBLIC SERVICE COMMISSION OF THE STATE OF MISSOURI**

James Dickson and Angela Dickson,

Complainants,

v.

File No. EC-2016-0230

KCP&L Greater Missouri Operations Company,

Respondent.

**Motion – Enter Exhibits into Evidence and/or Judicial Review**

Complainants James and Angela Dickson, hereby submits its motion to enter exhibits into Evidence and/or for Judicial Review.

The complainants request the court to approve submission of the following evidence to document potential safety and health issues of the Smart Meter which was placed on the complainants' home by KCP&L/GMO. This motion is also submitted to have these documents submitted for Judicial Review in order to refute evidence submitted by KCP&L/GMO regarding the safety of Smart Meters.

This Motion is to enter the following Exhibit(s):

<https://youtu.be/7MfiNYzdi24>

This video shows the inherent fire dangers caused by Smart Meters and

KCP&L/GMO has submitted reports stating the Smart Meter is safe and does not pose a fire, safety or health risk. The reports and representatives that testified both state that the Smart Meter and Digital Meter are within standard safety guidelines. During testimony, KCP&L/GMO could not provide information pertaining to safety concerns regarding a surge protector, thinner blades or the plastic back of the Smart/Digital meters that could lead to a fire or dirty electricity entering a building.

The video outlines the basic concerns with the design of Smart and Digital Meters and contradicts KCP&L/GMO's assertions that the meters are safe.

KCP&L/GMO is using outdated information to attest to the safety Smart and Digital Meters. As individual consumers without the economic resources to hire expert witnesses, the complainants request the court to approve this motion and review the information contained in this document as the court's duty to protect consumers outweighs any objections from the Respondent.

Respectfully Submitted,  
James Dickson  
Angela Dickson

Complainants