## **EVBI Analysis for Updated Preferred Plan**

14 Final Candidate Resource Plans	Without	Load		Gas Prices			Carbon				DSM			Project Cost			Interest Rate & ROE			
14 Final Candidate Resource Plans	Better Info	Low	Base	High	Low	Base	High	BAU	EPA	Mandates	Cap&Trade	Low	Base	High	Low	Base	High	Low	Base	High
Updated - Meramec Continues As Is, Combined Cycle	61,758	58,515	59,995	65,393	62,879	59,995	61,029	60,254	59,981	59,799	65,675	61,760	61,758	61,757	61,382	61,723	62,238	58,875	61,624	65,043
B2 - Meramec Continues As Is, Nuclear 30%	62,067	58,837	60,316	65,687	63,278	60,316	61,246	60,589	60,302	60,204	65,817	62,074	62,063	62,073	61,566	62,023	63,226	59,048	61,929	65,502
B3 - Meramec Continues As Is, Simple Cycle	61,660																			
B4 - Meramec Continues As Is, Wind w/Simple Cycle	61,902	58,668	60,154	65,525	63,084	60,154	61,109	60,419	60,140	59,998	65,720	61,910	61,898	61,906	61,469	61,855	63,000	58,991	61,768	65,216
C1 - Combined Cycle, Meramec Controlled	64,902	61,670	63,093	68,537	66,030	63,093	64,177	63,355	63,079	62,955	68,815	64,920	64,889	64,923	64,110	64,833	66,426	61,709	64,756	68,533
C2 - Combined Cycle, Meramec Gas Conversion	65,374	62,025	64,017	69,025	66,133	64,017	64,917	64,205	64,007	63,592	68,864	65,370	65,367	65,400	64,726	65,313	66,728	62,281	65,232	68,895
C3 - Combined Cycle, Meramec Retired	65,855	62,525	64,459	69,495	66,591	64,459	65,429	64,658	64,449	64,099	69,311	65,854	65,853	65,863	65,067	65,780	67,391	62,708	65,709	69,442
H1 - Meramec Retired, CC, Nuclear 30%	66,095	62,773	64,726	69,720	66,960	64,726	65,534	64,939	64,715	64,457	69,339	66,093	66,087	66,120	65,135	66,018	67,808	62,796	65,938	69,865
H2 - Meramec Retired, CC, Simple Cycle	65,198	61,867	63,821	68,834	65,975	63,821	64,726	64,014	63,810	63,447	68,639	65,337	65,171	65,138	64,426	65,141	66,662	62,084	65,050	68,752
H3 - Meramec Retired, CC, Wind w/Simple Cycle	65,420	62,104	64,043	69,042	66,269	64,043	64,877	64,252	64,032	63,760	68,703	65,576	65,397	65,332	64,523	65,354	67,038	62,258	65,270	69,031
R0 - Meramec Continues As Is, RAP DSM	59,661																			
R1 - RAP DSM, Meramec Controlled	62,867	59,663	61,068	66,472	64,150	61,068	61,984	61,338	61,054	61,036	66,575	63,390	62,836	62,439	62,163	62,819	64,241	59,695	62,722	66,475
R2 - RAP DSM, Meramec Gas Conversion	63,358	60,030	62,018	66,984	64,277	62,018	62,738	62,214	62,008	61,689	66,647	63,917	63,317	62,926	62,700	63,333	64,615	60,229	63,219	66,905
R3 - RAP DSM, Meramec Retired	63,101	59,746	61,799	66,746	64,038	61,799	62,454	61,987	61,789	61,436	66,372	63,604	63,030	62,812	62,481	63,083	64,300	60,061	62,960	66,565
Minimum PVRR among plans		58,515	59,995	65,393	62,879	59,995	61,029	60,254	59,981	59,799	65,675	61,760	61,758	61,757	61,382	61,723	62,238	58,875	61,624	65,043
Plan with Minimum PVRR		B1	B1	B1	B1	B1	B1	B1	B1	B1	B1	B1	B1	B1	B1	B1	B1	B1	B1	B1
Subjective Probability	•	45%	10%	45%	45%	10%	45%	1%	10%	57%	33%	20%	60%	20%	20%	60%	20%	20%	60%	20%
PVRR with Better Info		61,758			61,758				61,758				61,758			61,758			61,758	
Expected Value of Better Info		0			0			0				0			0			0		