

18.3.5 Eligible Structure Ground Cable Arrangement, Each

18.3.5.1 The ground cable arrangement is the cabling arrangement designed to provide grounding for equipment within the Collocator's Dedicated Space. Separate Ground Cable Arrangements are required for Integrated and Isolated Ground Planes. Isolated Ground Planes require a Ground Cable Arrangement in the Collocator's Dedicated Space.

18.3.6 Security Cards

18.3.6.1 The Security Cards Charge consists of a charge per five (5) new cards or replacement cards, for access cards, and ID cards. Rates and charges are as found in the Collocation Rate Summary. AT&T-13STATE will issue access cards and/or ID cards within twenty-one (21) days of receipt of a complete and accurate AT&T Photo ID Card and Electronic Access For Collocators and Associated Contractors form, which is located on the telecommunications carrier online website <https://clec.sbc.com/clec>. In emergency or other extenuating circumstances (but not in the normal course of business), Collocator may request that the twenty-one (21) day interval be expedited, and AT&T-13STATE will issue the access and/or ID cards as soon as reasonably practical. There is an additional charge for expedited requests.

18.3.7 Entrance Facility Conduit to Vault, Per Cable Sheath

18.3.7.1 This rate element describes any reinforced passage or opening placed for the Collocator-provided facility between AT&T-13STATE designated manhole and the cable vault of the Eligible Structure.

18.3.8 Entrance Fiber Charge, Per Cable Sheath

18.3.8.1 The Entrance Fiber Charge reflects the time spent by AT&T-13STATE in pulling the Collocator's cable facilities from AT&T-13STATE designated manhole, through AT&T-13STATE cable vault and through AT&T-13STATE cable support structure to the Collocator's equipment.

18.3.9 AT&T-13STATE to Collocation Interconnection Arrangement Options

18.3.9.1 Collocator will select one or more of the interconnection arrangements listed below.

18.3.9.1.1 DS1 Interconnection Cable Arrangement (DSX or DCS), Each

18.3.9.1.1.1 This sub-element is an AT&T-13STATE-provided cable arrangement of twenty-eight (28) DS1 connections per cable arrangement between the Collocator's equipment bay and AT&T-13STATE network. This rate element may not be provided by the Collocator. The Collocator will not be permitted access to AT&T-13STATE Main Distribution Frame. If regeneration is required because the cabling distance between the Collocator's termination point located in an Adjacent Structure and AT&T-13STATE's cross-connect bay exceeds ANSI limitations or where the Collocator specifically requests regeneration, it will be at the Collocator's expense. Regeneration is not required in any other circumstance. Rates and charges are as found in the Collocation Rate Summary.

18.3.9.1.2 DS3 Interconnection Cable Arrangement (DSX or DCS), Each

18.3.9.1.2.1 This sub-element is an AT&T-13STATE-provided cable arrangement of one (1) DS3 connection per cable arrangement between the Collocator's equipment bay and AT&T-13STATE network. This rate element may not be provided by the Collocator. The Collocator will not be permitted access to AT&T-13STATE Main Distribution Frame. If regeneration is required

because the cabling distance between the Collocator's termination point located in an Adjacent Structure and AT&T-13STATE's cross-connect bay exceeds ANSI limitations or where the Collocator specifically requests regeneration, it will be at the Collocator's expense. Regeneration is not required in any other circumstance. Rates and charges are as found in the Collocation Rate Summary.

18.3.9.1.3 DS0 Voice Grade Interconnection Cable Arrangement, Each

18.3.9.1.3.1 This sub-element is an AT&T-13STATE-provided cable arrangement that provides one hundred (100) DS0 copper shielded connections between the Collocator's equipment bay and AT&T-13STATE network. These rate elements may not be provided by the Collocator. The Collocator will not be permitted access to AT&T-13STATE Main Distribution Frame.

18.3.10 Optical Circuit Arrangement

18.3.10.1 This sub-element provides for the cost associated with providing twelve (12) fiber connection arrangements to AT&T-13STATE network. This rate element may not be provided by the Collocator. The Collocator will not be permitted access to AT&T-13STATE Main Distribution Frame.

18.3.11 Bits Timing (per circuit) (Optional)

18.3.11.1 An AT&T-13STATE provided single signal from AT&T-13STATE timing source to provide synchronization between a Collocator's single Network Element and AT&T-13STATE's equipment.

18.3.12 Timing Interconnection Arrangement (Optional)

18.3.12.1 Timing leads (1 pair of wires) provided by AT&T-13STATE to the Collocator's dedicated Physical Collocation space.

18.3.13 Collocation Availability Space Report Fee

18.3.13.1 This rate element provides for costs associated with providing a reporting system and associated reports indicating the amount of collocation space available, the number of Collocators, any modifications in the use of space since the generation of the last available report, and measures that AT&T-13STATE is undertaking to make additional space available for collocation.

18.3.14 Pre-visits

18.3.14.1 General Applications

18.3.14.1.1 Prior to submitting an application, the prospective Collocator may elect to arrange with AT&T-13STATE to visit an Eligible Structure for the purpose of permitting the Collocator to determine if the structure meets its business needs and if space is available in the structure for the potential Collocator's Physical Collocation arrangement. If the prospective Collocator elects to pre-visit AT&T-13STATE's Eligible Structures, the Collocator must submit its request in writing ten (10) business days in advance to the Collocation Account Manager. Pre-visits will be scheduled for a date that is mutually agreeable to both Parties. Prospective Collocator will not be allowed to take photographs, make copies of AT&T-13STATE site-specific drawings or make any notations.

18.3.14.1.2 For pre-visits, AT&T-13STATE will provide an employee of AT&T-13STATE to conduct the pre-visit, unless a different number of AT&T-13STATE employees are mutually agreed upon. The Collocator will be

billed for the time of the assigned AT&T-13STATE employee and not for additional employees not mutually agreed upon to attend the pre-visit. If any travel expenses are incurred, the Collocator will be charged for the time AT&T-13STATE employees spend traveling and will be based on fifteen (15)-minute increments.

18.3.15 Construction Inspections

18.3.15.1 The Collocator will be charged for the time AT&T-13STATE employees spend during the construction inspection with the Collocator, based on fifteen (15)-minute increments. If any travel expenses are incurred, the Collocator will be charged for the time AT&T-13STATE employees spend traveling and will be based on fifteen (15)-minute increments.

18.3.16 Adjacent On-site Structure Arrangements

18.3.16.1 Adjacent On-site Structure Arrangements

18.3.16.1.1 If a Collocator elects to provide an Adjacent On-Site Space Collocation as described in Section 7.6.1.5 preceding, when all available space is Legitimately Exhausted inside AT&T-13STATE Eligible Structure, AT&T-13STATE will charge Planning Fees to recover the costs incurred to estimate the quotation of charges for the Collocator's Adjacent Space Collocation arrangement request. Rates and charges are found in the Collocation Rate Summary. In addition, should the Collocator elect to have AT&T-13STATE provision an extension of DC Power Service from the Eligible Structure to the Adjacent Structure, a DC Power Panel will be required.

18.3.16.2 Adjacent On-site Planning Fee

18.3.16.2.1 An initial Planning Fee will apply when a Collocator is requesting any Interconnection Terminations between the Collocator's Adjacent On-site structure and AT&T-13STATE on an initial or subsequent Adjacent On-site collocation application. This fee recovers the design route of the Interconnection Terminations as well as the design route of the power arrangement to the Collocator's Adjacent On-site structure.

18.3.17 Adjacent Off-site Arrangement

18.3.17.1 Adjacent Off-site Structure Arrangements

18.3.17.1.1 If the Collocator elects to provide an Adjacent Off-site Arrangements structure as defined in Section 2. of this Appendix and as described in Section 7.6.1.6 preceding, when all available space is Legitimately Exhausted inside AT&T-13STATE Eligible Structure and Collocator's Adjacent On-site Space is not within fifty (50) feet of the Eligible Structure's outside perimeter wall, AT&T-13STATE will provide the following sub-elements to the extent technically feasible. The Adjacent Off-site Arrangement is available if the Collocator's site is located on a property that is contiguous to or within one standard city block of AT&T-13STATE's Central Office or Eligible Structure. When the Collocator elects to collocate by Adjacent Off-site Arrangement, the Collocator shall provide both AC and DC Power required to operate such facility. Rates and charges for these sub-elements are found in the Collocation Rate Summary.

18.3.17.2 Planning Fee Adjacent Off-site Arrangement

18.3.17.2.1 Planning Fee will apply when a Collocator is requesting any Interconnection Terminations between the Collocator's Adjacent Off-site structure and

AT&T-13STATE on an initial or subsequent Adjacent Off-site collocation application. This fee recovers the design route of the Interconnection Terminations to the Collocator's Adjacent Off-site structure. Rates and charges are found in the Collocation Rate Summary.

18.3.18 Conduit Space for Adjacent Off-site Arrangement

18.3.18.1 Any reinforced passage or opening placed for the Collocator provided facility in, on, under/over or through the ground between AT&T-13STATE designated manhole and the cable vault of the eligible structure. Rates and charges are as found in the Collocation Rate Summary following.

18.3.19 Two Inch Vertical Mounting space in CEVs, Huts and Cabinets

18.3.19.1 A two-inch vertical mounting space in a standard equipment mounting in a CEV, Hut or cabinet for the placement of equipment. The number of two-inch vertical mounting spaces required is determined by the size of the equipment to be placed plus additional space required for heat dissipation and ventilation of the equipment to be placed in adjacent equipment.

18.3.20 Miscellaneous Charges (Optional)

18.3.20.1 Consists of charges for miscellaneous construction-related items associated with Cageless Pot Bay or cabinet.

18.3.21 Collocation to Collocation Connection

18.3.21.1 This rate element includes physical-to-physical and physical-to-virtual connection options.

18.3.21.1.1 Fiber Cable (12 Fibers)

18.3.21.1.1.1 This rate element is for AT&T-13STATE to provide and install direct cabling using fiber cable (12 fiber pairs) between two (2) collocation arrangements at an Eligible Structure expressed as a combination of a non-recurring and recurring rate.

18.3.21.1.2 Copper Cable (28 DS1s)

18.3.21.1.2.1 This rate element is for AT&T-13STATE to provide and install for direct cabling using copper cable (28 DS1s) between two (2) collocation arrangements at an Eligible Structure expressed as a combination of a non-recurring charge and a monthly rate.

18.3.21.1.3 Coax Cable (1 DS3)

18.3.21.1.3.1 This rate element is for AT&T-13STATE to provide and install for direct cabling using coaxial cable (1 DS3) between two (2) collocation arrangements at an Eligible Structure expressed as a combination of a non-recurring charge and a monthly rate.

18.3.21.1.4 Cable Racking and Hole

18.3.21.1.4.1 This sub-element provides for cable rack space for copper, coax and optical cabling between two (2) collocation arrangements and the required terminations at each Physical Collocation arrangement(s) at an Eligible Structure.

18.3.21.1.5 Route Design

18.3.21.1.5.1 This sub-element provides the route design for collocation-to-collocation connections. This sub-element is expressed as a non-recurring charge.

19. COMPLETE SPACE DISCONTINUANCE, SPACE REASSIGNMENT, POWER REDUCTION AND INTERCONNECTION TERMINATION REDUCTION

19.1 This Section provides rates, terms and conditions for Complete Space Discontinuance, Space Reassignment, Power Reduction and Interconnection Termination Reduction.

19.2 Complete Space Discontinuance

The Collocator may discontinue an existing Physical Collocation Arrangement which may include equipment, equipment bays, interconnection facilities (e.g., power, timing, grounding and interconnection cabling) and Collocator infrastructure installed within its Physical Collocation space. The Collocator is required to provide a complete and accurate Physical Collocation Application requesting to discontinue its existing Physical Collocation Arrangement. The Collocator must complete the following activities within thirty (30) calendar days from the day the Physical Collocation application was submitted. If the Collocator is unable to complete the following activities within the designated time frame, the Collocator may request an additional thirty (30) calendar days to complete the activities required and monthly recurring charges will continue through this additional time frame.

- (A) Remove Collocator's equipment bays (relay racks) from the Physical Collocation space, using an AT&T-13STATE Approved Tier 1 or Tier 2 Installation/Removal Vendor.
- (B) Remove Collocator's equipment from the Physical Collocation space, using an AT&T-13STATE Approved Tier 1 or Tier 2 Installation/Removal Vendor;
- (C) Remove terminations at both ends of cable (e.g. power, timing, grounding, and interconnection) and cut cables up to the AT&T-13STATE rack level. Collocator must use an AT&T-13STATE Approved Tier 1 or Tier 2 Installation/Removal Vendor for this procedure and that vendor must follow TP76300 guidelines for cutting and capping the cable at the rack level.
- (D) Remove Collocator's entrance cable between the Physical Collocation Arrangement and the first manhole in accordance with the provisions of this Section using an AT&T-13STATE Approved Tier 1 or Tier 2 Installation/Removal Vendor;
- (E) Remove Collocator's miscellaneous items from within the Physical Collocation space, using an AT&T-13STATE Approved Tier 1 or Tier 2 Installation/Removal Vendor.

19.2.1 For complete space discontinuance, Collocator will not be responsible for repairing floor tile damaged during removal of relay racks and equipment, nor will Collocator be responsible for cable mining (removal). Instead the AT&T-13STATE will perform those tasks. Collocator will pay for those tasks through rate elements listed in Section 19.6.

19.2.2 If the Collocator fails to complete the items identified in Section 19.6 within thirty (30) calendar days after discontinuance or termination of the physical collocation arrangement, the AT&T-13STATE may complete those items and charge the Collocator for any and all claims, expenses, fees or other costs associated with any such completion by AT&T-13STATE, including any materials used and the time spent at the hourly rate for custom work. This work will be performed at the Collocator's risk and expense, and the Collocator will hold AT&T-13STATE harmless from the failure to return any equipment, property or other items.

19.2.3 When discontinuance of the Physical Collocation Arrangement involves the removal of fiber entrance cable, the Collocator's AT&T-13STATE Approved Tier 1 Installation/Removal Vendor is only responsible for physically removing entrance cables housed in conduits or inner-ducts and may do so only after the AT&T-13STATE confirms that such removal can be accomplished without damaging or endangering other cables contained in a common duct or other equipment residing in the Central Office.

19.3 Space Reassignment

In lieu of submitting an application to discontinue a Physical Collocation Arrangement per Section 19.2, above the Collocator ("Exiting Collocator") may reassign the Physical Collocation Arrangement to another Collocator ("Collocator Assignee") subject to certain terms and conditions outlined below. Any such reassignment of the Physical Collocation Arrangement may not occur without the written consent of AT&T-13STATE. In order to request consent to assign a Physical Collocation Arrangement, either the Collocator Assignee or Exiting Collocator may submit a Collocation Application on behalf of both the Exiting Collocator and Collocator Assignee, Space Reassignment shall be subject to the following terms and conditions:

- 19.3.1 Collocator Assignee must, as of the date of submission of the Physical Collocation Application, have an approved ICA or an effective interim ICA.
- 19.3.2 Exiting Collocator will be liable to pay all non-recurring and monthly recurring collocation charges on the Physical Collocation Arrangement to be reassigned until the date the AT&T-13STATE turns over the Physical Collocation Arrangement to the Collocator Assignee. Any disputed charges shall be subject to the dispute resolution provisions herein. The AT&T-13STATE's obligation to turn over the Physical Collocation Arrangement shall not arise until all undisputed charges are paid. Collocator Assignee's obligation to pay monthly recurring charges for a Physical Collocation Arrangement will begin on the date the AT&T-13STATE makes available the Physical Collocation Arrangement to the Collocator Assignee.
- 19.3.3 An Exiting Collocator may not reassign Physical Collocation space in a central office where a waiting list exists for Physical Collocation space, unless all Collocator's on the waiting list above the Collocator Assignee decline their position. This prohibition does not apply in the case of an acquisition, merger or complete purchase of the Exiting Collocator's assets.
- 19.3.4 Collocator Assignee will defend and indemnify the AT&T-13STATE from any losses, costs (including court costs), claims, damages (including fines, penalties, and criminal or civil judgments and settlements), injuries, liabilities and expenses (including attorneys' fees) if any other person, entity or regulatory authority challenges the reassignment of any Physical Collocation Arrangement(s) or otherwise claims a right to the space subject to the reassignment.
- 19.3.5 Collocator Assignee or the Exiting Collocator shall submit one (1) complete and accurate application for each Physical Collocation Arrangement. By submitting an application for a Physical Collocation Arrangement, Collocator Assignee represents warrants and agrees that it has obtained an executed sale or lease agreement for and holds proper title to all non-AT&T-13STATE equipment and other items in or otherwise associated with each Physical Collocation Arrangement. Collocator Assignee further agrees to indemnify and hold the AT&T-13STATE harmless from any third-party claims involving allegations that Collocator Assignee does not hold proper title to such non- AT&T-13STATE equipment and other items.
- 19.3.6 AT&T-13STATE will respond to the Physical Collocation Application within ten (10) calendar days of submission of the completed application, including provision of a price quote. Collocator Assignee must pay one-hundred percent (100%) of all non-recurring charges in the price quote before AT&T-13STATE begins to convert the Physical Collocation Arrangement being reassigned. Once Collocator Assignee has paid one-hundred percent (100%) of all such non-recurring charges, the AT&T-13STATE shall finish the work to convert the space within thirty (30) calendar days. AT&T-13STATE and Collocator Assignee will coordinate all conversion work to insure that the end user customers of Collocator Assignee do not suffer disruptions of service.
- 19.3.7 Collocator Assignee may submit a security application for access to a Physical Collocation Arrangement simultaneously with the Physical Collocation Application. If a completed security application is provided at the time the Collocation Application is filed, the security cards will be made available at the time that the collocation space is turned over. If the security application is not provided at the time that the Collocation Application is filed, then Collocator Assignee may submit a security application for access at any time and the terms and conditions as provided in

Section 18.3.6 will apply. In no event will the security cards be provided to the Collocator Assignee before the assigned space is turned over.

19.3.8 Collocator Assignee assumes each Physical Collocation Arrangement "as is" which means that AT&T-13STATE will make no changes to the Physical Collocation Arrangement, including no changes to power, interconnection and entrance facilities. Any modifications to such Physical Collocation Arrangement by Collocator Assignee must be submitted via a separate augment application (or as otherwise provided by the applicable ICA).

19.3.9 This Section 19.3 does not affect any obligations arising outside of this Collocation Agreement.

19.4 Power Reduction

19.4.1 The Collocator may request to decrease the amount of existing power available to a Physical Collocation Arrangement. This can be done either by disconnecting and removing a power cable feed or by replacing the existing fuse with a fuse of a lower breakdown rating on a power cable feed. If the Collocator desires to disconnect a power arrangement (A&B feed), the Collocator will be responsible for paying the costs to remove the A&B power cable feeds that make up the power arrangement. If the Collocator desires to reduce the amperage on a power cable feed, the Collocator will be responsible for paying the costs necessary to change the fuse that serves the A&B feeds at the AT&T-13STATE power source. In either case, the Collocator must maintain a minimum amount of power on at least one power arrangement (A&B feed) to service their Physical Collocation Arrangement when submitting their power reduction request. The Collocator shall submit an augment application in order to process this request.

19.4.2 If the Collocator desires to only reduce the fuse capacity on an existing power arrangement (A&B feed) rather than disconnect and remove cable to an existing power arrangement, they may only reduce the fuse size to the lowest power amp increment offered in this Appendix referenced in Section 18.3.3.1. Different minimum amp increments apply for power arrangements fed from either an AT&T-13STATE BDFB or a AT&T-13STATE Power Plant. When the Collocator is requesting to reduce the fuse capacity only, the fees referenced in Section 19.9 will apply. When the Collocator has only one power arrangement (A&B feed) serving their Physical Collocation Arrangement, a fuse reduction is the only power reduction option available to the Collocator.

19.4.3 When a power reduction request involves a fuse change only on a power arrangement serviced from the AT&T-13STATE BDFB (i.e. power arrangements less than or equal to a fifty (50) amp A feed and a fifty (50) amp B feed) the Collocator must hire an AT&T-13STATE Approved Tier 1 Vendor to coordinate fuse changes at the AT&T-13STATE BDFB. Applicable fees referenced in Section 19.9 will still apply. When a power reduction request involves a fuse change on a power arrangement serviced from the AT&T-13STATE Power Plant (i.e. power arrangements consisting of a one-hundred (100) amp A feed and a one-hundred (100) amp B feed and above), the AT&T-13STATE shall coordinate the fuse changes at the AT&T-13STATE Power Plant.

19.4.4 When a power reduction request requires disconnecting and removing a power cable feed from either the AT&T-13STATE's BDFB or Power Plant, the AT&T-13STATE Approved Tier 1 Vendor will perform the power cable removal work above the rack level (cable mining). Applicable fees referenced in Section 19.8 will apply. Within thirty (30) days after submitting its power reduction request to disconnect and remove a power arrangement, the Collocator must perform the following activity:

(A) Remove terminations at both ends of the power cable feed and cut cables up to the AT&T-13STATE rack level. Collocator must use a AT&T-13STATE Approved Tier 1 Installation/Removal Vendor for this procedure and that vendor must follow TP76300 guidelines for cutting and capping the cable at the rack level.

19.4.5 When the Collocator has multiple power arrangement serving a Physical Collocation Arrangement (i.e., one power arrangement consisting of fifty (50) amps on the A feed and fifty (50) amps on the B feed and a second power arrangement consisting of twenty (20) amps on the A feed and twenty

(20) amps on the B feed), the Collocator has the option of either fusing down the fifty (50) amp power arrangement (A&B feed) or disconnecting and removing the power cable feed from the fifty (50) amp power arrangement (A&B feed). If the Collocator chooses to disconnect and remove the power cable feed from a power arrangement (A&B feed), then the charges referenced in Section 19.8 will apply. If the Collocator has multiple power arrangements (A&B feed) where they can request both a fuse reduction and a power cable removal for one Physical Collocation Arrangement [i.e. reduce one power arrangement from fifty (50) amps (A&B feed) to twenty (20) amps (A&B feed) and remove the power cable from a second power arrangement from fifty (50) amps (A&B feed) to 0 amps (A&B feed)], then the project management fee for power cable removal referenced in Section 18.8 will apply in addition to the individual charges referenced in either Section 19.8, or 19.9 associated with the overall power reduction request.

19.4.6 For any power reduction request (one which involves either a disconnect and removal, re-fusing only, or a combination of the two), the Collocator must submit an augment application for this request along with the appropriate application and project management fees referenced in Section 19.8. The same augment intervals that are outlined in this Appendix for adding power will apply to power reduction requests.

19.5 Interconnection Termination Reduction

19.5.1 The Collocator may request a reduction of the existing amount of interconnection terminations that service a Physical Collocation Arrangement. The Collocator shall submit an augment application in order to process this request. The Collocator must maintain at least one minimum interconnection arrangement increment authorized in Sections 18.3.9.1.1.1, 18.3.9.1.2.1, 18.3.9.1.3.1 or 18.3.10. The same augment intervals that are outlined in this Appendix for adding interconnection terminations will apply to interconnection termination reductions.

19.5.2 Interconnection termination reduction requests will always require the disconnection and removal of interconnection cable. The AT&T-13STATE will perform the interconnection cable removal work above the rack level (cable mining). Applicable fees referenced in Section 19.10 will apply. Within thirty (30) days after submitting its interconnection termination reduction request to disconnect and remove an interconnection arrangement from its Physical Collocation Arrangement, the Collocator must perform the following activity:

(A) Remove terminations at both ends of the interconnection cable and cut cables up to AT&T-13STATE rack level. Collocator must use an AT&T-13STATE approved Tier 1 Installation/Removal Vendor for this procedure and that vendor must follow TP76300 guidelines for cutting and capping the cable at the rack level.

19.6 Rate Element Descriptions for Complete Space Discontinuance

(A) Application Fee - The charge assessed by the AT&T-13STATE to process the Collocator's application for Physical Collocation Arrangements.

(B) Project Management Fee - Complete Space Discontinuance - Reflects the AT&T-13STATE's labor costs to project manage the complete discontinuance of the Collocator's space. The labor costs include the AT&T-13STATE engineering and real estate costs for planning design of floor tile restoration, interconnection, power and entrance cable removal, stenciling, floor plans, and DC power records.

(C) Remove Fiber Jumpers - Remove four fiber jumpers from the fiber protection system raceway.

(D) Remove Fiber Cables - Remove fiber cable sheaths (1-216 fibers) on dedicated fiber racking. Typical material includes cable scrap boxes (see Note 1 below), adjacent equipment protection material, waxed cable cord/twine, gray paint for removing plotter paper for Central Office drawings and transportation and taxes as appropriate.

(E) Remove VF/DS0 Cable - Remove cable sheaths totaling one hundred (100) pairs and each one hundred (100) pair connecting block from the MDF or IDF. Typical material includes cable scrap boxes (see Note 1 below), adjacent equipment protection material, heat shrink wrap, waxed cable

cord/twine, gray paint for removing stenciling on frame, fire stop material, 8.5"x11" paper for engineering order, plotter paper for Central Office drawings and transportation and taxes as appropriate.

- (F) Remove DS1 Cable - Remove two sheaths, on transmit and one receive, comprising of a total of twenty-eight (28) DS1 circuits to an existing DSX1 panel. Typical material includes cable scrap boxes (see Note 1 below), adjacent equipment protection material, heat shrink wrap, waxed cable cord/twine, blank labels for DSX shelf, 8.5"x11" paper for engineering job order, yellow job wallet, plotter paper for Central Office drawings and transportation and taxes as appropriate.
- (G) Remove DS3 Cable (Coax) - Remove two (2) coax cables per DS3 circuit to an existing DSX3 panel. Typical material includes cable scrap boxes (see Note 1 below), adjacent equipment protection material, heat shrink wrap, waxed cable cord/twine, fire stop material, blank labels for DSX shelf, 8.5"x11" paper for engineering order, yellow job wallet, plotter paper for Central Office drawings and transportation and taxes as appropriate.
- (H) Remove Timing Cable — Remove a single timing lead (P7 wire). Typical material includes cable scrap boxes (see Note 1 below), adjacent equipment protection material, CO timing book sheet, 8.5"x11" paper for engineering order, yellow job wallet, plotter paper for Central Office drawings and transportation and taxes as appropriate.
- (I) Remove Power Cable - Distribution from the **AT&T-13STATE** BDFB (sixty (60) amp A feed and sixty (60) amp B feed and below power arrangements) – Remove four (4) power cables, including fuses and fuse panel. Removal activity also requires all costs associated with the power cable removal, packing and shipping, removing stenciling from BDFB, and updating documents as required.
- (J) Remove Power Cable - Distribution from the **AT&T-13STATE** Power Board (100 amp A feed and 100 amp B feed & above) - Remove 750 MCM cable (4 runs @ 180 feet), and remove and junk fuses and power panel. Removal activity also requires cable scrap boxes (see Note 1 below), adjacent equipment protection material, heat shrink wrap, waxed cable cord/twine, gray paint for removing stenciling on Power Board, fire stop material, blank labels for BDFB, yellow job wallet, 8.5"x11" paper for engineering order, plotter paper for Central Office drawings and transportation and taxes as appropriate.
- (K) Remove Cage Grounding Material - Remove collocation cage grounding lead and ground bar. Typical material includes cable scrap boxes (see Note 1 below), adjacent equipment protection material, heat shrink wrap, waxed cable cord/twine, yellow job wallet, 8.5"x11" paper for engineering order, plotter paper for Central Office drawings and transportation and taxes as appropriate.
- (L) Remove Fiber Entrance Cable - Remove fiber entrance cable from 1st manhole closest to the Central Office through cable vault to its endpoint termination in the collocation space (average 300' of cable). Removal activity also requires infrastructure maps and records, engineering work order, pump/ventilate manhole, safety inspection and removal of safety hazards, fire stops, and mechanized cable pulling tools.
- (M) Restore Floor Tile - Standard Bay - Remove floor tile and Drive Anchors Flush with Floor Slab, install 547 Floor Patch, apply floor adhesive, and install Vinyl Composite Floor Tile (VCT). Clean and Wax Floor Tile, abatement of asbestos containing Floor Tile, and Air Monitoring for Abatement.
- (N) Restore Floor Tile – Non-Standard Bay - Remove floor tile and Drive Anchors Flush with Floor Slab, install 547 Floor Patch, apply floor adhesive, and install Vinyl Composite Floor Tile (VCT). Clean and Wax Floor Tile, abatement of asbestos containing Floor Tile, and Air Monitoring for Abatement.

Note 1 for Material: Cable scrap boxes are designed for cable cut into three (3) foot lengths. This box is capable of handling 1000 pounds of weight, supporting forklift forks or floor jack lifts, moisture resistant, puncture resistant, and designed to be loaded into railroad cars for shipping.

19.7 Rate Element Descriptions for Space Reassignment

- (A) Application Fee - The charge assessed by **AT&T-13STATE** to process the Collocator's application for Physical Collocation Arrangements.

- (B) Project Management Fee - Space Reassignment/Restenciling - This fee applies to Space Reassignment request when a "Collocator Assignee" chooses to assign the rights to a Physical Collocation Arrangement from an "Exiting Collocator." The charge reflects the AT&T-13STATE's labor costs to project manage the changes/removals and update Central Office inventory/provisioning records, stenciling, floor plans, and DC power records associated with serving the Physical Collocation Arrangement.
 - (C) Restencil DS0/DSL Block - The charge to remove/change stenciling on MDF or IDF per one hundred (100) pair blocks.
 - (D) Restencil DS1 Block - The charge to remove/change stenciling on DSX1 panel per twenty-eight (28) DS1s.
 - (E) Restencil DS3 Block - The charge to remove/change stenciling on DSX3 panel per DS3.
 - (F) Restencil Fiber Cable Block - The charge to remove/change stenciling on FDF per twelve (12) pair cable.
 - (G) Restencil Fiber Jumper Block - The charge to remove/change stenciling on FDF per four (4) fiber jumpers.
 - (H) Restencil Power - The charge to remove/change stenciling on power source and tag power cables per one to four (1-4) fuses.
 - (I) Restencil Timing - The charge to remove/change stenciling on timing source and tag timing cables per two (2) cable feeds.
 - (J) Timing Record Book Update - The charge to update timing records when changes/removals occur.
 - (K) Interconnection Records Update - The charge to update interconnection records when changes/removals occur.
 - (L) Power Records Update - The charge to update power records when changes/removals occur.
 - (M) Vendor Engineering - The labor costs for AT&T-13STATE Tier 1 Installation/Removal Vendor to write the specifications to perform the restenciling job including travel time and site visit.
- 19.8 Rate Element Descriptions for Power Reduction (cable removal)
- (A) Application Fee - The charge assessed by the AT&T-13STATE to process the Collocator's application for Physical Collocation Arrangements.
 - (B) Project Management Fee - Power Reduction (cable removal) - Reflects AT&T-13STATE's labor costs to manage the removal of the individual Collocator's power cable facilities used for or associated with serving the Physical Collocation Arrangement.
 - (C) Remove Power Cable - Distribution from AT&T-13STATE BDFB (50 amp A feed and 50 amp B feed and below power arrangements) - Remove four (4) power cables, including fuses and fuse panel. Removal activity also requires all costs associated with the power cable removal, packing and shipping, removing stenciling from BDFB, and updating documents as required.
 - (D) Remove Power Cable - Distribution from AT&T-13STATE Power Board (100 amp A feed and 100 amp B feed and above) - Remove four (4) power cables, including fuses and fuse panel. Removal activity also requires all costs associated with the power cable removal, packing and shipping, removing stenciling from Power Board, and updating documents as required.
- 19.9 Rate Element Descriptions for Power Reduction (re-fusing only)
- (A) Application Fee - The charge assessed by AT&T-13STATE to process the Collocator's application for Physical Collocation Arrangements.
 - (B) Project Management Fee - Power Re-Fusing Only at AT&T-13STATE BDFB (50 amp A feed and 50 amp B feed & below power arrangements) - Reflects AT&T-13STATE's labor costs to project manage the change of the power re-fusing change on the Collocator's power services associated with serving the Physical Collocation Arrangement when power fuses are being reduced at AT&T-

13STATE BDFB. This fee is applicable when the Collocator is coordinating the fuse reduction at AT&T-13STATE BDFB.

- (C) Project Management Fee - Power Re-Fusing Only at AT&T-13STATE Power Board (100 amp A feed and 100 amp B feed and above power arrangements) - Reflects the AT&T-13STATE's labor costs to project manage the change of the individual Collocator's power services associated with serving the Physical Collocation Arrangement when power fuses are being reduced at AT&T-13STATE Power Board. This fee is applicable when AT&T-13STATE is coordinating the fuse reduction at AT&T-13STATE Power Board.
- (D) Power Fuse Reductions on AT&T-13STATE BDFB (50 amp A feed and 50 amp B feed and below power arrangements) - The charge for AT&T-13STATE to tag cables and update Central Office power records associated with the fuse change on the AT&T-13STATE BDFB per one to four (1-4) fuses. This fee applies when the Collocator performs the fuse change at the BDFB.
- (E) Power Fuse Reductions on AT&T-13STATE Power Board (100 amp A feed and 100 amp B feed and above power arrangements) - The charge for AT&T-13STATE to change the fuse at AT&T-13STATE power board, tag cables and update Central Office power records associated with fuse change on AT&T-13STATE Power Board per one to four (1-4) fuses.

19.10 Rate Element Descriptions for Interconnection Termination Reduction

- (A) Application Fee - The charge assessed by AT&T-13STATE to process the Collocator's application for Physical Collocation Arrangements.
- (B) Project Management Fee - Interconnection Termination Reduction - The charge reflects AT&T-13STATE's labor costs to project manage the removal of the interconnection cabling and update the interconnection block stenciling, Central Office and inventory/provisioning records associated with serving the Physical Collocation Arrangement.
- (C) Remove VF/DS0 Cable - Remove cable sheaths totaling one hundred (100) pairs and each one hundred (100) pair connecting block from the AT&T-13STATE Main Distribution Frame to the Physical Collocation Arrangement.
- (D) Remove DS1 Cable - Remove two (2) sheaths, on transmit and one receive, comprising of a total of twenty-eight (28) DS1 circuits to an existing DSX1 panel. Typical material includes cable scrap boxes (see Note 1 below), adjacent equipment protection material, heat shrink wrap, waxed cable cord/twine, blank labels for DSX shelf, 8.5"x11" paper for engineering job order, yellow job wallet, plotter paper for Central Office drawings and transportation and taxes as appropriate.
- (E) Remove DS3 Cable (Coax) - Remove two (2) coax cables per DS3 circuit to an existing DSX3 panel. Typical material includes cable scrap boxes (see Note 1 below), adjacent equipment protection material, heat shrink wrap, waxed cable cord/twine, fire stop material, blank labels for DSX shelf, 8.5"x11" paper for engineering order, yellow job wallet, plotter paper for Central Office drawings and transportation and taxes as appropriate.
- (F) Remove Fiber Cables - Remove fiber cable sheaths (1-216 fibers) on dedicated fiber racking. Typical material includes cable scrap boxes (see Note 1 below), adjacent equipment protection material, waxed cable cord/twine, gray paint for removing plotter paper for Central Office drawings and transportation and taxes as appropriate.
- (G) Remove Fiber Jumpers - Remove four fiber jumpers from the fiber protection system raceway.

20. RATES AND CHARGES – AT&T 13STATE PRICING SCHEDULE (See the Collocation Rate Summary)

21. CDOW (COLLOCATOR DOES OWN WORK) - COLLOCATOR RESPONSIBILITIES

- 21.1 The Collocator may elect to provision the collocation site or the Collocator may elect to hire AT&T-13STATE to provision the collocation site per previous Sections.

- 21.2 When the Collocator selects the option to provide, install, and terminate its interconnection and power cabling with an AT&T-13STATE Approved Tier 1 Vendor, the following Sections will apply. However, the terms and conditions within CDOW are not comprehensive. There are terms and conditions from the preceding Sections of this same Appendix that still apply for CDOW for rate elements that are not specifically addressed within the Collocation Rate Summary.
- 21.3 The Collocator has the option to provide, install and terminate its interconnection cabling between the Collocator's Dedicated Space and AT&T-13STATE Main Distribution Frame or its equivalent by AT&T-13STATE Approved Tier 1 Vendor. This option is only available if Collocator does all three (3) activities associated with interconnection cabling: provide, install and terminate. The Collocator may not elect to do some but not all the activities. Collocator must indicate on its Physical Collocation application that it has selected this option to apply to all interconnection cabling requested on the application. If Collocator selects this option, the Collocator must also select the option to provide, install and terminate its power cable leads described in Section 21.6.2 below. If Collocator selects this option, AT&T-13STATE will install and stencil termination blocks or panels at AT&T-13STATE Main Distribution Frame or its equivalent for the handoff of the Actual Point of Termination (APOT) Connection(s) to the Collocator. Intervals and provisioning for this option are found Section 8.2. The Collocator's AT&T-13STATE Approved Tier 1 Vendor must obtain an approved Job Start Agreement (JSA) and/or Method of Procedure (MOP) from AT&T-13STATE and follow AT&T-13STATE's Technical Publication TP 76300 for installation of equipment and facilities;
- 21.4 The Collocator has the option to provide, install, and terminate its power cable leads between Collocator's Dedicated Space and AT&T-13STATE's Battery Distribution Fuse Bay (BDFB) by using an AT&T-13STATE Approved Tier 1 Installation Vendor. When AT&T-13STATE designated power termination point is at the Power Plant Primary Distribution, the Collocator's AT&T-13STATE Approved Power Installation Vendor will provide and install the power cable leads, but not terminate. The Collocator must contact AT&T-13STATE Project Manager five (5) business days prior to scheduling a request for the termination of the Collocator's power cable leads to AT&T-13STATE Power Plant Primary Distribution, which will be performed by AT&T-13STATE. This option is only available if the Collocator does all three (3) activities associated with the power cable lead unless described otherwise within this Section. The Collocator may not elect to do some but not all the activities unless otherwise permitted in this Section. If Collocator selects this option, the Collocator must also select the option to provide, install and terminate its interconnection cabling described in Section 21.3 above. Intervals and provisioning for this option are found in Section 21.3. The Collocator's AT&T-13STATE Approved Power Installation Vendor must obtain an approved Job Start Agreement (JSA) and/or Method of Procedures (MOP) from AT&T-13STATE and follow AT&T-13STATE's Technical Publication TP 76300 for installation of equipment and facilities.
- 21.5 Interval (Collocator Installs Interconnection and Power Cabling)
- 21.5.1 The intervals set forth in this Section apply only when Collocator installs interconnection and power cabling. AT&T-13STATE will notify Collocator as to whether its request for space is granted or denied due to a lack of space within ten (10) calendar days from receipt of a Collocator's accurate and complete Physical Collocation Application. If AT&T-13STATE determines that Collocator's Physical Collocation Application is unacceptable, AT&T-13STATE shall advise Collocator of any deficiencies within this ten (10) calendar day period. AT&T-13STATE shall provide Collocator with sufficient detail so that Collocator has a reasonable opportunity to cure each deficiency. To retain its place in the queue to obtain the Physical Collocation arrangement, Collocator must cure any deficiencies in its Application and resubmit such Application within ten (10) calendar days after being advised of deficiencies. Any changes to the amount or type of floor space, interconnection terminations, and power requested from the originally submitted Physical Collocation Application will not be considered a deficiency. If these types of changes are requested while application is in queue, the application will be rejected.
- 21.5.2 The delivery interval relates to the period in which AT&T-13STATE shall construct and turnover to the Collocator's the requested Physical Collocation Space. The delivery interval begins on the date AT&T-13STATE receives an accurate and complete Physical Collocation Application from the

Collocator. The Collocator must provide AT&T-13STATE, within seven (7) calendar days from the date of notification granting the application request, a confirmatory response in writing to continue construction along with the fifty percent (50%) payment of non-recurring charges (unless payment was received with application) or the delivery interval provided will not commence until such time as AT&T-13STATE has received such response and payment. If the Collocator has not provided AT&T-13STATE such response and payment by the twelfth (12) calendar day after the date AT&T-13STATE notified Collocator its request has been granted, the application will be canceled. Dedicated Space is not reserved until AT&T-13STATE's receipt of the confirmatory response in writing from the Collocator with applicable fees.

21.5.3 The delivery interval for Caged or Cageless Physical Collocation is determined by AT&T-13STATE taking into consideration the various factors set forth in Table 1 below including, without limitation, the number of all Physical Collocation Applications submitted by Collocator, the type of Dedicated Space available for collocation, and the need for additional preparation of the space such as overhead racking, additional power or HVAC.

21.5.3.1 The delivery interval assigned will be provided to the Collocator by AT&T-13STATE with the ten (10) calendar day space notification. Each complete and accurate Physical Collocation Application received by AT&T-13STATE from the Collocator will be processed in the order received unless the Collocator provides a priority list, whichever is applicable.

Table 1

Number of All Applications submitted by One Collocator per state or metering region	Overhead Iron/Racking Exists for Active Collocation Space Use	Overhead Iron/Racking Does Not Exist for Active Collocation Space Use	Additional Power or HVAC is not Required for the assigned Inactive Collocation Space Use	Additional Power or HVAC is Required for the assigned Inactive Collocation Space Use
1 - 10	60 calendar days	80 calendar days	140 calendar days	180 calendar days
11 - 20	65 calendar days	85 calendar days	145 calendar days	185 calendar days

21.5.3.2 Should the Collocator submit twenty-one (21) or more applications within ten (10) business days, the above delivery intervals will be increased by five (5) days for every five (5) additional applications or fraction thereof. Any material revision to an application will be treated as a new application and will be subject to the time intervals set forth above. For example, but not by way of limitation, if a Collocator submits twelve (12) Caged/Cageless Physical Collocation Applications in a state, the delivery intervals assigned by AT&T-13STATE will depend on which variables apply within each Eligible Structure Physical Collocation is requested.

21.5.3.3 If Applications (1-4) are for Physical Collocation Space where Active Collocation Space is available and overhead iron/racking exists, the delivery intervals assigned will be sixty (60) days. If Applications (5-6) are for Physical Collocation Space and only Inactive Collocation Space exists and additional power or HVAC is not required, the delivery interval assigned will be one hundred forty (140) calendar days. If Applications (7-12) are for Physical Collocation Space where Active Collocation Space is available and overhead iron/racking does not exist, the delivery intervals assigned to Applications (7-10) will be eighty (80) calendar days and for Applications (11-12) will be assigned eighty-five (85) calendar days.

- 21.5.4 The second fifty percent (50%) payment must be received by AT&T-13STATE prior to the space being turned over to the Collocator. At space turnover, the Actual Point of Termination (APOT) Connection(s) will be provided to the Collocator by AT&T-13STATE.
- 21.5.5 For the following Augments, the Collocator must submit a complete and accurate Physical Collocation Application, along with an up-front payment of the Planning Fee and fifty percent (50%) of all applicable non-recurring charges.
- 168 DS1 connections and/or
 - 48 DS3 connections and/or
 - 400 Copper shielded cable pair connections
 - 12 fiber pair connections
- 21.5.5.1 Applications (except requests for Adjacent Structure Collocation) received by AT&T-13STATE from a Collocator within a ten (10) business day period shall be treated as submitted at the same time for purposes of administering the above intervals. The Caged and Cageless Collocation delivery interval ends when roughed in and the assigned space has been distinctly marked by AT&T-13STATE.
- 21.5.5.2 The delivery interval for the above Augments is determined by AT&T-13STATE taking into consideration the various factors set forth in Table 2 below including, without limitation, the number of all Physical Collocation Applications for the above Augments submitted by Collocator, the type of infrastructure available for collocation, and the need for additional preparation of the infrastructure such as overhead iron/racking and additional power.
- 21.5.5.3 The delivery interval assigned will be provided to the Collocator by AT&T-13STATE with the ten (10) calendar day Augment notification. Each complete and accurate Physical Collocation Application received by AT&T-13STATE from the Collocator will be processed in the order received unless the Collocator provides a priority list, whichever is applicable.

Table 2

Number of All Applications submitted by One Collocator per state or metering region	Necessary Elements such as Iron/Racking and Power exist for Physical Collocation Use	Necessary Elements such as Iron/Racking and Power does not exist for Physical Collocation Use
1 – 10	30 calendar days	60 calendar days
11- 20	35 calendar days	65 calendar days

- 21.5.5.4 Should the Collocator submit twenty-one (21) or more Physical Collocation Applications for cabling Augments within ten (10) business days, the above delivery intervals will be increased by five (5) days for every five (5) additional applications or fraction thereof. Any material revision to a Physical Collocation Application for cabling Augments will be treated as a new application and will be subject to the delivery intervals set forth in Table 2 above. All applications received by AT&T-13STATE from a Collocator within a ten (10) business day period shall be treated as submitted at the same time for purposes of administering the above staggering intervals.

For example, but not by way of limitation, if a Collocator submits twelve (12) Physical Collocation Applications for cabling Augments in a state, the delivery intervals assigned will depend on which variables apply within each Eligible Structure requested:

- If Applications (1-4) are for Physical Collocation cabling Augments where necessary elements such as overhead iron/racking and power exists, the delivery interval assigned will be thirty (30) days. If Applications (5-12) are for Physical Collocation where necessary elements such as overhead iron/racking and power does not exist,

the delivery interval assigned to Applications (5-10) will be sixty (60) calendar days and for Applications (11-12) sixty-five (65) calendar days.

21.5.6 For all Augments other than provided above, AT&T-13STATE will work cooperatively with Collocator to negotiate a mutually agreeable delivery interval.

21.5.7 Within twenty (20) calendar days or mutually agreed upon time, from AT&T-13STATE's receipt of the confirmatory response in writing for an initial collocation arrangement to continue construction on the Physical Collocation job requested along with the fifty percent (50%) payment of non-recurring charges (unless payment was received with application), Network Support and/or appropriate departments will schedule a walk through visit with the telecommunications carrier and/or vendor to provide floor plans of space and the preliminary route design for the interconnection and power cabling.

21.6 Rates Elements for AT&T-13STATE Central Offices

21.6.1 Caged Collocation

21.6.1.1 When Collocator constructs its own cage and related equipment, the Collocator will be subject to the AC Circuit Placement charge, which includes four inch (4") conduit and wiring from the electrical panel to cage as set forth in the Collocation Rate Summary. This is expressed as a non-recurring charge per square foot of floor space requested.

21.6.2 DC Power Arrangement Provisioning

21.6.2.1 When the Collocator selects the option to provide and install its power cable by a AT&T-13STATE Approved Tier 1 Installation Vendor, only the rack occupancy and on-going maintenance of the rack charge will apply. The Collocator will not be permitted access to AT&T-13STATE Battery Distribution Fuse Bay (BDFB) or Power Plant Primary Distribution, but AT&T-13STATE Approved Power Installation Vendor will have access. Rates for extension of power cables to the Adjacent On-site structure will not apply when provided and installed by telecommunications carriers AT&T-13STATE Approved Vendor. This is expressed as a monthly rate as specified the Collocation Rate Summary.

21.6.3 Entrance Fiber Optic Cable Arrangement

21.6.3.1 The Collocator is responsible for bringing its facilities to the entrance manhole(s) designated by AT&T-13STATE, and leaving sufficient length of the cable in the manhole for AT&T-13STATE to fully extend the Collocator-provided facilities through the cable vault to the Dedicated Space.

21.6.4 DS0 Voice Grade Interconnection Cable Arrangement

21.6.4.1 When the Collocator selects the option to provide and install its interconnection cabling by an AT&T-13STATE Approved Tier 1 Vendor, the Voice Grade Terminal blocks at the MDF, rack occupancy, and on-going maintenance charges will apply. The Collocator will not be permitted access to the Main Distribution Frame, but AT&T-13STATE Approved Tier 1 Installation Vendor will have access. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in the Collocation Rate Summary.

21.6.5 DS-1 Interconnection Cable Arrangement to DCS

21.6.5.1 When the Collocator selects the option to provide and install the interconnection cabling by AT&T-13STATE Approved Tier 1 Installation Vendor, the DS-1 Port, rack occupancy, and on-going maintenance charges will apply. The Collocator will not be permitted access to the Main Distribution Frame, but AT&T-13STATE Approved Tier 1 Installation Vendor will have access. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in the Collocation Rate Summary.

21.6.6 DS-1 Interconnection Cable Arrangement to DSX

21.6.6.1 When the Collocator selects the option to provide and install the interconnection cabling by AT&T-13STATE Approved Tier 1 Installation Vendor, the DSX at the MDF, rack occupancy, and on-going maintenance charges will apply. The Collocator will not be permitted access to the Main Distribution Frame, but AT&T-13STATE Approved Tier 1 Installation Vendor will have access. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in the Collocation Rate Summary.

21.6.7 DS-3 Interconnection Cable Arrangement to DCS

21.6.7.1 When the Collocator selects the option to provide and install the interconnection cabling by AT&T-13STATE Approved Tier 1 Installation Vendor, the DS-3 Port, rack occupancy, and on-going maintenance charges will apply. The Collocator will not be permitted access to the Main Distribution Frame, but AT&T-13STATE Approved Tier 1 Installation Vendor will have access. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in the Collocation Rate Summary.

21.6.8 DS-3 Interconnection Cable Arrangement to DSX

21.6.8.1 When the Collocator selects the option to provide and install the interconnection cabling by AT&T-13STATE Approved Tier 1 Installation Vendor, the DSX at the MDF, rack occupancy, and on-going maintenance charges will apply. The Collocator will not be permitted access to the Main Distribution Frame, but AT&T-13STATE Approved Tier 1 Installation Vendor will have access. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in the Collocation Rate Summary.

21.6.9 Fiber Interconnection Cable Arrangement

21.6.9.1 When the Collocator selects the option to provide and install the interconnection cabling by AT&T-13STATE Approved Tier 1 Installation Vendor, the Fiber terminating panel at the FDF-1 Port, rack occupancy, and on-going maintenance charges will apply. The Collocator will not be permitted access to the Main Distribution Frame, but AT&T-13STATE Approved Tier 1 Installation Vendor will have access. This is expressed as a combination of a non-recurring charge and a monthly rate as specified in the Collocation Rate Summary.

21.6.10 Collocation to Collocation Connection

21.6.10.1 This rate element includes physical to physical, and physical to virtual connection options.

21.6.10.1.1 Fiber Cable (12 Fiber Pairs)

21.6.10.1.1.1 When the Collocator selects the option to provide and install the interconnection cabling by AT&T-13STATE Approved Tier 1 Installation Vendor, the charge for on-going maintenance of the rack will apply. This is expressed as a monthly rate as specified in the Collocation Rate Summary.

21.6.10.1.2 Copper Cable

21.6.10.1.2.1 When the Collocator selects the option to provide and install the interconnection cabling by AT&T-13STATE Approved Tier 1 Installation Vendor, the charge for on-going maintenance of the rack will apply. This is expressed as a monthly rate as specified in the Collocation Rate Summary.

21.6.10.1.3 Coax Cable

21.6.10.1.3.1 When the Collocator selects the option to provide and install the interconnection cabling by AT&T-13STATE Approved Tier 1 Installation Vendor, the charge for on-going maintenance will

apply. This is expressed as a monthly rate as specified in the Collocation Rate Summary.

21.6.10.1.4 Cable Racking and Hole

21.6.10.1.4.1 This sub-element provides for cable rack space and hole for copper, coax and optical cabling between two (2) collocation arrangements and the required terminations at each virtual collocation arrangement(s) at an Eligible Structure. This sub-element is expressed as a monthly rate specified in the Collocation Rate Summary.

21.6.10.1.5 Route Design

21.6.10.1.5.1 This sub-element provides the route design for collocation-to-collocation connections. This sub-element is expressed as a non-recurring charge and this charge is specific in the Collocation Rate Summary.

APPENDIX VIRTUAL COLLOCATION

TABLE OF CONTENTS

GENERAL DESCRIPTION	1
DEFINITIONS	2
PROVISIONING.....	3
COLLOCATOR RESPONSIBILITIES	4
COOPERATIVE RESPONSIBILITIES.....	5
INTERVALS AND PROVISIONING.....	6
EQUIPMENT PROVISIONING	7
REPAIR OF EQUIPMENT	8
MAINTENANCE OF EQUIPMENT	9
ALARM COLLECTION.....	10
TERMINATION OF VIRTUAL COLLOCATION	11
RATE ELEMENTS (<u>AT&T-13STATE</u> DOES ALL WORK)	12
ALTERNATIVE VIRTUAL COLLOCATION ARRANGEMENT DESCRIPTION	13
OBLIGATIONS OF THE COLLOCATOR.....	14
COOPERATIVE RESPONSIBILITIES.....	15
RATE REGULATIONS	16
CDOW (CLECS DOING OWN WORK) – COLLOCATOR RESPONSIBILITIES.....	17

APPENDIX VIRTUAL COLLOCATION

1. GENERAL DESCRIPTION

- 1.1 This Section of the Appendix provides for Virtual Collocation for the purpose of interconnecting to AT&T-13STATE for the transmission and routing of Telephone Exchange Service and Exchange Access pursuant to 47 U.S.C. § 251 (c)(2), and for access to AT&T-13STATE's Lawful Unbundled Network Elements ("Lawful UNEs") pursuant to 47 U.S.C. § 251(c)(3) of the Act when the virtually collocated telecommunications equipment (hereafter referred to as equipment) is provided by the Collocator.
- 1.2 The Parties intend that this Appendix contain the sole and exclusive terms and conditions by which CLEC will obtain Virtual Collocation from AT&T-13STATE pursuant to 47 U.S.C. § 251(c)(6). Except as may be specifically permitted by this Appendix, and then only to the extent permitted, CLEC and its affiliated entities hereby fully and irrevocably waive any right or ability any of them might have to purchase Virtual Collocation directly from any AT&T-13STATE tariff, and agree not to so purchase or attempt to so purchase from any AT&T-13STATE tariff that provides for 251(c)(6) Virtual Collocation. Without affecting the application or interpretation of any other provisions regarding waiver, estoppel, laches, or similar concepts in other situations, the failure of AT&T-13STATE to enforce the foregoing (including if AT&T-13STATE fails to reject or otherwise block applications for, or provides or continues to provide, 251(c)(6) Virtual Collocation under tariff to CLEC or any of its affiliated entities) shall not act as a waiver of any part of this Section, and estoppel, laches, or other similar concepts shall not act to affect any rights or requirements hereunder. At its option, AT&T-13STATE may either reject any application or order for 251(c)(6) Virtual Collocation submitted under tariff, or without the need for any further contact with or consent from CLEC, AT&T-13STATE may process any order for any 251(c)(6) Virtual Collocation submitted under tariff, as being submitted under this Appendix and, further, may convert any 251(c)(6) Virtual Collocation provided under tariff, to this Appendix, effective as of the later in time of the (i) Effective Date of this Agreement/Amendment, or (ii) the submission of the order by CLEC.
- 1.3 Upon request from a Collocator, AT&T-13STATE will provide one of the following maintenance alternates for its Virtual Collocation offering:
 - 1.3.1 In all of AT&T-13STATE's premises, AT&T-13STATE will offer Virtual Collocation wherein AT&T-13STATE maintains and repairs the virtually collocated equipment consistent with the rates, terms and conditions as provided for in Sections 1 through 17 of this Appendix.
 - 1.3.2 In Controlled Environmental Vault (CEV), huts and cabinets where Physical Collocation space is not available, a Collocator may opt for Virtual Collocation wherein the Collocator maintains and repairs the virtually collocated equipment as described in Section 17 following and consistent with the rates, terms and conditions as provided for throughout this entire Appendix. AT&T-13STATE may at its option, elect to offer this maintenance alternative in one or more of its Central Offices, and in one or more of its CEVs, huts and cabinets where Physical Collocation space is available. As described in Section 17, this maintenance alternative is contingent on the provision of a security escort paid for by the Collocator. In the event the FCC determines that AT&T-13STATE may not require a security escort paid for by the Collocator, then this Virtual Collocation maintenance alternative as described in this Section and in Section 17 is null and void and all Virtual Collocation will be maintained as described in Section 1 above.
- 1.4 Virtual Collocation in the Central Office is available for interconnection with AT&T-13STATE for the transmission and routing of Telephone Exchange Service and Exchange Access as well as AT&T-13STATE provided Lawful UNEs. Virtual Collocation in CEVs, huts and cabinets is available for interconnection with AT&T-13STATE provided UNEs.
- 1.5 Rates for the individual Lawful UNEs to which the Collocator wants to gain access using Virtual Collocation can be found in the Collocator's Agreement with AT&T-13STATE.

- 1.6 A description of the rate categories applicable to Virtual Collocation for the purpose of interconnecting to AT&T-13STATE within AT&T-13STATE's Central Offices is contained in Section 12 (Rate Regulations). A description of the rate categories applicable to Virtual Collocation for the purpose of interconnecting to AT&T-13STATE within AT&T-13STATE's CEVs, huts and cabinets is contained in 19.36.2 (Rate Elements for AT&T-13STATE CEVs, huts and cabinets).
- 1.7 Virtual Collocation provides for Interconnection to AT&T-13STATE for the Transmission and Routing of Telephone Exchange Service and Exchange Access, and for Interconnection with AT&T-13STATE provided Lawful UNEs when the Equipment is Provided by the Collocator.
- 1.8 Virtual Collocation provides for interconnection between AT&T-13STATE and the facilities of a virtual Collocator and is available for the transmission and routing of Telephone Exchange Service and Exchange Access in AT&T-13STATE Central Offices and for interconnection with AT&T-13STATE provided Lawful UNEs in AT&T-13STATE Central Offices and CEVs, huts and cabinets.
- 1.9 Virtual Collocation is available at AT&T-13STATE wire centers as specified in the National Exchange Carrier Association, Inc., tariff F.C.C. No. 4 and in AT&T-13STATE CEVs, huts and cabinets. Upon request, AT&T-13STATE will provide a listing of locations of AT&T-13STATE's CEVs, huts or Cabinets.
- 1.10 The rate elements provided in this Appendix are required when Collocator uses Virtual Collocation equipment to access Lawful UNEs. Such access is provided through cross connects purchased from the Agreement. Lawful UNEs including associated cross connects are obtained from the Agreement between the Collocator and AT&T-13STATE. Cross connects associated with Lawful UNEs establish the circuit between the virtually collocated equipment, and these cross connects are the point at which services provided and purchased from the Agreement begin. Virtually collocated equipment is available as follows:
 - 1.10.1 A Collocator shall purchase from the vendor the equipment to be virtually collocated subject to the provisions as set forth below and the equipment conforming to industry safety standards as described in AT&T-13STATE's Technical Publication <https://clec.sbc.com/clec/>.
 - 1.10.2 In accordance with Section 251(c)(6) of the Act, the Collocator may collocate equipment for Virtual Collocation if such equipment is necessary for interconnection to AT&T-13STATE under 47.U.S.C. § 251(c)(2) or accessing AT&T-13STATE's Lawful UNEs under 47.U.S.C. § 251(c)(3) of the FTA 96. For purposes of this Section, "necessary" means directly related to and thus necessary, required, or indispensable to interconnection or access to Lawful UNEs. Such uses are limited to interconnection to AT&T-13STATE's network "for the transmission and routing of Telephone Exchange Service or Exchange Access," or for access to AT&T-13STATE's Lawful UNEs "for the provision of a telecommunications service."
 - 1.10.3 Equipment that may be collocated solely for these purposes includes: (1) transmission equipment including, but not limited to, optical terminating equipment and multiplexers; and (2) equipment being collocated to terminate basic transmission facilities pursuant to sections 64.1401 and 64.1402 of 47 C.F.R. (Expanded Interconnection) as of August 1, 1996. AT&T-13STATE is not required nor shall it permit the collocation of stand-alone switches or enhanced services equipment.
 - 1.10.4 In addition, AT&T-13STATE voluntarily permits Collocator collocation of certain Multifunctional Equipment included in the definition of "advanced services equipment" in section 1.3.d of the AT&T/Ameritech Merger Conditions. Under the AT&T/Ameritech Merger Condition, "advanced services equipment" is defined as follows: "(1) DSLAMs or functionally equivalent equipment; (2) spectrum splitters that are used solely in the provision of Advanced Services; (3) packet switches and multiplexers such as ATMs and Frame Relay engines used to provide Advanced Services; (4) modems used in the provision of packetized data; and (5) DACS frames used only in the provision of Advanced Services. Spectrum splitters (or the equivalent functionality) used to separate the voice grade channel from the Advanced Services channel shall not be

considered Advanced Services Equipment; any such splitters installed after the Merger Closing Date that are located at the Collocator premises shall be considered network terminating equipment."

- 1.10.5 **AT&T-13STATE** does not allow collocation of other Multifunctional Equipment, except that **AT&T-13STATE** will voluntarily allow collocation of REMOTE SWITCH MODULE (RSM) solely under the following conditions: (1) the REMOTE SWITCH MODULE (RSM) may not be used as a stand-alone switch; it must report back to and be controlled by a Collocator identified host switch and direct trunking to the REMOTE SWITCH MODULE (RSM) will not be permitted; (2) the REMOTE SWITCH MODULE (RSM) equipment must be used only for the purpose of interconnection with **AT&T-13STATE**'s network for the transmission and routing of Telephone Exchange Service or Exchange Access or for access to **AT&T-13STATE**'s Lawful UNEs for the provision of a telecommunications service. **AT&T-13STATE** voluntarily will allow Collocator to collocate, on a non-discriminatory basis, other multi-functional equipment only if **AT&T-13STATE** and Collocator mutually agree to such collocation.
- 1.10.6 For purposes of this Section, "Multifunctional Equipment" means equipment that has (1) functions that make the equipment "necessary for interconnection or access to Lawful UNEs" and (2) additional functions that are not "necessary" for these purposes. Such additional functions include, but are not limited to, switching and enhanced service functions. **AT&T-13STATE** will not allow collocation of stand-alone switching equipment or any enhanced services equipment.
- 1.10.7 **AT&T-13STATE** voluntarily allows Collocator to place ancillary equipment, including cross-connect and other simple frames, routers, portable test equipment, equipment racks and bays, and other ancillary equipment on a non-discriminatory basis only if **AT&T-13STATE** and Collocator mutually agree to such placement, in **AT&T-13STATE**'s premises solely to support and be used with equipment that the Collocator has legitimately collocated in the same premises.
- 1.10.8 Pending the FCC's reasonably timely remand proceedings in accordance with the Court's Opinion in GTE Service Corporation v. FCC, No. 99-1176, 2000 U.S. App. LEXIS 4111 (D.C. Cir. March 17, 2000) ("GTE Opinion"), **AT&T-13STATE** voluntarily will not disturb (1) equipment and (2) connection arrangements between different Collocators' equipment in an **AT&T-13STATE** Eligible Premises, that prior to the May 11, 2000, effective date of the GTE Opinion, were (1) in place in **AT&T-13STATE** or (2) requested by Collocator and accepted by **AT&T-13STATE** on the same basis as under the FCC's original, pre-vacated Collocation Order (Deployment of Wireline Services Offering Advanced Telecommunications Capability, CC Docket No. 98-147, First Report and Order (FCC 99-48), 14 FCC Rcd 4761 (1999)). **AT&T-13STATE**'s agreement not to disturb these collocation arrangements pending timely completion of the remand proceedings will immediately expire if a federal or state court or regulatory agency attempts to apply any of the most favored nation provisions of the Act, of any state Merger Conditions, or of the FCC AT&T/Ameritech Merger Conditions to such arrangements or deems such arrangements to be discriminatory vis-à-vis other carriers.
- 1.10.9 All types of network equipment placed in **AT&T-13STATE** network equipment areas of Eligible Structures by **AT&T-13STATE** or Collocator must meet **AT&T-13STATE** minimum safety standards. The minimum safety standards are as follows: (1) Collocator's equipment must meet Telcordia Level 1 safety requirements as set forth in Telcordia documents SR-3580 and GR-63-CORE, Network Equipment Building Systems (NEBS); or, (2) Collocator must demonstrate that its equipment has a history of safe operation defined by installation in an ILEC (including **AT&T-13STATE**) prior to January 1, 1998 with no known history of safety problems. The Collocator will be expected to conform to the same accepted procedures and standards utilized by including **AT&T-13STATE** and its contractors when engineering and installing equipment.

- 1.10.10 In the event that AT&T-13STATE denied Collocation of Collocator's equipment, citing Safety Standards, AT&T-13STATE will provide within five (5) business days of Collocator's written request to AT&T-13STATE representative(s), a list of AT&T-13STATE equipment placed since January 1, 1998 within the network areas of the Eligible Premise for which Collocation was denied together with an affidavit attesting that all of such AT&T-13STATE equipment met or exceeded the then current Safety Standards when such equipment was placed in the Eligible Premise.
- 1.10.11 In the event AT&T-13STATE believes that collocated equipment is not necessary for interconnection or access to Lawful UNEs or determines that the Collocator's equipment does not meet the minimum safety standards, the Collocator must not collocate the equipment unless and until the dispute is resolved in its favor. The Collocator will be given ten (10) business days to comply with the requirements and/or remove the equipment from the collocation space if the equipment already improperly was collocated. If the Parties do not resolve the dispute pursuant to the dispute resolution procedures set forth in the Agreement, AT&T-13STATE or Collocator may file a complaint at the Commission seeking a formal resolution of the dispute. If it is determined that the Collocator's equipment does not meet the minimum safety standards above, the Collocator must not collocate the equipment and will be responsible for removal of the equipment and all resulting damages if the equipment already was collocated improperly.
- 1.10.12 Regarding safety, Collocator equipment or operating practices representing a significant demonstrable technical or physical threat to AT&T-13STATE's personnel, network or facilities, including the Eligible Structure, or those of others are strictly prohibited. Regarding safety, and notwithstanding any other provision hereof, the characteristics and methods of operation of any equipment or facilities placed in the Virtual Collocation space shall not create hazards for or cause damage to those facilities, the Virtual Collocation space, or the Eligible Structure in which the Virtual Collocation space is located; impair the privacy of any communications carried in, from, or through the Eligible Structure in which the Virtual Collocation space is located; or create hazards or cause physical harm to any individual or the public. Any of the foregoing would be in violation of this Appendix. Disputes regarding proper implementation of operating practices or technical standards may be resolved under the standards of Sections 1.12.3 of this Appendix.
- 1.11 A Collocator may arrange for a mutually agreed upon vendor/contractor to engineer and install the virtually collocated equipment the Collocator purchases and the Collocator may pay the vendor/contractor directly. The installation contractor and their activity will be under the direction and control of Collocator who will ensure that the installation contractor meets all standards and requirements for installation of equipment, as required under this Appendix. If AT&T-13STATE chooses to have its personnel present when the CLEC equipment is installed, then AT&T-13STATE's presence will be at its own expense. However, if AT&T-13STATE demonstrates that the CLEC contractor has or would have violated any standard or requirement for installation of equipment, as required under this Appendix, the CLEC is responsible for the quantifiable expense incurred by AT&T-13STATE.
- 1.12 Federal Telecommunications Act of 1996 (the "Act")
- 1.12.1 AT&T-13STATE provides Virtual Collocation for interconnection to AT&T-13STATE for the transmission and routing of Telephone Exchange Service and Exchange Access pursuant to 47 U.S.C. § 251(c)(2), and for access to AT&T-13STATE's Lawful UNEs pursuant to 47 U.S.C. § 251(c)(3).
- 1.12.2 The use of Virtual Collocation for (1) interconnection to AT&T-13STATE or (2) access to AT&T-13STATE's Lawful UNEs, in either case pursuant to 47 U.S.C. § 251(c), is available at AT&T-13STATE wire centers as specified in the National Exchange Carrier Association, Inc., tariff F.C.C. No. 4, and in AT&T-13STATE CEVs, huts and cabinets.

1.12.3 In addition, the following terms and conditions contained in the **AT&T-13STATE's** Physical Collocation Appendix shall apply to Virtual Collocation arrangements provided under this Appendix, and are incorporated herein by reference: Section 2-Definitions, Section 3-Limitation of Liability and Force Majeure Events, Section 4.5-Casualty Loss, Section 5.1- Certification, Section 5.5-Hazardous Waste & Materials, Section 5.6-Safety, Section 6.5-Cancellation Prior to Due Date, Section 6.6-Billing, Section 6.7- Late Payment Charge, Section 6.8- Allowance for Interruptions, Section 9.4-Threat to Personnel, Network, or Facilities, Section 9.5-Interference or Impairment, Section 9.7-Alterations, Section 11-Re-entry.

2. DEFINITIONS

- 2.1 **Act** - "Act" means the Communications Act of 1934 [47 U.S.C. 153(R)], as amended by the Telecommunications Act of 1996, Public Law 104-104, 110 Stat. 56 (1996) codified throughout 47 U.S.C.
- 2.2 **Active Collocation Space** - Denotes the space within an Eligible Structure that can be designated for Physical Collocation which has sufficient telecommunications infrastructure systems, including power. Space within CEVs, huts and cabinets and similar Eligible Structures that can be designated for Physical Collocation is considered to be Active Collocation Space.
- 2.3 **Adjacent Off-site Arrangement** - Where Physical Collocation space within **AT&T-13STATE** Eligible Structure is Legitimately Exhausted, and the Collocator's Adjacent On-site space is not within 50 ft. of the Eligible Structure's outside perimeter wall, the Collocator has the option and **AT&T-13STATE** shall permit an Adjacent Structure Off-site Arrangement, to the extent technically feasible. The Adjacent Off-site Arrangement is available if the Collocator's site is located on a property that is contiguous to or within one standard city block of **AT&T-13STATE's** Central Office or Eligible Structure.
- 2.3.1 Such arrangement shall be used for interconnection or access to Lawful UNEs. When the Collocator elects to utilize an Adjacent Off-site Arrangement, the Collocator shall provide both the AC and DC power required to operate such facility. The Collocator may provide its own facilities to **AT&T-13STATE's** premises or to a mutually agreeable meet point from its Adjacent Off-site location for interconnection purposes. The Collocator may subscribe to facilities available in the UNE rate schedule of the Collocator's Agreement. The rates established in this Appendix for Adjacent Off-site Arrangement apply only if Collocator's Adjacent off-site Arrangement is located on a property that is contiguous to or within one standard city block of **AT&T-13STATE's** Central Office or Eligible Structure.
- 2.3.2 At the time the Collocator requests this arrangement, the Collocator must provide information as to the location of the Adjacent Off-site facility, the proposed method of interconnection, and the time frame needed to complete provisioning of the arrangement. **AT&T-13STATE** shall provide a response to Collocator within ten (10) days of receipt of the application, including a price quote, provisioning interval, and confirmation of the manner in which the Adjacent Off-site Facility will be interconnected with **AT&T-13STATE's** facilities. **AT&T-13STATE** shall make best efforts to meet the time intervals requested by Collocator and, if it cannot meet the Collocator's proposed deadline, shall provide detailed reasons, as well as proposed provisioning intervals.
- 2.3.3 In the event that interior space in an Eligible Structure becomes available, **AT&T-13STATE** will provide the option to the Collocator to relocate its equipment from an Adjacent or an Adjacent Off-site Facility into the interior space. In the event the Collocator chooses to relocate its equipment into the interior space, appropriate charges applicable for collocation within the Eligible Structure will apply.
- 2.4 **Adjacent Structure** - A Collocator-provided structure placed on **AT&T-13STATE** property (Adjacent On-site) or non-Company property (Adjacent Off-site) adjacent to an Eligible Structure. This arrangement is only permitted when space is legitimately exhausted inside the Eligible Structure and to the extent technically feasible. **AT&T-13STATE** and telecommunications carrier will mutually agree on

the location of the designated space on AT&T-13STATE premises where the adjacent structure will be placed. AT&T-13STATE will not unreasonably withhold agreement as to the site desired by Collocator.

- 2.5 **Augment** - A request from a Collocator to add equipment and/or cable to an existing Physical Collocation arrangement.
- 2.6 **Custom Work Charge** - Denotes the charge(s) developed solely to meet the construction requirements of the Collocator, (e.g., painting a cage). Custom work may not be charged to Collocator for any work performed which will benefit or be used by AT&T-13STATE or other collocators. AT&T-13STATE also may not impose a Custom Work Charge without the Collocator's approval and agreement that the custom work is not included in the provision of collocation as provided for in the rate elements contained in this Appendix. In the event an agreement between the Collocator and AT&T-13STATE is not reached regarding the Custom Work Charge, AT&T-13STATE shall complete construction of the Collocator's space pending resolution of the issue by the appropriate Commission and the Collocator may withhold payment for the disputed charges while the issue remains unresolved; however, any disputed Custom Work Charges paid by the Collocator or owed to AT&T-13STATE shall accrue interest at the rate established by the appropriate Commission. All Custom Work Charges that are approved by the appropriate Commission will be the basis for calculating a refund to a Collocator that has overpaid or the amount due to AT&T-13STATE that was not paid or underpaid. These overpaid or underpaid amounts will accrue at the above-stated interest rate on a monthly basis from the date of completion of the work or the date of payment of the disputed amount, as appropriate. In the event that the requested work will benefit all or most collocators, such work shall not be considered custom work; instead, AT&T-13STATE shall file the appropriate interconnection agreement amendment. However, AT&T-13STATE shall not delay completion of such work during the agreement approval process. AT&T-13STATE shall perform such work based upon provisional rates, subject to true up.
- 2.7 **Day** - For purposes of application and/or installation intervals, "day" denotes calendar days unless otherwise specified. However, any time period equal to or less than five days, day denotes business day.
- 2.8 **Dedicated Space** - Denotes the space dedicated for the Collocator's Physical Collocation arrangement located in AT&T-13STATE Eligible Structure.
- 2.9 **Eligible Structure** - Eligible Structure refers to AT&T-13STATE's Central Offices and serving wire centers, as well as all buildings or similar structures owned or leased by AT&T-13STATE that house its network facilities, and all structures that house AT&T-13STATE's facilities on public rights-of-way, including but not limited to vaults containing loop concentrators or similar structures.
- 2.10 **Infrastructure Systems** - The structural components, such as floors capable of supporting equipment loads, heating, ventilating and air conditioning (HVAC) systems, electrical systems, power, high efficiency filtration, humidity controls, remote alarms, compartmentation and smoke purge.
- 2.11 **Legitimately Exhausted** - Denotes when all space in a Central Office (CO) or other Eligible Structure that can be used to locate telecommunications equipment in any of the methods of collocation available under this Appendix is exhausted or completely occupied. Before AT&T-13STATE may make a determination that space in an Eligible Structure is legitimately exhausted, AT&T-13STATE must have removed all unused obsolete equipment from the Eligible Structure and made such space available for collocation; however, removal of the equipment shall not cause a delay in AT&T-13STATE's response to a Collocator's application or in provisioning collocation arrangements. The determination of exhaustion is subject to dispute resolution as provided in Appendix General Terms & Conditions, Section 10. In making this determination, AT&T-13STATE may reserve space for transport equipment for current year plus two years. Additionally, AT&T-13STATE may not reserve space for equipment for itself, or advanced or interLATA services affiliates or other affiliates of AT&T-13STATE or for future use by AT&T-13STATE or its affiliates under conditions that are more favorable than those that apply to other telecommunications carriers seeking to reserve collocation space for their own use. AT&T-13STATE may reserve space for Switching, Power, Main Distribution Frame (MDF), and Digital Cross

Connect System (DCS)) up to anticipated Collocator growth over a 10-year life expectancy of the ultimate footprint of the equipment.

- 2.12 **Other (Inactive) Collocation Space** - Denotes the space within the Central Office that can be designated for Physical Collocation where infrastructure systems do not currently exist and must be constructed. The designation of Other (Inactive) Collocation Space is applicable to space within Central Offices only; other Eligible Structures such as CEVs, huts, and vaults are considered Active Collocation Space for purposes of this Appendix.
- 2.13 **Preparation Charges** - Denotes those charges associated with the initial preparation of the Collocator's Dedicated Space.
- 2.14 **Technically Feasible** - A collocation arrangement is technically feasible if, in accordance with either national standards or industry practice, there is no significant technical impediment to its establishment. A rebuttable presumption that a collocation arrangement is technically feasible shall arise if the arrangement has been deployed by any incumbent local exchange carrier in the country.
- 2.15 **Telecommunications Infrastructure Space** - Denotes the square footage or linear footage of space, including common areas, used to house telecommunications infrastructure equipment necessary to support collocation space used for interconnection with or access to Lawful UNEs of AT&T-13STATE's network.

3. PROVISIONING

- 3.1 Virtual Collocation for Interconnection to AT&T-13STATE or access to AT&T-13STATE provided Lawful UNEs is ordered as set forth in AT&T-13STATE's Interconnector's Collocation Services Handbook at <https://clec.sbc.com/clec/> for Virtual Collocation in 13-STATES. AT&T-13STATE will designate the location or locations within its wire centers, CEVs, huts and cabinets for the placement of all equipment and facilities associated with Virtual Collocation. Virtual Collocation does not involve the reservation of segregated Central Office or CEV, hut and Cabinet space for the use of Collocator.
- 3.2 AT&T-13STATE will provide Virtual Collocation for comparable equipment as it provides to itself in the Central Office, wire center, CEV, hut or Cabinet, as the case may be.

4. COLLOCATOR RESPONSIBILITIES

- 4.1 The Collocator will provide, under this Section of this Appendix, at its expense, all facilities and equipment required to facilitate interconnection and access to AT&T-13STATE's Lawful UNEs. The Collocator will, at its expense, provide the following:
 - 4.1.1 All plug-ins and/or circuit packs (working, spare, and replacements),
 - 4.1.2 All unique tools and test equipment,
 - 4.1.3 Any ancillary equipment and cabling used for remote monitoring and control,
 - 4.1.4 Any technical publications and updates associated with all Collocator-owned and provided equipment,
 - 4.1.5 All training as described in Section 12.4.16.
- 4.2 The Collocator will provide, at its expense, replacements for any recalled, obsolete, defective or damaged facilities, equipment, plug-ins, circuit packs, unique tools, test equipment, or any other item or material provided by the Collocator for placement in/on AT&T-13STATE property. Suitable replacements are to be immediately provided to AT&T-13STATE to restore equipment.
- 4.3 The Collocator will provide at least the minimum number of usable equipment spares specified by the manufacturer. Replacements must be delivered to AT&T-13STATE Central Office using the equipment spare within five (5) days of notification that a spare was used or tested defective.

5. COOPERATIVE RESPONSIBILITIES

- 5.1 AT&T-13STATE will work cooperatively with the Collocator to develop implementation plans including timelines associated with:
- 5.1.1 Placement of Collocator's fiber into the Central Office vault,
 - 5.1.2 Location and completion of all splicing,
 - 5.1.3 Completion of installation of equipment and facilities,
 - 5.1.4 Removal of above facilities and equipment,
 - 5.1.5 To the extent known, the Collocator can provide forecasted information to AT&T-13STATE on anticipated additional Virtual Collocation requirements,
 - 5.1.6 To the extent known, the Collocator is encouraged to provide AT&T-13STATE with a listing of the equipment types that they plan to virtually collocate in AT&T-13STATE's Central Offices or CEVs, huts and cabinets. This cooperative effort will insure that AT&T-13STATE personnel are properly trained on Collocator equipment.

6. INTERVALS AND PROVISIONING

- 6.1 Quote Intervals
- 6.1.1 Upon receipt of the Collocator's application and initial Planning Fee payment, AT&T-13STATE will begin development of the quotation. AT&T-13STATE will notify the Collocator as to whether its request for a Virtual Collocation arrangement has been granted or denied due to a lack of interconnection facilities or space within ten (10) calendar days of submission of the completed application.
 - 6.1.2 In responding to an application request, AT&T-13STATE shall provide the quotation of the applicable nonrecurring and recurring rates, and the estimated construction interval no later than as specified below. The Collocator has forty-five (45) calendar days from receipt of the quotation to accept the quotation. The quotation expires after forty-five (45) calendar days. After forty-five (45) calendar days, a new application and Planning Fee are required.
 - 6.1.3 Price quote intervals are as follows and will run concurrent with the ten (10) calendar day notification interval for availability of Virtual Collocation interconnection:

Number of Applications By One Collocator	Quotations Interval
1 - 5	10 Calendar Days
6 - 10	15 Calendar Days
11 - 15	20 Calendar Days
16 - 20	25 Calendar Days

- 6.1.4 Should the Collocator submit twenty-one (21) or more applications within five (5) business days, the quotation interval will be increased by five (5) business days for every five (5) additional applications or fraction thereof. Any material revision to an application will be treated as a new application and will be subject to the time intervals set forth above.
- 6.1.5 A Collocator may obtain a shorter quote interval by scheduling a meeting with AT&T-13STATE at least twenty (20) calendar days prior to submission of the first application to discuss, coordinate and prioritize the Collocator applications.
- 6.1.6 Once AT&T-13STATE has completed its review of the Virtual Collocation application form inquiry, the entire completed quote package will be forwarded to the potential Collocator in writing with a cover letter. The Collocator has forty-five (45) calendar days to remit a signed confirmation form along with a check for fifty percent (50%) of all the applicable nonrecurring charges.

6.1.7 If the Collocator fails to respond within the forty-five (45) calendar day interval, should the Collocator decide at a later time to proceed with Virtual Collocation, a new application and Planning Fee will be required.

6.2 Implementation Intervals

6.2.1 A Virtual Collocation arrangement is not reserved until the quotation is accepted. When the quotation is accepted, unless otherwise mutually agreed to by the Parties in writing, **AT&T-13STATE** will allow the Collocator's vendor to begin equipment installation no later than ninety (90) calendar days from acceptance of the quotation. The Virtual Collocation interval ends when roughed in, unterminated DC power and interconnection cabling is provided to the Virtual Collocation area.

6.2.2 The construction intervals for Virtual Collocation arrangements are noted in Table 2-1. For Virtual Collocation in Active Collocation Space where the Collocator is requesting maximum DC Power of fifty (50) amps, either in a single or in multiple feeds of fifty (50) amps (maximum fifty (50) amps per feed), the Virtual Collocation construction intervals remain as stated below. For Virtual Collocation in Active Collocation Space where a Collocator is requesting DC Power that exceeds fifty (50) amps from a single source (e.g., 100 amps) per feed, the construction interval is ninety (90) calendar days. These same construction intervals apply for Virtual Collocation in Eligible Structures such as CEVs (Vaults), huts and cabinets.

6.2.3 When the quotation is accepted, unless otherwise mutually agreed to by the Parties in writing, the construction intervals for virtual are as follows:

Table 2-1

Type	Description	Interval	Exception
Virtual	Active Collocation space	90 calendar days	With AT&T-13STATE installation of bays/racks/frames
Virtual	Active Collocation space	90 calendar days	With CLEC installation of bays/racks/frames

6.2.4 Where space is not suitable for Central Office equipment (e.g., it is not Active collocation space), **AT&T-13STATE** shall have an additional thirty (30) calendar days to prepare the space. Virtual Collocation space is not reserved until the quotation is accepted.

6.2.5 When the quotation is accepted unless otherwise mutually agreed to by the Parties in writing, **AT&T-13STATE** will complete construction of Active Collocation Space requests for Virtual Collocation in ninety (90) calendar days from the receipt of the Collocator's acceptance of the quotation where power is available and the Collocator is installing all of its own bays. The Virtual Collocation construction interval ends when roughed in, unterminated DC power and interconnection cabling is provided to the collocation area. **AT&T-13STATE** will complete construction of Active Collocation Space requests for Virtual Collocation in ninety (90) calendar days from the receipt of the Collocator's acceptance of the quotation where **AT&T-13STATE** will be installing all or some of the bays. **AT&T-13STATE** considers power to be available if sufficient power plant capacity exists, the Battery Distribution Fuse Bay (BDFB) (if used) is within 100 feet of the Collocator's space and sufficient termination capacity on the power plant and/or Battery Distribution Fuse Bay (BDFB) exists.

6.2.6 If a completion date outside the time period required herein is not agreed to by the Parties and not resolved through the Agreement's dispute resolution procedures, the issue may be presented by either Party to the appropriate Commission for determination.

6.3 Installation of Virtual Collocation Equipment

- 6.3.1 AT&T-13STATE does not assume any responsibility for the design, engineering, testing, or performance of the end-to-end connection of the Collocator's equipment, arrangement, or facilities.
- 6.3.2 AT&T-13STATE will be responsible for using the same engineering practices as it does for its own similar equipment in determining the placement of equipment and engineering routes for all connecting cabling between collocation equipment.
- 6.3.3 In this arrangement, telecommunications equipment (hereafter referred to as equipment) is furnished by the Collocator and engineered and installed by a mutually agreed upon vendor for the Collocator. The Collocator will have the authority to select installation vendors. All installations of equipment will be in accordance with the Collocator-provided installation design and must comply with manufacturer's specifications and applicable published national standards approved by the FCC, and other governmental authorities that have jurisdiction.
- 6.3.4 The Collocator and AT&T-13STATE must jointly accept the installation of the equipment and facilities prior to the installation of any services using the equipment. As part of this acceptance, AT&T-13STATE will cooperatively test the collocated equipment and facilities with the Collocator.
- 6.3.5 AT&T-13STATE will provide a Telephone Inventory Record Keeping System (TIRKS) and/or SWITCH print out of Actual Point of Termination/Connection Facilities Assignment (APOT/CFA) to the CLEC at collocation space turnover. This information is used to request access and line sharing services. The CLEC is responsible for payment of all non-recurring charges, where applicable, prior to receiving APOT/CFA information.

6.4 Revisions

- 6.4.1 All Revisions to an initial request for a Virtual Collocation arrangement submitted by the Collocator must be in writing via a new application form.
- 6.4.1.1 Major Revisions include:
- adding telecommunications equipment that requires additional electrical power
 - adding additional Collocator bays or equipment that impact the existing/proposed floor-space area provided to the Collocator in their quote package.
- 6.4.1.1.1 If the revision is major, a new interval for the Virtual Collocation arrangement will be established which shall not exceed two months.
- 6.4.1.2 Minor Revisions include:
- adding bays of equipment that do not significantly impact the existing/proposed electrical systems
 - adding light fixtures and outlets which do not exceed the capacity of the existing/proposed electrical system
 - adjustments to the heat release projection which do not cause a change in the proposed/existing mechanical system
- 6.4.1.2.1 However, minor revisions will not require that a new interval be established. No additional Planning Fees shall be applicable if the revision is minor.
- 6.4.1.2.2 This list is not all-inclusive. Any revisions to the Collocator's application not specified above must be reviewed by AT&T-13STATE to determine whether the revision is major or minor.

6.5 Augments

- 6.5.1 In order to request an augment, the Collocator must submit a Virtual Collocation Application Form to AT&T-13STATE Collocation Service Center (CSC) indicating in Section 3 of the

application that this is an "Augmentation to an Existing Arrangement." The price quote will contain the charges and the construction interval for that application.

6.5.2 AT&T-13STATE will work cooperatively with Collocator to negotiate mutually agreeable implementation intervals for augmentments.

7. EQUIPMENT PROVISIONING

- 7.1 The Collocator will arrange to deliver to AT&T-13STATE Central Office where the equipment is located a reasonable number, as recommended by the manufacturer, of all appropriate plug-ins, circuit packs and cards and any other equipment, plus all necessary circuit design and provisioning information on an agreed-upon date which is no later than two (2) business days prior to the scheduled turn-up of the Collocator's equipment.
- 7.2 For the disconnection of circuits, the Collocator will provide all circuit information no later than two (2) business days prior to the scheduled disconnection of the Collocator's circuit.
- 7.3 AT&T-13STATE does not assume any responsibility for the design, engineering, testing, or performance of the end-to-end connection of the Collocator's circuits.

8. REPAIR OF EQUIPMENT

- 8.1 Except in emergency situations, the Collocator-owned fiber optic facilities and Central Office terminating equipment will be repaired only upon the request of the Collocator. In an emergency, AT&T-13STATE may perform necessary repairs without prior notification. The labor rates specified in Section 12.4.17 apply to AT&T-13STATE Central Offices and AT&T-13STATE CEVs, huts and cabinets and are applicable for all repairs performed by AT&T-13STATE on the Collocator's facilities and equipment.
- 8.2 When initiating repair requests on Collocator owned equipment, the Collocator must provide AT&T-13STATE with the location and identification of the equipment and a detailed description of the trouble.
- 8.3 Upon notification by the Collocator and availability of spare parts as provided by the Collocator, AT&T-13STATE will be responsible for repairing the Virtually Collocated equipment at the same standards that it repairs its own equipment.

9. MAINTENANCE OF EQUIPMENT

- 9.1 The Collocator will request any and all maintenance by AT&T-13STATE on its Virtually Collocated facilities or equipment. When initiating requests for maintenance on collocated equipment, the Collocator must provide AT&T-13STATE with the location and identification of the equipment and a detailed description of the maintenance requested.
- 9.2 Upon notification by the Collocator and availability of spare parts as provided by the Collocator, AT&T-13STATE will be responsible for maintaining the Virtually Collocated equipment at the same standards that it maintains its own equipment.

10. ALARM COLLECTION

- 10.1 The Collocator has the ability to purchase its own remote monitoring and alarming equipment.
- 10.2 Since the maintenance of the Collocator's equipment is at the direction and control of the Collocator, AT&T-13STATE will not be responsible for responding to alarms and will only conduct maintenance and repair activities at the direction of the Collocator.

11. TERMINATION OF VIRTUAL COLLOCATION

- 11.1 Upon termination of the Virtual Collocation arrangement, the Collocator will work cooperatively with AT&T-13STATE to remove the Collocator's equipment and facilities from AT&T-13STATE's property subject to the condition that the removal of such equipment can be accomplished without damaging or endangering other equipment located in the Central Office. AT&T-13STATE is not responsible for and

will not guarantee the condition of such equipment. The Collocator is responsible for arranging for and paying for the removal of virtually collocated equipment including all costs associated with equipment removal, packing and shipping. Arrangements for and the removal of the Collocator virtually collocated equipment must be made within thirty (30) business days after termination of the Virtual Collocation arrangement, unless a different time period is mutually agreed upon. AT&T-13STATE shall be responsible for exercising reasonable caution when removing virtually collocated equipment. AT&T-13STATE will only be responsible for damage done to such equipment caused by gross negligence on the part of AT&T-13STATE or its contractors during the removal process. However, Collocator will indemnify and hold AT&T-13STATE harmless for any damage done to virtually collocated equipment if AT&T-13STATE permits the Collocator to hire a contractor approved by AT&T-13STATE to remove virtually collocated equipment. Any equipment not removed in this time frame may be removed by AT&T-13STATE and stored in a non-Company location, at the expense of the Collocator. Upon termination of the Virtual Collocation, the Collocator must remove the fiber entrance cable used for the Virtual Collocation. If the entrance cable is not scheduled for removal within seven (7) days after removal of CLEC Virtual Collocation equipment, AT&T-13STATE may arrange for the removal, and the Collocator will be responsible for any charges incurred to remove the cable. AT&T-13STATE and the Collocator will cooperatively manage the removal process. The Collocator is only responsible for physically removing entrance cables housed in conduits or inner-ducts and will only be required to do so when AT&T-13STATE instructs the Collocator that such removal can be accomplished without damaging or endangering other cables contained in a common duct or other equipment residing in the Central Office.

12. RATE ELEMENTS (AT&T-13STATE DOES ALL WORK)

- 12.1 This Section contains specific regulations governing the rates and charges that apply to Virtual Collocation for the purpose of interconnecting to AT&T-13STATE under section 251(c)(2) and for access to AT&T-13STATE provided Lawful UNEs under 251(c)(3), when the Collocator provides the equipment.
- 12.2 There are two types of rates and charges that apply to the various rate elements for Virtual Collocation. These are non-recurring charges and monthly recurring rates.
- 12.3 Rates and charges specific to Virtual Collocation for interconnection with AT&T-13STATE for the transmission and routing of Telephone Exchange Service and Exchange Access under section 251(c)(2), and for access to AT&T-13STATE provided Lawful UNEs under 251(c)(3) in AT&T-13STATE's Central Offices are set forth on Attachment 2 (Rates and Charges for AT&T-13STATE Central Offices). Rates and charges specific to Virtual Collocation for access to AT&T-13STATE provided Lawful UNEs in AT&T-13STATE CEVs, huts and cabinets are set forth on the Collocation Rate Summary (Rates and Charges for AT&T-13STATE CEVs, huts and cabinets).
- 12.4 Rate Elements for AT&T-13STATE Central Offices

Consistent with provisions in Section 6 of this Appendix, the following provides a list of the specific rate elements for Virtual Collocation for interconnection with AT&T-13STATE for the transmission and routing of Telephone Exchange Service and Exchange Access, and for access to AT&T-13STATE's provided Lawful UNEs to be used in conjunction with Virtual Collocation in AT&T-13STATE's Central Offices.

12.4.1 Planning Fee

- 12.4.1.1 The Planning Fee recovers AT&T-13STATE costs incurred to estimate the quotation of charges, project management costs, engineering costs, and other related planning activities for the Collocator's request for a Virtual Collocation arrangement. The Planning Fee also provides for AT&T-13STATE personnel to survey each requested location for availability of space for the placement of entrance cables as well as to determine floor space to physically place Collocator-designated equipment expressed as a non-recurring charge. The Planning Fee is applied on an initial and subsequent

basis. The initial charge will apply to the Collocator's request for a Virtual Collocation arrangement. The subsequent planning charge will apply to any additional interconnection or power arrangements. Charges for this sub-element are specified on the Collocation Rate Summary.

12.4.2 Floor Space

12.4.2.1 This sub-element provides for the "occupancy" cost per bay framework associated with using the floor space in AT&T-13STATE's Central Offices expressed as a monthly rate. Charges for the sub-elements are specified on the Collocation Rate Summary.

12.4.3 Relay Rack (Optional)

12.4.3.1 This sub-element provides the cost per Standard Bay relay rack when provided by AT&T-13STATE expressed as a monthly rate. AT&T-13STATE's Standard Bay dimensions are 7' 0" high, and have a 23" interior width, 25" exterior width, and up to 15" deep. In those cases where an individual relay rack and associated floor space are shared by AT&T-13STATE and the Collocator or among Collocators, the floor space and relay rack associated will be apportioned on a quarter rack basis. When the standard bay relay rack is provided by the Collocator, this rate element will not apply. Charges for this element are specified on the Collocation Rate Summary.

12.4.4 Common Systems Materials

12.4.4.1 This sub-element provides the infrastructure installation and maintenance of ironwork, racking, and lighting above the equipment bays. Charges for the sub-elements are specified on the Collocation Rate Summary. The common systems sub-element is distinct for standard and non-standard. In those cases where common systems materials for an individual relay rack and associated floor space are shared with the Collocator or among Collocators, the common systems materials for the floor space and relay rack associated will be apportioned on a quarter rack basis.

12.4.5 Real Estate

12.4.5.1 These rate elements provide for AT&T-13STATE to recover the costs associated with preparing the Eligible Structure for telecommunications equipment (Site Conditioning) and securing the space (Safety and Security).

12.4.5.2 Site Conditioning

12.4.5.2.1 Permits AT&T-13STATE to recover costs associated with preparing space within the Eligible Structure for telecommunications equipment. The nonrecurring charge for this sub-element is specified on the Collocation Rate Summary.

12.4.5.3 Safety and Security

12.4.5.3.1 Permits AT&T-13STATE to recover costs associated with securing the telecommunications area used for Virtual Collocation. The nonrecurring charge for this sub-element is specified on the Collocation Rate Summary.

12.4.6 Entrance Fiber Optic Arrangement

12.4.6.1 This sub-element provides for AT&T-13STATE pulling and splicing fiber cable between the manhole and cable vault, and the subsequent routing of fiber riser cable between the cable vault and Fiber Distribution Frame (FDF). (Note: virtually collocated equipment may also be connected to dedicated transport facilities provided as Lawful UNEs in lieu the entrance fiber. When Virtually Collocated Equipment is connected to dedicated transport facilities in lieu of the entrance fiber, the terms, conditions and charges for such dedicated transport facilities are pursuant to the Agreement. No recurring or non-recurring charges for dedicated transport facilities provided as used are

applicable pursuant to this Appendix). Charges for this rate element are on the Collocation Rate Summary.

12.4.6.2 Entrance Conduit, per sheath

12.4.6.2.1 This sub-element represents any reinforced passage or opening in, on, under, over or through the ground between the first manhole and the cable vault through which the fiber optic cable is placed. Charges for this element are specified on the Collocation Rate Summary.

12.4.7 DC Power Arrangement Provisioning

12.4.7.1 This sub-element is the cable and cable rack including support and fabrication material necessary to support the virtually collocated equipment expressed as a monthly rate for either 2-20 AMP feeds or 2-50 AMP feeds. Fuse panels necessary for terminating power feeds at the Collocator's equipment bay are provided by the Collocator. In the event that a Collocator requires a power arrangement that exceeds 50 AMPS from a single source, **AT&T-13STATE** will cooperatively work with the Collocator using comparable rate elements as the basis for such arrangements. Cable sizing is based on List 2 design loads. Charges for this sub-element are specified on the Collocation Rate Summary.

12.4.8 DC Power Amperage Charge

12.4.8.1 DC Power per AMP

12.4.8.1.1 This is a monthly recurring charge which is determined by multiplying the per DC amp rate by the total amount of DC amps provided over one of the two power feeds ordered by the Collocator for its power arrangement. By way of example, where CLEC orders DC Power in a 20-amp increment, it will be considered to have ordered two 20-amp power feeds and AT&T will provision two (2) twenty (20) AMP DC power leads that have been fused (for a combined total of forty (40) AMPS), but AT&T shall only bill CLEC the monthly recurring charge applicable to DC Power for a total of twenty (20) AMPS. The DC power charge per amp consists of the use of: DC power plant, backup generator, batteries & rectifiers, Battery Distribution Fuse Bay (BDFB), associated hardware & cabling, and AC energy to convert to DC power. Charges for this sub-element are specified on the Collocation Rate Summary.

12.4.8.2 Heating, Ventilating, and Air Conditioning (HVAC)

12.4.8.2.1 This sub-element consists of the elements necessary to provide HVAC within the Eligible Structure to the collocation arrangement and is based on the heat dissipation required for each 10 AMPS of DC Power. Charges for this sub-element are specified on the Collocation Rate Summary.

12.4.8.3 Ground Cable Arrangement

12.4.8.3.1 The Ground Cable Arrangement is the cabling arrangement designed to provide grounding for equipment per frame expressed as a monthly rate. Separate Ground Cable Arrangements are required for Integrated and Isolated Ground Planes. Charges for this element are specified on the Collocation Rate Summary.

12.4.9 DS0 Voice Grade Interconnection Cable Arrangement

12.4.9.1 This sub-element provides for the cost associated with providing DS0 voice grade (100 pairs) non-shielded or shielded between **AT&T-13STATE**'s Distributing Frame and the virtually collocated equipment expressed as a combination of a non-recurring charge and a monthly rate. Charges for these sub-elements are specified on the Collocation Rate Summary.

12.4.10 DS-1 Interconnection Cable Arrangement to Digital Cross Connect System (DCS)

12.4.10.1 This sub-element provides for the cost associated with providing 28 DS-1 cabling arrangement between AT&T-13STATE's Digital Cross Connect System (DCS) functionality purchased from the Collocator's Agreement and the virtually collocated equipment expressed as a combination of a non-recurring charge and a monthly rate.

12.4.10.2 Charges for this sub-element are specified on the Collocation Rate Summary.

12.4.11 DS-1 Interconnection Cable Arrangement to Digital System Cross-Connect Frame (DSX)

12.4.11.1 This sub-element provides for the cost associated with providing 28 DS-1 cabling arrangement between AT&T-13STATE's Digital System Cross-Connect Frame (DSX) functionality purchased from the Collocator's Agreement and the virtually collocated equipment expressed as a combination of a non-recurring charge and a monthly rate. Charges for this sub-element are specified on the Collocation Rate Summary.

12.4.12 DS-3 Interconnection Cable Arrangement to Digital Cross Connect System (DCS)

12.4.12.1 This sub-element provides for the cost associated with providing one DS-3 cabling arrangement between AT&T-13STATE's Digital Cross Connect System (DCS) functionality purchased from the Collocator's Agreement and the virtually collocated equipment expressed as a combination of a non-recurring charge and a monthly rate. Charges for this sub-element are specified on the Collocation Rate Summary.

12.4.13 DS-3 Interconnection Cable Arrangement to Digital System Cross-Connect Frame (DSX)

12.4.13.1 This sub-element provides for the cost associated with providing one DS-3 cabling arrangement between AT&T-13STATE's Digital System Cross-Connect Frame functionality purchased from the Collocator's Agreement and the virtually collocated equipment expressed as a combination of a non-recurring charge and a monthly rate. Charges for this sub-element are specified on the Collocation Rate Summary.

12.4.14 Fiber Interconnection Cable Arrangement

12.4.14.1 This sub-element provides for the cost associated with providing 12 fibers pairs between AT&T-13STATE's FDF and the virtually collocated equipment expressed as a combination of a non-recurring charge and a monthly rate. Charges for this sub-element are specified on the Collocation Rate Summary.

12.4.15 Timing Source Arrangement (Optional)

12.4.15.1 AT&T-13STATE provided single signal from AT&T-13STATE's timing source to provide synchronization between a Collocator's single network element and AT&T-13STATE's equipment expressed as a recurring and non-recurring rate. Charges for this sub-element, if requested by the Collocator are specified on the Collocation Rate Summary.

12.4.16 Training

12.4.16.1 AT&T-13STATE is responsible for determining when training is necessary and how many of AT&T-13STATE's employees require training to provide 24 hour a day, seven day a week coverage for the installation, maintenance and repair of Collocator's designated equipment not currently used in a wire center selected by the Collocator for Virtual Collocation. AT&T-13STATE will be limited to request training for four (4) of AT&T-13STATE's personnel per location, unless a different number is mutually agreed upon by AT&T-13STATE and Collocator.

12.4.16.2 The Collocator may have AT&T-13STATE arrange for the required training of AT&T-13STATE's personnel. The non-recurring charges applicable for training are listed on the Collocation Rate Summary.

12.4.16.3 If AT&T-13STATE chooses not to coordinate the required training, the Collocator will assume the responsibility for providing the training. It is then the responsibility of the Collocator to:

12.4.16.3.1 arrange and pay to the supplier all costs for training sessions, including the cost of the trainer(s), transportation and lodging of such trainer(s), and required course material, and

12.4.16.3.2 arrange and pay to each individual supplier all costs associated with lodging and other than domestic transportation, such as airfare, required for AT&T-13STATE employee training.

12.4.16.3.3 arrange and pay all costs associated with AT&T-13STATE employee(s) attendance at the training, including lodging and other than local transportation, such as airfare, and employee(s) labor rate for time away from the job, required for AT&T-13STATE employee training.

12.4.16.4 AT&T-13STATE will work cooperatively with the Collocator to schedule AT&T-13STATE's personnel training time required for the installation, maintenance and repair of the Collocator's designated equipment. The Collocator will be assessed two hours of the technician additional labor charge for AT&T-13STATE's personnel time required to coordinate training activities with the Collocator. The Collocator will be responsible for reimbursement of applicable Company contractual compensation obligations for time spent as a result of the necessary training. All other charges, if applicable, specified in Collocation Rate Summary will be assessed to the Collocator.

12.4.17 Maintenance and Repair Labor Rates

12.4.17.1 Maintenance of Equipment

12.4.17.1.1 This rate element is a labor rate charged by AT&T-13STATE to the Collocator for ongoing maintenance of the Collocator's equipment. Any maintenance requirements will be initiated by the Collocator. Labor rates are based upon a 1/4 hour basis and are dependent upon day of week and time of day.

12.4.17.1.2 For purposes of this Appendix, normal weekday is defined as 8:00 a.m. through 5:00 p.m., Monday through Friday, excluding holidays. Non-recurring charges for this sub-element are specified on the Collocation Rate Summary.

12.4.17.2 Repair of Equipment

12.4.17.2.1 This rate element is a labor rate charged by AT&T-13STATE to the Collocator for repair of the Collocator's equipment. All repair will be at the direction of the Collocator.

12.4.17.2.2 Labor rates are based upon a charge for Network Operations Center (NOC) personnel to take the trouble report, create a trouble ticket, and dispatch a technician. Labor rates for actual repair of the trouble are based upon a 1/4 hour basis and are dependent upon day of week and time of day.

12.4.17.2.3 For purposes of this Appendix, normal weekday is defined as 8:00 a.m. through 5:00 p.m., Monday through Friday excluding holidays. Non-recurring charges for this sub-element are specified on the Collocation Rate Summary.

12.4.18 Collocation-to-Collocation Connection

This rate element includes virtual-to-virtual, and virtual-to-physical connection options.

12.4.18.1 Fiber Cable (12 Fiber Pair)

12.4.18.1.1 This sub-element provides for direct cabling using fiber cable (12 fibers pairs) between two collocation arrangements at an Eligible Structure. This sub-element is expressed as a combination of a non-recurring charge and a monthly rate and these charges are specified on the Collocation Rate Summary.

12.4.18.2 Copper Cable (28 DS1s)

12.4.18.2.1 This sub-element provides for direct cabling using copper cable (28 DS1s) between two collocation arrangements at an Eligible Structure. This sub-element is expressed as a combination of a non-recurring charge and a monthly rate and these charges are specified on the Collocation Rate Summary.

12.4.18.3 Coax Cable (1 DS3)

12.4.18.3.1 This sub-element provides for direct cabling using coaxial cable (1 DS3) between two collocation arrangements at an Eligible Structure. This sub-element is expressed as a combination of a non-recurring charge and a monthly rate and these charges are specified on the Collocation Rate Summary.

12.4.18.4 Cable Racking and Hole

12.4.18.4.1 This sub-element provides for cable rack space and hole for copper, coax and optical cabling between two collocation arrangements at an Eligible Structure. This sub-element is expressed as a monthly rate specified on the Collocation Rate Summary.

12.4.18.5 Route Design

12.4.18.5.1 This sub-element provides the route design for collocation-to-collocation connections. This sub-element is expressed as a non-recurring charge and this charge is specific on the Collocation Rate Summary.

12.4.19 Equipment Evaluation Cost

12.4.19.1 This rate element is a labor rate charged by AT&T-13STATE to the Collocator for evaluating the Collocator's equipment when not meeting Level 1 Safety requirements as set forth in Telcordia Network Equipment - Building Systems (NEBS). Charges for this element are specified on the Collocation Rate Summary.

12.4.20 Test and Acceptance

12.4.20.1 This rate element is a labor rate charged by AT&T-13STATE to the Collocator for cooperative assisting the Collocator's approved vendor in testing and accepting the installed virtually collocated equipment. Charges for this element are specified on the Collocation Rate Summary.

12.5 Rate Elements for AT&T-13STATE's CEVs, huts and cabinets

The following provides a list of the specific rate elements for Virtual Collocation for access to AT&T-13STATE's provided Lawful UNEs in AT&T-13STATE's CEVs, huts and cabinets.

12.5.1 Entrance Cable Fiber

12.5.1.1 This sub-element provides for the engineering of a point of appearance cable termination, preparation of work order drawings, postings of the work order and cable

data in the appropriate databases for inventory and provisioning purposes, excavation to expose existing subsurface facilities, pulling the Collocator-provided cable into the Eligible Structure, routing, securing and preparing the end for splicing or termination.

12.5.1.2 Charges for these sub-elements are specified on the Collocation Rate Summary.

12.5.2 Entrance Conduit

12.5.2.1 Any reinforced passage or opening placed for the Collocator provided facility in, on, under/over or through the ground between AT&T-13STATE CEV, hut, or Cabinet and the Collocator structure. Rates and charges are as found on the Collocation Rate Summary.

12.5.3 DC Power Amperage Charge

12.5.3.1 This sub-element provides for the use of power in the hut, CEV, or cabinet based on the amount of mounting space that is used by the Collocator as measured in 2-inch increments. Charges for this sub-element are expressed as a recurring charge and can be found on the Collocation Rate Summary.

12.5.4 24-Foot CEV

12.5.4.1 This sub-element provides for the use of mounting space within a 24-foot CEV. This element is expressed as a monthly rate. The charge for this sub-element is specified on the Collocation Rate Summary.

12.5.5 16-Foot CEV

12.5.5.1 This sub-element provides for the use of mounting space within a 16-Foot CEV. This element is expressed as a monthly rate. The charge for this sub-element is specified on the Collocation Rate Summary.

12.5.6 Maxi-Hut

12.5.6.1 This sub-element provides for the use of mounting space within a maxi-hut. This element is expressed as a monthly rate. The charge for this sub-element is specified on the Collocation Rate Summary.

12.5.7 Mini-Hut

12.5.7.1 This sub-element provides for the use of mounting space within a mini-hut. This element is expressed as a monthly rate. The charge for this sub-element is specified on the Collocation Rate Summary.

12.5.8 Large Cabinet

12.5.8.1 This sub-element provides for the use of mounting space within a Large Cabinet. This element is expressed as a monthly rate. The charge for this sub-element is specified on the Collocation Rate Summary.

12.5.9 Medium Cabinet

12.5.9.1 This sub-element provides for the use of mounting space within a Medium Cabinet. This element is expressed as a monthly rate. The charge for this sub-element is specified on the Collocation Rate Summary.

12.5.10 Small Cabinet

12.5.10.1 This sub-element provides for the use of mounting space within a Small Cabinet. This element is expressed as a monthly rate. The charge for this sub-element is specified on the Collocation Rate Summary.

12.5.11 Project Coordination Fee

12.5.11.1 The project coordination fee provides for AT&T-13STATE personnel to survey each requested CEV, Hut and Cabinet for availability of space for placement of copper or

fiber cables as well as to determine space for any Collocator-designated equipment. This sub-element is expressed as a non-recurring charge and is specified on the Collocation Rate Summary.

13. ALTERNATIVE VIRTUAL COLLOCATION ARRANGEMENT DESCRIPTION

- 13.1 Virtual Collocation wherein the Collocator maintains and repairs the virtually collocated equipment.
- 13.2 For purposes of virtually collocating equipment, AT&T-13STATE shall determine which Eligible Structures require access to CEVs, huts, or manholes containing concentrated cabling and other forms of equipment that requires drawings, schematics, or other engineering documents that aid in the prevention of accidental network outages. The drawings, schematics, or other engineering documents shall denote the location of the requesting Collocator's equipment and cabling without disclosing identity of equipment and cabling belonging to AT&T-13STATE and other Collocators.
- 13.3 After Collocator has been provided with written notification by AT&T-13STATE that access to CEVs, huts, or manholes containing concentrated cabling and other forms of equipment requires drawings, schematics, or other engineering documents that aid in the prevention of accidental network outages, Collocator may not enter an Eligible Structure without obtaining updated copies of drawings, schematics, or other engineering documents. Upon request, AT&T-13STATE shall immediately make available to Collocator those drawings, schematics, or other engineering documents that identify the location of the requesting Collocator's equipment and cabling. In the event the requested documents are not immediately available, AT&T-13STATE shall not prevent the Collocator from entering the Eligible Structure. If AT&T-13STATE does not immediately make the requested documents available to a Collocator and the Collocator enters the Eligible Structure, AT&T-13STATE shall deliver the requested documents to Collocator immediately upon locating same.
- 13.4 AT&T-13STATE will provide a security escort with the Collocator paying the expense for the escort. AT&T-13STATE will provide the security escort as soon as reasonably possible, or within the time frame agreed to by the Parties, at the time of notice. In the event the FCC determines that AT&T-13STATE may not require a security escort paid for by the Collocator, then this Virtual Collocation maintenance alternative as described in this Section and in Section 1.24 of this Appendix is null and void, and all Virtual Collocation will be maintained by AT&T-13STATE as described in Section 1.3 of this Appendix.
- 13.5 Prior to entering an Eligible Structure that requires drawings, schematics, or other engineering documents, Collocator must provide AT&T-13STATE with reasonable notice of the entry. Notice will be provided to AT&T-13STATE's Local Operations Center, which will be available to receive notice twenty-four (24) hours a day, seven (7) days a week. Collocator providing notice to AT&T-13STATE's Local Operations Center must specify the title and date of all drawings, schematics, or other engineering documents that will be used while in the Eligible Structure.
- 13.6 The Collocator shall conduct background checks of the technicians who have access to the collocation space. Collocator technicians will be security qualified by the Collocator and will be required to be knowledgeable of AT&T-13STATE security standards. Disciplinary procedures shall be established in accordance with Section 14.3 of this Appendix to ensure the safety and integrity of the Eligible Structure, including, e.g., procedures that require the responsible employee to be terminated for certain specified actions that damage or place the equipment of AT&T-13STATE or other Collocators in jeopardy.
- 13.7 AT&T-13STATE may use security devices, e.g., identification swipe cards, keyed access, and/or logs, as appropriate for the Eligible Structure where collocation will take place.
- 13.8 AT&T-13STATE shall be permitted to recover the cost of such security devices from the Collocator in a reasonable manner. The Collocator shall provide indemnification and insurance to cover any damages caused by the Collocator's technicians at a level commensurate with the indemnification and insurance provided by AT&T-13STATE's equipment suppliers with equivalent access.

- 13.9 Provisioning of equipment required for Virtual Collocation, e.g., power arrangements and interconnection arrangements will be provided in accordance with this Appendix.

14. OBLIGATIONS OF THE COLLOCATOR

14.1 Indemnification of AT&T-13STATE

- 14.1.1 Except as otherwise provided, the indemnity provisions of the Agreement between AT&T-13STATE and the Collocator shall apply and are incorporated herein by this reference. However, in no event will the provisions in this Section supersede or override the indemnification provisions contained in the Agreement between AT&T-13STATE and Collocator. Additionally, in the event of a conflict between indemnification provisions in the Agreement and this Appendix, the provisions in the Agreement will control.
- 14.1.2 Collocator shall indemnify and hold harmless AT&T-13STATE, the agents, employees, officers, directors and shareholders of any of them ("Indemnitees"), from and against any and all liabilities, obligations, claims, causes of action, fines, penalties, losses, costs, expenses (including court costs and reasonable attorney's fees), damages, injuries, of any kind, (individually and collectively "Liabilities"), including but not limited to, Liabilities as a result of (a) injury to or death of any person; (b) damage to or loss or destruction of any property; or (c) Liabilities related in any manner to employee benefits, workers compensation, payroll tax, and any other employer obligations which may be asserted against AT&T-13STATE where such liabilities arise in connection with Collocator's use of persons that it classifies as an independent contractor or subcontractor to perform obligations under this Appendix; (d) attachments, liens or claims of material persons or laborers arising out of or resulting from or in connection with this Appendix or the performance of or failure to perform and directly or indirectly caused, in whole or part, by acts of omissions, negligent or otherwise, of Collocator or a contractor or a representative of Collocator or an employee of any one of them, except to the extent such Liabilities arise from the negligence or willful or intentional misconduct of AT&T-13STATE or its employees. The provisions in this Section are reciprocal and applicable also to AT&T-13STATE.
- 14.1.3 AT&T-13STATE shall make best efforts to promptly notify Collocator of any suit or other legal proceeding asserting a claim for Liabilities. Upon request, Collocator shall, at no cost or expense to the Indemnitee, defend any such suit or legal proceeding asserting a claim for Liabilities, and Collocator shall pay any costs and attorneys' fees that may be incurred by any Indemnitee in connection with any such claim, proceeding or suit. Collocator shall also (a) keep AT&T-13STATE and any other Indemnitee subject to any such claim fully informed as to the progress of such defense, and (b) afford AT&T-13STATE and such Indemnitee, each at its own expense, an opportunity to participate on an equal basis with Collocator in the defense or settlement of any such claim.

14.2 Insurance

The Collocator agrees to maintain, at all times, the following minimum insurance coverages and limits and any additional insurance and/or bonds required by law:

- 14.2.1 Workers' Compensation insurance with benefits afforded under the laws of the State of AT&T-13STATE and Employers Liability insurance with minimum limits of \$100,000 for Bodily Injury-each accident, \$500,000 for Bodily Injury by disease-policy limits and \$100,000 for Bodily Injury by disease-each employee.
- 14.2.2 Commercial General Liability insurance with minimum limits of: \$2,000,000 General Aggregate limit; \$1,000,000 each occurrence sub-limit for all bodily injury or property damage incurred in any one occurrence; \$1,000,000 each occurrence sub-limit for Personal Injury and Advertising; \$2,000,000 Products/Completed Operations Aggregate limit, with a \$1,000,000 each occurrence sub-limit for Products/Completed Operations.

- 14.2.2.1 Fire Legal Liability sub-limits of \$300,000 are required for lease agreements. AT&T-13STATE will be named as an Additional Insured on the Commercial General Liability policy.
- 14.2.3 If use of an automobile is required, Automobile Liability insurance with minimum limits of \$1,000,000 combined single limits per occurrence for bodily injury and property damage, which coverage shall extend to all owned, hired and non-owned vehicles. All Risk Property coverage on a full replacement cost basis insuring all of Collocator's personal property situated on or within the Eligible Structure.
- 14.2.4 Collocator releases AT&T-13STATE from and waives any and all right of recovery, claim, action or cause of action against AT&T-13STATE, its agents, directors, officers, employees, independent contractors, and other representatives for any loss or damage that may occur to equipment or any other personal property belonging to Collocator or located on or in the space at the request of Collocator when such loss or damage is by reason of fire or water or the elements or any other risks that would customarily be included in a standard all risk casualty insurance policy covering such property, regardless of cause or origin, including negligence of AT&T-13STATE, its agents, directors, officers, employees, independent contractors, and other representatives. Property insurance on Collocator's fixtures and other personal property shall contain a waiver of subrogation against AT&T-13STATE, and any rights of Collocator against AT&T-13STATE for damage to Collocator's fixtures or personal property are hereby waived. Collocator may also elect to purchase business interruption and contingent business interruption insurance, knowing that AT&T-13STATE has no liability for loss of profit or revenues should an interruption of service occur that is attributable to any Virtual Collocation arrangement provided under this Appendix.
- 14.2.5 AT&T-13STATE requires that companies affording insurance coverage have a B+ VII or better rating, as rated in the A.M. Best Key rating Guide for Property and Casualty Insurance Companies.
- 14.2.6 A certificate of insurance stating the types of insurance and policy limits provided the Collocator must be received prior to commencement of any work. The insurance provisions and requirements are reciprocal to AT&T-13STATE as well. If a certificate is not received, AT&T-13STATE will notify the Collocator and the Collocator will have five (5) business days to cure the deficiency.
- 14.2.7 If the Collocator does not cure the deficiency within five (5) business days, Collocator hereby authorizes AT&T-13STATE, and AT&T-13STATE may, but is not required to, obtain insurance on behalf of the Collocator as specified herein. AT&T-13STATE will invoice Collocator for the costs incurred to so acquire insurance.
- 14.2.8 The cancellation clause on the certificate of insurance will be amended to read as follows:
"SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED OR MATERIALLY CHANGED, THE ISSUING COMPANY WILL MAIL 30 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER."
- 14.2.9 The Collocator shall also require all contractors who may enter the Eligible Structure to maintain the same insurance requirements listed above.
- 14.2.10 Self-insurance in lieu of the insurance requirements listed preceding shall be permitted if the Collocator 1) has a tangible net worth of Fifty (50) Million dollars or greater, and 2) files a financial statement annually with the Securities and Exchange Commission and/or having a financial strength rating of 4A or 5A assigned by Dun & Bradstreet. The ability to self-insure shall continue so long as the Collocator meets all of the requirements of this Section. If the Collocator subsequently no longer satisfies this Section, the coverage requirements described above shall immediately apply.

14.3 Conduct While in AT&T-13STATE Eligible Structures

14.3.1 Collocator and AT&T-13STATE will each establish disciplinary procedures up to and including dismissal or denial of access to the Eligible Structure and other property of AT&T-13STATE for certain specified actions that damage, or place the equipment, facilities, or the network or the personnel of the Collocator or AT&T-13STATE in jeopardy. The following are actions that could damage or place the Eligible Structure, or the network or the personnel of the Collocator or AT&T-13STATE in jeopardy and may justify disciplinary action up to and including dismissal or the denial of access to the Eligible Structure and other property of AT&T-13STATE:

14.3.1.1 Theft or destruction of AT&T-13STATE's or Collocator's property;

14.3.1.2 Use/sale or attempted use/sale of alcohol or illegal drugs on AT&T-13STATE's property;

14.3.1.3 Threats or violent acts against other persons on AT&T-13STATE's property;

14.3.1.4 Knowing violations of any local, state or federal law on AT&T-13STATE's property;

14.3.1.5 Permitting unauthorized persons access to AT&T-13STATE or Collocator's equipment on AT&T-13STATE's property; and

14.3.1.6 Carrying a weapon on AT&T-13STATE's property.

14.3.2 In addition, Collocator and AT&T-13STATE will take appropriate disciplinary steps as determined by each Party to address any violations reported by AT&T-13STATE or the Collocator of AT&T-13STATE's policies and practices on security, safety, network reliability, and business conduct as defined in AT&T-13STATE's Interconnector's Collocation Services Handbook at <https://clec.sbc.com/clec> for Virtual Collocation in 13-STATES, provided the Handbook and any and all updates to it are timely provided to Collocator at no charge.

14.3.3 Collocator technicians will be security qualified by the Collocator and will be required to be knowledgeable of AT&T-13STATE security standards. Collocator personnel and technicians will undergo the same level of security training, or its equivalent that AT&T-13STATE's own employees and authorized contractors must undergo. AT&T-13STATE will not, however, require Collocator to receive security training from AT&T-13STATE, but will provide information to Collocator on the specific type of training required. Collocator can then provide its employees with their own security training. Qualification program and security training details shall be included in AT&T-13STATE's Interconnector's Collocation Services Handbook for Virtual Collocation in AT&T-13STATE.

15. COOPERATIVE RESPONSIBILITIES

15.1 Qualification of Collocator

15.1.1 Collocator technicians will be security qualified by the Collocator and will be required to be knowledgeable of AT&T-13STATE's security standards. Collocator personnel and technicians will undergo the same level of security training, or its equivalent that AT&T-13STATE's own employees and authorized contractors must undergo. AT&T-13STATE will not, however, require Collocator to receive security training from AT&T-13STATE, but will provide information to Collocator on the specific type of training required. Collocator can then provide its employees with their own security training. Qualification program and security training details shall be included in AT&T-13STATE's Interconnector's Collocation Services Handbook at <https://clec.sbc.com/clec/> for Virtual Collocation in 13-STATES.

16. RATE REGULATIONS

The rate element descriptions and rates and charges included in Section 14 preceding apply to this Virtual Collocation alternative wherein the Collocator maintains and repairs the virtually collocated equipment. Additional rate elements and rates apply to this alternative as provided for below.

16.1 Rate Elements for AT&T-13STATE's Offices

16.1.1 This security escort charge consists of the charges for AT&T-13STATE provided security escorts for Collocator Vendor's access to their Virtual Collocation space in staffed and unstaffed Central Offices. Any escort requirements will be initiated by the Collocator. Labor rates are based upon a ¼ hour basis and are dependent upon day of week and time of day. For purposes of this Appendix, normal week day is defined as 8:00 a.m. through 5:00 p.m., Monday through Friday, excluding holidays. The billing period will start at the time the technician is contacted. This will allow for travel time to reach the agreed meet point. Access requests outside of normal business hours or for unstaffed Central Offices which are cancelled will be subject to the minimum four (4) hour call out charge. Non-recurring charges for this sub-element are specified on the Collocation Rate Summary.

16.2 Rate Element for AT&T-13STATE's CEV, Hut, and Cabinets

16.2.1 The security escort charge consists of the charges for AT&T-13STATE provided security escorts for Collocator Vendor's access to their Virtual Collocation space in CEVs, huts and cabinets. Any escort requirements will be initiated by the Collocator. Labor rates are based upon a 1/4 hour basis. The billing period will start at the time the technician is contacted. This will allow for travel time to reach the agreed upon meet point. Access requests which are cancelled will be subject to the minimum four (4) hour call-out charge. Rates and charges are as found on the Collocation Rate Summary.

16.3 Application of Rates and Charges

16.3.1 Beginning on and after the Effective Date of this agreement, the Parties agree that the rates and charges for Collocation shall be as set forth in this Appendix and in the Pricing Schedule applicable to collocation ("Collocation Rates"). The Parties agree that the Collocation Rates shall apply, on a prospective basis only, beginning on the Effective Date of this agreement, to all existing CLEC collocation arrangements, including those established before the Effective Date of this agreement. Because the Collocation Rates will apply on a prospective basis only, neither Party shall have a right to retroactive application of the Collocation Rates to any time period before the Effective Date, and there shall be no retroactive right of true-up for any time period before the Effective Date.

17. CDOW (CLECs DOING OWN WORK) - COLLOCATOR RESPONSIBILITIES

When the Collocator selects the option to provide, install, and terminate its interconnection and power cabling with an AT&T-13STATE Approved Vendor, the following Sections will apply. However, the terms and conditions within CDOW are not comprehensive. There are terms and conditions from the preceding Sections of this same Appendix that still apply for CDOW for rate elements that are not specifically addressed within Section 17 following.

17.1 Interconnection Cable

17.1.1 The Collocator has the option to provide, install and terminate its interconnection cabling between the Collocator's dedicated space and AT&T-13STATE Main Distribution Frame (MDF) or its equivalent by AT&T-13STATE Approved Vendor. This option is only available if Collocator does all three (3) activities associated with interconnection cabling: provide, install and terminate. The Collocator may not elect to do some but not all the activities. Collocator must indicate on its Virtual Collocation application that it has selected this option to apply to all interconnection cabling requested on the application. If Collocator selects this option, the Collocator must also select the option to provide, install and terminate its power cable leads described in Section 17.2. If Collocator selects this option, AT&T-13STATE will install and stencil termination blocks or panels at AT&T-13STATE Main Distribution Frame (MDF) or its equivalent for the handoff of the Actual Point of Termination (APOT) Connection(s) to the Collocator's AT&T-13STATE Approved Vendor. Intervals and provisioning for this offering are found in Section 17.3.1 through 17.3.5. The Collocator's AT&T-13STATE Approved Vendor

must obtain an approved Method Procedure (MOP) from AT&T-13STATE and follow AT&T-13STATE's Technical Publication TP 76300MP for installation of equipment and cable facilities.

17.2 DC Power Arrangement Provisioning

17.2.1 The Collocator has the option to provide, install and terminate its power cable leads between the Collocator's Dedicated Space and AT&T-13STATE's Battery Distribution Fuse Bay (BDFB) by AT&T-13STATE Approved Power Installation Vendor. When AT&T-13STATE designated power termination point is at the Power Plant Primary Distribution, the Collocator's AT&T-13STATE Approved Power Installation Vendor will provide and install the power cable leads, but not terminate.

17.2.2 The Collocator must contact AT&T-13STATE project manager five (5) business days prior to scheduling a request for the termination of the Collocator's power cable leads to AT&T-13STATE Power Plant Primary Distribution, which will be performed by AT&T-13STATE. This option is only available if the Collocator does all three (3) activities associated with the power cable lead unless described otherwise within this Section.

17.2.3 The Collocator may not elect to do some but not all the activities unless otherwise permitted in this Section. If Collocator selects this option, the Collocator must also select the option to provide, install and terminate its interconnection cabling described in Section 17.1. Intervals and provisioning for this offering are found in Section 17.3.1 through 17.3.5. The Collocator's AT&T-13STATE Approved Power Installation Vendor must obtain an approved Method of Procedures (MOP) from AT&T-13STATE and follow AT&T-13STATE's Technical Publication TP 76300MP for installation of equipment and cable facilities.

17.3 Intervals and Provisioning

17.3.1 Implementation Intervals when CLEC hires AT&T-13STATE Approved Vendor Installs Interconnection and Power Cabling.

17.3.1.1 AT&T-13STATE will provide Virtual Collocation arrangements in Eligible Structures on a "first-come, first-served" basis. The determination whether there is sufficient space to accommodate Virtual Collocation at a particular Eligible Structure will be made initially by AT&T-13STATE. AT&T-13STATE will notify Collocator as to whether its request for space has been granted or denied due to a lack of space within ten (10) calendar days from receipt of a Collocator's accurate and complete Virtual Collocation Application. If AT&T-13STATE determines that Collocator's Virtual Collocation Application is unacceptable, AT&T-13STATE shall advise Collocator of any deficiencies within this ten (10) calendar day period. AT&T-13STATE shall provide Collocator with sufficient detail so that Collocator has a reasonable opportunity to cure each deficiency. To retain its place in the queue to obtain the Virtual Collocation arrangement, Collocator must cure any deficiencies in its Application and resubmit such Application within ten (10) calendar days after being advised of the deficiencies. Any changes to the amount or type of floor space, interconnection terminations, and power requested from the originally submitted Virtual Collocation Application will not be considered a deficiency, but rather as a new Virtual Collocation Application with a new ten (10) calendar day space notification and a new delivery interval. The delivery intervals set forth in this Section 17.3 is for new and augment Virtual Collocation Applications apply only when the Collocator installs interconnection and power cabling.

17.3.1.2 The delivery interval relates to the period in which AT&T-13STATE shall construct and turnover to the Collocator's AT&T-13STATE Approved Vendor the requested Virtual Collocation Space. The delivery interval begins on the date AT&T-13STATE receives a complete and accurate Virtual Collocation Application from the Collocator. The Collocator must provide AT&T-13STATE, within seven (7) calendar days from the date of notification granting the application request, a confirmatory response in writing to continue construction along with the fifty percent (50%) payment of non-recurring

charges (unless payment was received with application) or the delivery interval provided in table below will not commence until such time as AT&T-13STATE has received such response and payment. If the Collocator has not provided AT&T-13STATE such response and payment by the twelfth (12th) calendar day after the date AT&T-13STATE notified Collocator its request has been granted, the application will be canceled. Dedicated space is not reserved until AT&T-13STATE's receipt of the confirmatory response in writing from the Collocator with applicable fees. The delivery interval for Virtual Collocation is determined by AT&T-13STATE taking into consideration the various factors set forth in Table (1) below including, without limitation, the number of all Virtual Collocation Applications submitted by Collocator and the need for additional preparation of the space such as overhead racking, additional power or HVAC. The delivery interval assigned will be provided to the Collocator by AT&T-13STATE with the ten (10) calendar day space notification. Each complete and accurate Virtual Collocation Application received by AT&T-13STATE from the Collocator will be processed in the order received unless the Collocator provides a priority list, whichever is applicable.

Table 1

Number of All Applications submitted by One Collocator per state or <u>metering region</u>	Overhead Iron/Racking Exists for Virtual Collocation <u>Space Use</u>	Overhead Iron/Racking Does Not Exist for Virtual Collocation <u>Space Use</u>	Additional Power or HVAC is Required for Virtual Collocation <u>Space Use</u>
1 – 10	60 calendar days	80 calendar days	180 calendar days
11 - 20	65 calendar days	85 calendar days	185 calendar days

- 17.3.1.3 Should the Collocator submit twenty-one (21) or more applications within ten (10) business days, the above delivery intervals will be increased by five (5) days for every five (5) additional applications or fraction thereof. Any material revision to an application will be treated as a new application and the delivery intervals set forth in Table (1) above will be re-started. All Virtual Collocation Applications received by AT&T-13STATE from a Collocator within a ten (10) business day period shall be treated as submitted at the same time for purposes of administering the above staggering intervals. The Virtual Collocation delivery interval ends when roughed in and the assigned space has been distinctly marked by AT&T-13STATE.
- 17.3.1.4 For example, but not by way of limitation, if a Collocator submits twelve (12) complete and accurate Virtual Collocation Applications in a state, the delivery intervals assigned by AT&T-13STATE will depend on which variables apply within each Eligible Structure Virtual Collocation is requested:
- 17.3.1.5 If Applications (1-4) are for Virtual Collocation Space where overhead racking exists, the delivery intervals assigned will be sixty (60) days. If Applications (5-11) are for Virtual Collocation Space where overhead racking does not exist, the delivery intervals assigned to Applications (5-10) will be eighty (80) calendar days and Application (11) will be assigned eighty five (85) calendar days. The Virtual Collocation Application (12) was requested in an Eligible Structure that needs additional HVAC added and would be assigned one hundred and eight five (185) calendar days.

17.3.2 Payment

17.3.2.1 The second fifty percent (50%) payment must be received by AT&T-13STATE prior to the space being turned over to the Collocator's AT&T-13STATE Approved Vendor. At space turnover, the Actual Point of Termination (APOT) Connection(s) will be provided to the Collocator's AT&T-13STATE Approved Vendor by AT&T-13STATE.

17.3.3 Cable Augments

17.3.3.1 For the following interconnection cabling Augments, the Collocator must submit a complete and accurate Virtual Collocation Application:

17.3.3.1.1 168 DS1 connections and/or

17.3.3.1.2 48 DS3 connections and/or

17.3.3.1.3 400 Copper (shielded or nonshielded) cable pair connections and/or

17.3.3.1.4 12 fiber pair connections

17.3.3.2 This application must include an up-front payment of the Application Fee and fifty percent (50%) of all applicable non-recurring charges.

17.3.3.3 The cabling Augment interval is determined by AT&T-13STATE taking into consideration the various factors set forth in Table (2) below including, without limitation, the number of all Virtual Collocation Applications for the above Augments submitted by Collocator, the type of infrastructure available for collocation, and the need for additional preparation of the infrastructure such as overhead racking and additional power. The cabling Augment interval assigned will be provided to the Collocator by AT&T-13STATE with the ten (10) calendar day Augment notification. Each complete and accurate Virtual Collocation Application received by AT&T-13STATE from the Collocator will be processed in the order received unless the Collocator provides a priority list, whichever is applicable.

Number of All Applications submitted by One Collocator per state <u>or metering region</u>	Necessary Elements such as Iron/Racking and Power exist for Virtual Collocation <u>Use</u>	Necessary Elements such as Iron/Racking and Power does not exist for Virtual Collocation <u>Use</u>
1 – 10	30 calendar days	60 calendar days
11 - 20	35 calendar days	65 calendar days

17.3.3.4 Should the Collocator submit twenty-one (21) or more Virtual Collocation Applications for cabling Augments within ten (10) business days, the above cabling Augment intervals will be increased by five (5) days for every five (5) additional application or fraction thereof. Any material revision to a Virtual Collocation Application for cabling Augments will be treated as a new application and the cabling Augment delivery intervals set forth in Table (2) above. All cabling Augment applications received by AT&T-13STATE from a Collocator within a ten (10) business day period shall be treated as submitted at the same time for purposes of administering the above staggering intervals.

17.3.3.5 For example, but not by way of limitation, if a Collocator submits twelve (12) Virtual Collocation Applications for cabling Augments in a state, the delivery intervals assigned will depend on which variables apply within each Eligible Structure requested:

17.3.3.6 If Applications (1-4) are for Virtual Collocation cabling Augments where necessary elements such as overhead racking and power exists, the delivery interval assigned will be thirty (30) calendar days. If Applications (5-12) are for Physical Collocation where

necessary elements such as overhead racking and power does not exist, the delivery interval assigned to Applications (5-10) will be sixty (60) calendar days and for Applications (11-12) sixty five (65) calendar days.

17.3.4 All Other Augments

17.3.4.1 For all Augments other than provided above, AT&T-13STATE will work cooperatively with Collocator to negotiate a mutually agreeable delivery intervals.

17.3.5 Walk-Through Visit

17.3.5.1 Within twenty (20) calendar days or mutually agreed upon time, from AT&T-13STATE's receipt of the confirmatory response in writing to continue construction on the Virtual Collocation job requested along with the 50% payment of non-recurring charges (unless payment was received with application), Network Support and/or appropriate departments will schedule a walk through visit with the CLEC and/or vendor to provide floor plans of space and the preliminary route design for the interconnection and power cabling.

17.4 Rates Elements for AT&T-13STATE Central Offices

17.4.1 DC Power Arrangement Provisioning

17.4.1.1 When the Collocator selects the option to install the power cable by AT&T-13STATE Approved Power Installation vendor, only the rack occupancy and on-going maintenance of the rack charge will apply. This is expressed as a monthly rate as specified on the Collocation Rate Summary.

17.4.2 DS0 Voice Grade Cable Arrangement

17.4.2.1 When the Collocator selects the option to provide and install the interconnection cabling by a AT&T-13STATE approved vendor, the DS0 Voice Grade Terminal blocks at the MDF, rack occupancy, and on-going maintenance charges will apply. This is expressed as a combination of a non-recurring charge and a monthly rate as specified on the Collocation Rate Summary.

17.4.3 DS-1 Interconnection Cable Arrangement to Digital Cross Connect System (DCS)

17.4.3.1 When the Collocator selects the option to provide and install the interconnection cabling by AT&T-13STATE approved vendor, the DS-1 Port, rack occupancy, and on-going maintenance charges will apply. This is expressed as a combination of a non-recurring charge and a monthly rate as specified on the Collocation Rate Summary.

17.4.4 DS-1 Interconnection Cable Arrangement to Digital System Cross-Connect Frame

17.4.4.1 When the Collocator selects the option to provide and install the interconnection cabling by AT&T-13STATE approved vendor, the Digital System Cross-Connect Frame at the MDF, rack occupancy, and on-going maintenance charges will apply. This is expressed as a combination of a non-recurring charge and a monthly rate as specified on the Collocation Rate Summary.

17.4.5 DS-3 Interconnection Cable Arrangement to Digital Cross Connect System (DCS)

17.4.5.1 When the Collocator selects the option to provide and install the interconnection cabling by AT&T-13STATE approved vendor, the DS-3 Port, rack occupancy, and on-going maintenance charges will apply. This is expressed as a combination of a non-recurring charge and a monthly rate as specified on the Collocation Rate Summary.

17.4.6 DS-3 Interconnection Cable Arrangement to Digital System Cross-Connect Frame

17.4.6.1 When the Collocator selects the option to provide and install the interconnection cabling by AT&T-13STATE approved vendor, the Digital System Cross-Connect Frame at the MDF, rack occupancy, and on-going maintenance charges will apply. This is expressed

as a combination of a non-recurring charge and a monthly rate as specified on the Collocation Rate Summary.

17.4.7 Fiber Interconnection Cable Arrangement

17.4.7.1 When the Collocator selects the option to provide and install the interconnection cabling by a AT&T-13STATE approved vendor, the Fiber terminating panel at the FDF-1 Port, rack occupancy, and on-going maintenance charges will apply. This is expressed as a combination of a non-recurring charge and a monthly rate as specified on the Collocation Rate Summary.

17.4.8 Collocation to Collocation Connection

17.4.8.1 This rate element include virtual to virtual and virtual to physical connection options.

17.4.8.1.1 Fiber Cable (12 Fiber Pair)

17.4.8.1.1.1 When the Collocator selects the option to provide and install the interconnection cabling by a AT&T-13STATE approved vendor, the charge for on-going maintenance of the rack will apply. This is expressed as a combination of a non-recurring charge and a monthly rate as specified on the Collocation Rate Summary.

17.4.8.2.1 Copper Cable

17.4.8.2.1.1 When the Collocator selects the option to provide and install the interconnection cabling by a AT&T-13STATE approved vendor, the charge for on-going maintenance of the rack will apply. This is expressed as a combination of a non-recurring charge and a monthly rate as specified on the Collocation Rate Summary.

17.4.8.3.1 Coax Cable

17.4.8.3.1.1 When the Collocator selects the option to provide and install the interconnection cabling by a AT&T-13STATE approved vendor, the charge for on-going maintenance will apply. This is expressed as a combination of a non-recurring charge and a monthly rate as specified on the Collocation Rate Summary.

17.4.8.4.1 Cable Racking and Hole

17.4.8.4.1.1 This sub-element provides for cable rack space and hole for copper, coax and optical cabling between two collocation arrangements and the required terminations at each Virtual Collocation arrangement(s) at an Eligible Structure. This sub-element is expressed as a monthly rate specified on the Collocation Rate Summary.

17.4.8.5.1 Route Design

17.4.8.5.1.1 This sub-element provides the route design for collocation-to-collocation connections. This sub-element is expressed as a non-recurring charge and this charge is specific on the Collocation Rate Summary.

ATT-13STATE
COLLOCATION RATE SUMMARY
 February 13, 2006

ATT 13-STATE/VCI COMPANY
 EFFECTIVE DATE:

	A	B	C	D	E
1	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
2	CLEC-PROVISIONED FACILITIES & EQUIPMENT: CAGED				
3	REAL ESTATE				
4	Site Conditioning	Per Sq. Ft. of space used by CLEC	S8FWB		\$9.28
5	Safety & Security	Per Sq. Ft. of space used by CLEC	S8F4N		\$19.56
6	Floor Space Usage	Per Sq. Ft. of space used by CLEC	S8F4L	\$5.97	
7	COMMON SYSTEMS				
8	Common Systems - Cage	Per Sq. Ft. of space used by CLEC	S8F4A	\$0.44	\$59.86
9	PLANNING				
10	Planning - Central Office	Per Sq. Ft. of space used by CLEC	S8GCA	\$0.09	\$7.55
11	Planning	Per Request	NRFCO		\$5,244.43
12	Planning - Subsequent Inter. Cabling	Per Request	NRFCB		\$2,267.04
13	Planning - Subsequent Power Cabling	Per Request	NRFCF		\$2,306.10
14	Planning - Subs. Inter./Power Cabling	Per Request	NRFCG		\$2,884.60
15	Planning - Non-Standard	Per Request	NRFCH		\$1,436.00
16	POWER PROVISIONING				
17	Power Panel:				
18	50 Amp	Per Power Panel (CLEC Provided)	NONE		
19	200 Amp	Per Power Panel (CLEC Provided)	NONE		
20	Power Cable and Infrastructure:				
21	Power Cable Rack	Per Four Power Cables or Quad	NONE		
22	2-10 Amp Feeds	Per 2-10 Amp Power Feeds (CLEC Provided)	C1F31	\$0.25	\$48.23
23	2-20 Amp Feeds	Per 2-20 Amp Power Feeds (CLEC Provided)	S8GF1	\$0.25	\$48.23
24	2-30 Amp Feeds	Per 2-30 Amp Power Feeds (CLEC Provided)	C1F32	\$0.25	\$48.23
25	2-40 Amp Feeds	Per 2-40 Amp Power Feeds (CLEC Provided)	C1F33	\$0.25	\$48.23
26	2-50 Amp Feeds	Per 2-50 Amp Power Feeds (CLEC Provided)	S8GF2	\$0.25	\$48.23
27	2-100 Amp Feeds	Per 2-100 Amp Power Feeds (CLEC Provided)	S8GF3	\$0.25	\$48.23
28	Equipment Grounding:				
29	Ground Cable Placement	Per Sq. Ft. of space used by CLEC	S8FCR	\$0.03	\$0.92
30	DC POWER AMPERAGE CHARGE				
31	HVAC	Per 10 Amps	S8GCS	\$14.62	
32	Per Amp	Per Amp	S8GCR	\$10.61	
33	FIBER CABLE PLACEMENT				
34	Central Office:				
35	Fiber Cable	Per Fiber Cable Sheath (CLEC Vendor Pulls Cable)	S8FQ9	\$4.85	\$809.13
36	Entrance Conduit	Per Fiber Cable Sheath	S8FW5	\$8.76	
37	MISCELLANEOUS & OPTIONAL COST:				
38	MISCELLANEOUS COSTS				
39	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	S8F45	\$0.08	\$14.81
40	Bits Timing	Per two circuits	S8FQT	\$3.58	\$698.82
41	Space Availability Report	Per Premise	NRFCQ		\$168.04
42	Security Access / ID Cards	Per Five Cards	NRFCM		\$123.35
43	Security Access / ID Cards/Expedite	Per Five Cards	NRFCN		\$203.35
44	CAGE COMMON COSTS				
45	AC Circuit Placement	Per Sq. Ft. (CLEC provides cage)	NRL60		\$5.29
46	INTERCONNECTION COSTS:				
47	ILEC TO CLEC CONNECTION				
48	Voice Grade Arrangement	100 Copper Pairs (CLEC provides cable)	S8F48	\$3.86	\$156.02
49	Voice Grade Arrangement	100 Shielded Pairs (CLEC provides cable)	S8FWU	\$3.86	\$156.02
50	DS1 Arrangement - DCS	28 DS1 (CLEC provides cable)	S8FQM	\$295.42	\$3,105.79
51	DS1 Arrangement - DSX	28 DS1 (CLEC provides cable)	S8F46	\$6.07	\$486.89
52	DS3 Arrangement - DCS	1 DS3 (CLEC provides cable)	S8F47	\$115.30	\$1,809.40
53	DS3 Arrangement - DSX	1 DS3 (CLEC provides cable)	S8FQN	\$5.69	\$116.67
54	Fiber Arrangement	12 Fiber Pairs (CLEC provides cable)	S8FQR	\$3.76	\$495.49
55	CLEC TO CLEC CONNECTION				
56	Cable Racking and Hole for Optical	Per Cable	S8GFE	\$0.82	
57	Cable Racking and Hole for DS1	Per Cable	S8GFF	\$0.57	
58	Cable Racking and Hole for DS3	Per Cable	S8GFG	\$0.50	
59	Route Design		NRFCX		\$424.88
60	Connection for DS1	Per 28 Circuits (CLEC provides cable)	S8GFH	\$0.18	
61	Connection for DS3	Per Circuit (CLEC provides cable)	S8GFJ	\$0.12	
62	Connection for Optical	Per Cable (CLEC provides cable)	S8GFK	\$0.31	
63	TIME SENSITIVE ACTIVITIES				
64	PRE-VISITS				
65	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	NRFCR		\$23.23
66	Comm. Tech - Craft	Per 1/4 Hour	NRFCS		\$19.60
67	CO Manager - 1st Level	Per 1/4 Hour	NRFCU		\$19.72
68	Floor Space Planning - 1st Level	Per 1/4 Hour	NRFCV		\$19.24
69	CONSTRUCTION VISITS				
70	Project Manager - 1st Level	Per 1/4 Hour	NRFCV		\$19.24
71	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	NRFCZ		\$23.23
72					
73	AT&T-PROVISIONED FACILITIES & EQUIPMENT: CAGED				
74	REAL ESTATE				
75	Site Conditioning	Per Sq. Ft. of space used by CLEC	S8GCE		\$9.28
76	Safety & Security	Per Sq. Ft. of space used by CLEC	S8GCF		\$19.56
77	Floor Space Usage	Per Sq. Ft. of space used by CLEC	S8GCD	\$5.97	
78	COMMON SYSTEMS				

ATT-13STATE
 COLLOCATION RATE SUMMARY
 February 13, 2006

ATT 13-STATE/VCI COMPANY
 EFFECTIVE DATE:

	A	B	C	D	E
	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
1					
79	Common Systems - Cage	Per Sq. Ft. of space used by CLEC	S&GCG	\$0.44	\$59.86

ATT-13STATE
COLLOCATION RATE SUMMARY
 February 13, 2006

ATT 13-STATE/VCI COMPANY
 EFFECTIVE DATE:

	A	B	C	D	E
1	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
80	PLANNING				
81	Planning - Central Office	Per Sq. Ft. of space used by CLEC	S8GCA	\$0.09	\$7.55
82	Planning	Per Request	NRFCF		\$5,244.43
83	Planning - Subsequent Inter. Cabling	Per Request	NRFCF		\$2,267.04
84	Planning - Subsequent Power Cabling	Per Request	NRFCF		\$2,306.10
85	Planning - Subs. Inter./Power Cabling	Per Request	NRFCG		\$2,884.60
86	Planning - Non-Standard	Per Request	NRFCH		\$1,436.00
87	POWER PROVISIONING				
88	Power Panel:				
89	50 Amp	Per Power Panel	S8GC8	\$15.77	\$3,079.47
90	200 Amp	Per Power Panel	S8GC9	\$18.75	\$3,659.46
91	Power Cable and Infrastructure:				
92	2-10 Amp Feeds	Per 2-10 Amp Power Feeds	Under Development	\$5.83	\$1,378.83
93	2-20 Amp Feeds	Per 2-20 Amp Power Feeds	S8GCU	\$7.74	\$1,570.84
94	2-30 Amp Feeds	Per 2-30 Amp Power Feeds	Under Development	\$8.35	\$1,700.70
95	2-40 Amp Feeds	Per 2-40 Amp Power Feeds	Under Development	\$8.96	\$1,830.56
96	2-50 Amp Feeds	Per 2-50 Amp Power Feeds	S8GCV	\$9.57	\$1,954.85
97	2-100 Amp Feeds	Per 2-100 Amp Power Feeds	S8GCW	\$11.39	\$2,344.44
98	Equipment Grounding:				
99	Ground Cable Placement	Per Sq. Ft. of space used by CLEC	S8GDA	\$0.03	\$0.92
100	DC POWER AMPERAGE CHARGE				
101	HVAC	Per 10 Amps	S8GCS	\$14.62	
102	Per Amp	Per Amp	S8GCR	\$10.61	
103	FIBER CABLE PLACEMENT				
104	Central Office:				
105	Fiber Cable	Per Fiber Cable Sheath	S8GDE	\$4.85	\$1,619.88
106	Entrance Conduit to Vault	Per Fiber Cable Sheath	S8GDD	\$8.76	
107	MISCELLANEOUS & OPTIONAL COST:				
108	MISCELLANEOUS COSTS				
109	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	S8GEK	\$0.08	\$14.81
110	Bits Timing	Per two circuits	S8GEJ	\$3.58	\$698.82
111	Space Availability Report	Per Premise	NRFCQ		\$168.04
112	Security Access / ID Cards	Per Five Cards	NRFCM		\$123.35
113	Security Access / ID Cards/Expedite	Per Five Cards	NRFCN		\$203.35
114	CAGE COMMON COSTS				
115	Cage Preparation	Per Sq. Ft. of space used by CLEC	S8GCH	\$0.27	\$19.70
116	INTERCONNECTION COSTS:				
117	ILEC TO CLEC CONNECTION				
118	Voice Grade Arrangement	100 Copper Pairs	S8GD4	\$4.92	\$1,027.16
119	Voice Grade Arrangement	100 Shielded Pairs	S8GD5	\$4.92	\$1,027.16
120	DS1 Arrangement - DCS	28 DS1	S8GDK	\$297.44	\$3,613.06
121	DS1 Arrangement - DSX	28 DS1	S8GDP	\$9.79	\$1,346.48
122	DS3 Arrangement - DCS	1 DS3	S8GDV	\$115.58	\$2,181.58
123	DS3 Arrangement - DSX	1 DS3	S8GDZ	\$7.14	\$603.89
124	Fiber Arrangement	12 Fiber Pairs (24 Fiber strands)	S8GED	\$6.55	\$1,779.78
125	CLEC TO CLEC CONNECTION				
126	Cable Racking and Hole for Optical	Per Cable	S8GFE	\$0.82	
127	Cable Racking and Hole for DS1	Per Cable	S8GFF	\$0.57	
128	Cable Racking and Hole for DS3	Per Cable	S8GFG	\$0.50	
129	Route Design		NRFCX		\$424.88
130	Connection for DS1	Per 28 Circuits	S8GFC	\$1.41	\$982.35
131	Connection for DS3	Per Circuit	S8GFD	\$1.30	\$433.86
132	Connection for Optical (Fiber)	Per Cable	S8GFB	\$1.38	\$1,404.07
133	TIME SENSITIVE ACTIVITIES				
134	PRE-VISITS				
135	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	NRFCR		\$23.23
136	Comm. Tech - Craft	Per 1/4 Hour	NRFCS		\$19.60
137	CO Manager - 1st Level	Per 1/4 Hour	NRFCU		\$19.72
138	Floor Space Planning - 1st Level	Per 1/4 Hour	NRFCU		\$19.24
139	CONSTRUCTION VISITS				
140	Project Manager - 1st Level	Per 1/4 Hour	NRFCV		\$19.24
141	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	NRFCZ		\$23.23
142					
143	CLEC-PROVISIONED FACILITIES & EQUIPMENT:				
144	CAGELESS				
145	REAL ESTATE				
146	Site Conditioning	Per Frame (Standard Bay=10 sq ft)	S8FWC		\$92.81
147	Safety & Security	Per Frame (Standard Bay=10 sq ft)	S8FWG		\$195.57
148	Floor Space Usage	Per Frame (Standard Bay=10 sq ft)	S8F9C	\$64.21	
149	COMMON SYSTEMS				
150	Common Systems - Cageless	Per Frame (Standard Bay=10 sq ft)	S8FWE	\$9.35	\$760.45
151	PLANNING				
152	Planning - Central Office	Per Frame (Standard Bay=10 sq ft)	S8GCB	\$1.13	\$75.54
153	Planning	Per Request	NRFCJ		\$4,601.93
154	Planning - Subsequent Inter. Cabling	Per Request	NRFCF		\$2,267.04
155	Planning - Subsequent Power Cabling	Per Request	NRFCF		\$2,306.10
156	Planning - Subs. Inter./Power Cabling	Per Request	NRFCG		\$2,884.60
157	Planning - Non-Standard	Per Request	NRFCH		\$1,436.00

**ATT-13STATE
COLLOCATION RATE SUMMARY
February 13, 2006**

ATT 13-STATE/VCI COMPANY
EFFECTIVE DATE:

	A	B	C	D	E
1	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
157	POWER PROVISIONING				
158	Power Panel:				
159	50 Amp	Per Power Panel (CLEC Provided)	NONE		
160	200 Amp	Per Power Panel (CLEC Provided)	NONE		
161	Power Cable and Infrastructure:				
162	Power Cable Rack	Per Four Power Cables or Quad	NONE		
163	2-10 Amp Feeds	Per 2-10 Amp Power Feeds (CLEC Provided)	C1F34	\$0.25	\$48.23
164	2-20 Amp Feeds	Per 2-20 Amp Power Feeds (CLEC Provided)	S8GF1	\$0.25	\$48.23
165	2-30 Amp Feeds	Per 2-30 Amp Power Feeds (CLEC Provided)	C1F35	\$0.25	\$48.23
166	2-40 Amp Feeds	Per 2-40 Amp Power Feeds (CLEC Provided)	C1F36	\$0.25	\$48.23
167	2-50 Amp Feeds	Per 2-50 Amp Power Feeds (CLEC Provided)	S8GF2	\$0.25	\$48.23
168	2-100 Amp Feeds	Per 2-100 Amp Power Feeds (CLEC Provided)	S8GF3	\$0.25	\$48.23
169	Equipment Grounding:				
170	Ground Cable Placement	Per Frame	S8GDB	\$0.33	\$15.32
171	DC POWER AMPERAGE CHARGE				
172	HVAC	Per 10 Amps	S8GCS	\$14.62	
173	Per Amp	Per Amp	S8GCR	\$10.61	
174	CEV, HUT & Cabinets	Per 2 inch mounting space	S8GCT	\$1.27	
175	FIBER CABLE PLACEMENT				
176	Central Office:				
177	Fiber Cable	Per Fiber Cable Sheath (CLEC Vendor Pulls Cable)	S8FQ9	\$4.85	\$809.13
178	Entrance Conduit	Per Fiber Cable Sheath	S8FW5	\$8.76	
179	CEV, HUT & Cabinets:				
180	Fiber Cable Placement	Per Fiber Cable Sheath	S8GDH		\$53.58
181	Entrance Conduit	Per Fiber Cable Sheath	S8GDJ	\$2.61	
182	MISCELLANEOUS & OPTIONAL COST:				
183	MISCELLANEOUS COSTS				
184	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	S8F45	\$0.08	\$14.81
185	Bits Timing	Per two circuits	S8FQT	\$3.58	\$698.82
186	Space Availability Report	Per Premise	NRFCQ		\$168.04
187	Security Access / ID Cards	Per Five Cards	NRFCM		\$123.35
188	Security Access / ID Cards/Expedite	Per Five Cards	NRFCN		\$203.35
189	CAGELESS / POT BAY OPTIONS				
190	Standard Equipment Bay	Each (CLEC Provided)	NONE		
191	Non-Standard Cabinet Bay	Each (CLEC Provided)	NONE		
192	VF/DS0 Termination Panel	Each (CLEC Provided)	NONE		
193	VF/DS0 Termination Module	Each (CLEC Provided)	NONE		
194	DDP-1 Panel	Each (CLEC Provided)	NONE		
195	DDP-1 Jack Access Card	Each (CLEC Provided)	NONE		
196	DS3/STS-1 Interconnect Panel	Each (CLEC Provided)	NONE		
197	DS3 Interconnect Module	Each (CLEC Provided)	NONE		
198	Fiber Optic Splitter Panel	Each (CLEC Provided)	NONE		
199	Fiber Termination Dual Module	Each (CLEC Provided)	NONE		
200	CEV, HUT, CABINET				
201	24 Foot CEV	2 Inch Mounting Space	S8GE3	\$1.64	
202	16 Foot CEV	2 Inch Mounting Space	S8GE4	\$1.77	
203	Maxi-Hut	2 Inch Mounting Space	S8GE1	\$0.77	
204	Mini-Hut	2 Inch Mounting Space	S8GE2	\$1.33	
205	Large Cabinet	2 Inch Mounting Space	S8GEX	\$1.63	
206	Medium Cabinet	2 Inch Mounting Space	S8GEY	\$2.19	
207	Small Cabinet	2 Inch Mounting Space	S8GEZ	\$3.29	
208	INTERCONNECTION COSTS:				
209	ILEC TO CLEC CONNECTION				
210	Voice Grade Arrangement	100 Copper Pairs (CLEC provides cable)	S8F3E	\$3.86	\$156.02
211	Voice Grade Arrangement	100 Shielded Pairs (CLEC provides cable)	S8FWV	\$3.86	\$156.02
212	DS1 Arrangement - DCS	28 DS1 (CLEC provides cable)	S8F2J	\$295.42	\$3,105.79
213	DS1 Arrangement - DSX	28 DS1 (CLEC provides cable)	S8F2P	\$6.07	\$486.89
214	DS3 Arrangement - DCS	1 DS3 (CLEC provides cable)	S8F21	\$115.30	\$1,809.40
215	DS3 Arrangement - DSX	1 DS3 (CLEC provides cable)	S8F25	\$5.69	\$116.67
216	Fiber Arrangement	12 Fiber Pairs (CLEC provides cable)	S8F49	\$3.76	\$495.49
217	CLEC TO CLEC CONNECTION				
218	Cable Racking and Hole for Optical	Per Cable	S8GFE	\$0.82	
219	Cable Racking and Hole for DS1	Per Cable	S8GFF	\$0.57	
220	Cable Racking and Hole for DS3	Per Cable	S8GFG	\$0.50	
221	Route Design		NRFCX		\$424.88
222	Connection for DS1	Per 28 Circuits (CLEC provides cable)	S8GFL	\$0.18	\$0.00
223	Connection for DS3	Per Circuit (CLEC provides cable)	S8GFM	\$0.12	\$0.00
224	Connection for Optical	Per Cable (CLEC provides cable)	S8GFN	\$0.31	\$0.00
225	PROJECT MANAGEMENT				
226	CEV, HUT & CABINET				
227	Project Coordination	Per CLEC Application	NRFCY		\$631.17
228	TIME SENSITIVE ACTIVITIES				
229	PRE-VISITS				
230	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	NRFCR		\$23.23
231	Comm. Tech - Craft	Per 1/4 Hour	NRFCS		\$19.60
232	CO Manager - 1st Level	Per 1/4 Hour	NRFCT		\$19.72
233	Floor Space Planning - 1st Level	Per 1/4 Hour	NRFCU		\$19.24
234	CONSTRUCTION VISITS				
235	Project Manager - 1st Level	Per 1/4 Hour	NRFCV		\$19.24

ATT-13STATE
COLLOCATION RATE SUMMARY
 February 13, 2006

ATT 13-STATE/VCI COMPANY
 EFFECTIVE DATE:

	A	B	C	D	E
1	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
236	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	NRFCZ		\$23.23
237					
	AT&T-PROVISIONED FACILITIES & EQUIPMENT:				
238	CAGELESS				
239	REAL ESTATE				
240	Site Conditioning	Per Frame (Standard Bay=10 sq ft)	S8GCL		\$92.81
241	Safety & Security	Per Frame (Standard Bay=10 sq ft)	S8GCN		\$195.57
242	Floor Space Usage	Per Frame (Standard Bay=10 sq ft)	S8GCK	\$64.21	
243	COMMON SYSTEMS				
244	Common Systems - Cageless	Per Frame (Standard Bay=10 sq ft)	S8GCM	\$9.35	\$760.45
245	PLANNING				
246	Planning - Central Office	Per Frame (Standard Bay=10 sq ft)	S8GCB	\$1.13	\$75.54
247	Planning	Per Request	NRFCJ		\$4,601.93
248	Planning - Subsequent Inter. Cabling	Per Request	NRFCF		\$2,267.04
249	Planning - Subsequent Power Cabling	Per Request	NRFCF		\$2,306.10
250	Planning - Subs. Inter./Power Cabling	Per Request	NRFCG		\$2,884.60
251	Planning - Non-Standard	Per Request	NRFCF		\$1,436.00
252	POWER PROVISIONING				
253	Power Panel:				
254	50 Amp	Per Power Panel	S8GC8	\$15.77	\$3,079.47
255	200 Amp	Per Power Panel	S8GC9	\$18.75	\$3,659.46
256	Power Cable and Infrastructure:				
257	2-10 Amp Feeds	Per 2-10 Amp Power Feeds	C1F3D	\$5.83	\$2,100.33
258	2-20 Amp Feeds	Per 2-20 Amp Power Feeds	S8GCX	\$7.74	\$2,262.52
259	2-30 Amp Feeds	Per 2-30 Amp Power Feeds	C1F3E	\$8.35	\$2,424.71
260	2-40 Amp Feeds	Per 2-40 Amp Power Feeds	C1F3F	\$8.96	\$2,586.91
261	2-50 Amp Feeds	Per 2-50 Amp Power Feeds	S8GCY	\$9.57	\$2,749.10
262	2-100 Amp Feeds	Per 2-100 Amp Power Feeds	S8GCZ	\$11.39	\$3,236.32
263	Equipment Grounding:				
264	Ground Cable Placement	Per Frame	S8GDB	\$0.33	\$15.32
265	DC POWER AMPERAGE CHARGE				
266	HVAC	Per 10 Amps	S8GCS	\$14.62	
267	Per Amp	Per Amp	S8GCR	\$10.61	
268	CEV, HUT & Cabinets	Per 2 inch mounting space	S8GCT	\$1.27	
269	FIBER CABLE PLACEMENT				
270	Central Office:				
271	Fiber Cable	Per Fiber Cable Sheath	S8GDE	\$4.85	\$1,619.88
272	Entrance Conduit	Per Fiber Cable Sheath	S8GDD	\$8.76	
273	CEV, HUT & Cabinets:				
274	Fiber Cable Placement	Per Fiber Cable Sheath	S8GDH		\$53.58
275	Entrance Conduit	Per Fiber Cable Sheath	S8GDJ	\$2.61	
276	MISCELLANEOUS & OPTIONAL COST:				
277	MISCELLANEOUS COSTS				
278	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	S8GEK	\$0.08	\$14.81
279	Bits Timing	Per two circuits	S8GEJ	\$3.58	\$698.82
280	Space Availability Report	Per Premise	NRFCQ		\$168.04
281	Security Access / ID Cards	Per Five Cards	NRFCM		\$123.35
282	Security Access / ID Cards/Expedite	Per Five Cards	NRFCN		\$203.35
283	CAGELESS / POT BAY OPTIONS				
284	Standard Equipment Bay	Each	NRFCO	\$8.89	\$721.28
285	Non-Standard Cabinet Bay	Each	NRFCP	\$17.78	\$3,470.81
286	VF/DS0 Termination Panel/Module	Each	S8GE5	\$3.10	\$605.64
287	DDP-1 Panel/Jack Access Card	Each	S8GE6	\$8.08	\$1,576.65
288	DS3/STS-1 Interconnect Panel	Each	S8GE7	\$2.38	\$465.47
289	DS3 Interconnect Module	Each	S8GE8	\$0.45	\$87.35
290	Fiber Optic Splitter Panel	Each	S8GE9	\$1.52	\$297.00
291	Fiber Termination Dual Module	Each	S8GFA	\$1.37	\$267.88
292	CEV, HUT, CABINET				
293	24 Foot CEV	2 Inch Mounting Space	S8GE3	\$1.64	
294	16 Foot CEV	2 Inch Mounting Space	S8GE4	\$1.77	
295	Maxi-Hut	2 Inch Mounting Space	S8GE1	\$0.77	
296	Mini-Hut	2 Inch Mounting Space	S8GE2	\$1.33	
297	Large Cabinet	2 Inch Mounting Space	S8GEX	\$1.63	
298	Medium Cabinet	2 Inch Mounting Space	S8GEY	\$2.19	
299	Small Cabinet	2 Inch Mounting Space	S8GEZ	\$3.29	
300	INTERCONNECTION COSTS:				
301	I LEC TO CLEC CONNECTION				
302	Voice Grade Arrangement	100 Copper Pairs	S8GD6	\$4.92	\$1,027.16
303	Voice Grade Arrangement	100 Shielded Pairs	S8GD7	\$4.92	\$1,027.16
304	DS1 Arrangement - DCS	28 DS1	S8GDL	\$297.44	\$3,613.06
305	DS1 Arrangement - DSX	28 DS1	S8DDQ	\$9.79	\$1,346.48
306	DS3 Arrangement - DCS	1 DS3	S8GDW	\$115.58	\$2,181.58
307	DS3 Arrangement - DSX	1 DS3	S8GD1	\$7.14	\$603.89
308	Fiber Arrangement	12 Fiber Pairs (24 Fiber Strands)	S8GEE	\$6.55	\$1,779.78
309	CLEC TO CLEC CONNECTION				
310	Cable Racking and Hole for Optical	Per Cable	S8GFE	\$0.82	
311	Cable Racking and Hole for DS1	Per Cable	S8GFF	\$0.57	
312	Cable Racking and Hole for DS3	Per Cable	S8GFG	\$0.50	
313	Route Design		NRFCX		\$424.88

ATT-13STATE
COLLOCATION RATE SUMMARY
 February 13, 2006

ATT-13-STATE/VCI COMPANY
 EFFECTIVE DATE:

	A	B	C	D	E
1	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
314	Connection for DS1	Per 28 Circuits	S8GFC	\$1.41	\$982.35

ATT-13STATE
COLLOCATION RATE SUMMARY
 February 13, 2006

ATT 13-STATE/VCI COMPANY
 EFFECTIVE DATE:

	A	B	C	D	E
1	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
315	Connection for DS3	Per Circuit	S8GFD	\$1.30	\$433.86
316	Connection for Optical (Fiber)	Per Cable	S8GFB	\$1.38	\$1,404.07
317	PROJECT MANAGEMENT				
318	CEV, HUT & CABINET				
319	Project Coordination	Per CLEC Application	NRFC		\$631.17
320	TIME SENSITIVE ACTIVITIES				
321	PRE-VISITS				
322	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	NRFCR		\$23.23
323	Comm. Tech - Craft	Per 1/4 Hour	NRFC		\$19.60
324	CO Manager - 1st Level	Per 1/4 Hour	NRFC		\$19.72
325	Floor Space Planning - 1st Level	Per 1/4 Hour	NRFCU		\$19.24
326	CONSTRUCTION VISITS				
327	Project Manager - 1st Level	Per 1/4 Hour	NRFCV		\$19.24
328	Colloc. Ser. Mgr. - 2nd Level	Per 1/4 Hour	NRFCZ		\$23.23
329	CLEC-PROVISIONED FACILITIES & EQUIPMENT: CAGED COMMON				
330	REAL ESTATE				
331	Site Conditioning	Per Frame (Standard Bay=10 sq ft)	S8FWC		\$92.81
332	Safety & Security	Per Frame (Standard Bay=10 sq ft)	S8FWG		\$195.57
333	Floor Space Usage	Per Linear Foot	S8GCO	\$24.87	
334	COMMON SYSTEMS				
335	Common Systems - Common	Per Linear Foot	S8GCP	\$3.62	\$294.37
336	PLANNING				
337	Planning - Central Office	Per Linear Foot	S8GCC	\$0.44	\$29.24
338	Planning	Per Request	NRFCJ		\$4,601.93
339	Planning - Subsequent Inter. Cabling	Per Request	NRFC		\$2,267.04
340	Planning - Subsequent Power Cabling	Per Request	NRFC		\$2,306.10
341	Planning - Subs. Inter./Power Cabling	Per Request	NRFCG		\$2,884.60
342	Planning - Non-Standard	Per Request	NRFC		\$1,436.00
343	POWER PROVISIONING				
344	Power Panel:				
345	50 Amp	Per Power Panel (CLEC provides)	NONE		
346	200 Amp	Per Power Panel (CLEC provides)	NONE		
347	Power Cable and Infrastructure:				
348	Power Cable Rack	Per Four Power Cables or Quad	NONE		
349	2-10 Amp Feeds	Per 2-10 Amp Power Feeds (CLEC Provided)	C1F31	\$0.25	\$48.23
350	2-20 Amp Feeds	Per 2-20 Amp Power Feeds (CLEC Provided)	S8GF1	\$0.25	\$48.23
351	2-30 Amp Feeds	Per 2-30 Amp Power Feeds (CLEC Provided)	C1F32	\$0.25	\$48.23
352	2-40 Amp Feeds	Per 2-40 Amp Power Feeds (CLEC Provided)	C1F33	\$0.25	\$48.23
353	2-50 Amp Feeds	Per 2-50 Amp Power Feeds (CLEC Provided)	S8GF2	\$0.25	\$48.23
354	2-100 Amp Feeds	Per 2-100 Amp Power Feeds (CLEC Provided)	S8GF3	\$0.25	\$48.23
355	Equipment Grounding:				
356	Ground Cable Placement	Per Linear Foot	S8GDC	\$0.13	\$5.93
357	DC POWER AMPERAGE CHARGE				
358	HVAC	Per 10 Amps	S8GCS	\$14.62	
359	Per Amp	Per Amp	S8GCR	\$10.61	
360	FIBER CABLE PLACEMENT				
361	Central Office:				
362	Fiber Cable	Per Fiber Cable Sheath (CLEC Vendor Pulls Cable)	S8FQ9	\$4.85	\$809.13
363	Entrance Conduit	Per Fiber Cable Sheath	S8FW5	\$8.76	
364	MISCELLANEOUS & OPTIONAL COST:				
365	MISCELLANEOUS COSTS				
366	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	S8F45	\$0.08	\$14.81
367	Bits Timing	Per two circuits	S8FQT	\$3.58	\$698.82
368	Space Availability Report	Per Premise	NRFCQ		\$168.04
369	Security Access / ID Cards	Per Five Cards	NRFCM		\$123.35
370	Security Access / ID Cards/Expedite	Per Five Cards	NRFCN		\$203.35
371	CAGE COMMON COSTS				
372	Cage Preparation	Per Linear Foot	S8GCJ	\$1.00	\$157.00
373	INTERCONNECTION COSTS:				
374	ILEC TO CLEC CONNECTION				
375	Voice Grade Arrangement	100 Copper Pairs (CLEC provides cable)	S8F3E	\$3.86	\$156.02
376	Voice Grade Arrangement	100 Shielded Pairs (CLEC provides cable)	S8FWV	\$3.86	\$156.02
377	DS1 Arrangement - DCS	28 DS1 (CLEC provides cable)	S8F2J	\$295.42	\$3,105.79
378	DS1 Arrangement - DSX	28 DS1 (CLEC provides cable)	S8F2P	\$6.07	\$486.89
379	DS3 Arrangement - DCS	1 DS3 (CLEC provides cable)	S8F21	\$115.30	\$1,809.40
380	DS3 Arrangement - DSX	1 DS3 (CLEC provides cable)	S8F25	\$5.69	\$116.67
381	Fiber Arrangement	12 Fiber Pairs (CLEC provides cable)	S8F49	\$3.76	\$495.49
382	AT&T-PROVISIONED FACILITIES & EQUIPMENT: CAGED COMMON				
383	REAL ESTATE				
384	Site Conditioning	Per Bay	S8GCL		\$92.81
385	Safety & Security	Per Frame	S8GCN		\$195.57
386	Floor Space Usage	Per Linear Foot	S8GCO	\$24.87	
387	COMMON SYSTEMS				
388	Common Systems - Common	Per Linear Foot	S8GCP	\$3.62	\$294.37
389	COMMON SYSTEMS				
390	Common Systems - Common	Per Linear Foot	S8GCP	\$3.62	\$294.37

ATT-13STATE
COLLOCATION RATE SUMMARY
February 13, 2006

ATT-13-STATE/VCI COMPANY
EFFECTIVE DATE:

	A	B	C	D	E
1	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
391	PLANNING				
392	Planning - Central Office	Per Linear Foot	S8GCC	\$0.44	\$29.24
393	Planning	Per Request	NRFCJ		\$4,601.93
394	Planning - Subsequent Inter. Cabling	Per Request	NRFCI		\$2,267.04
395	Planning - Subsequent Power Cabling	Per Request	NRFCF		\$2,306.10
396	Planning - Subs. Inter./Power Cabling	Per Request	NRFCG		\$2,884.60
397	Planning - Non-Standard	Per Request	NRFCH		\$1,436.00
398	POWER PROVISIONING				
399	Power Panel:				
400	50 Amp	Per Power Panel	S8GC8	\$15.77	\$3,079.47
401	200 Amp	Per Power Panel	S8GC9	\$18.75	\$3,659.46
402	Power Cable and Infrastructure:				
403	2-10 Amp Feeds	Per 2-10 Amp Power Feeds	C1F3A	\$5.83	\$1,378.83
404	2-20 Amp Feeds	Per 2-20 Amp Power Feeds	S8GC1	\$7.74	\$1,570.84
405	2-30 Amp Feeds	Per 2-30 Amp Power Feeds	C1F3B	\$8.35	\$1,700.70
406	2-40 Amp Feeds	Per 2-40 Amp Power Feeds	C1F3C	\$8.96	\$1,830.56
407	2-50 Amp Feeds	Per 2-50 Amp Power Feeds	S8GC2	\$9.57	\$1,954.85
408	2-100 Amp Feeds	Per 2-100 Amp Power Feeds	S8GC3	\$11.39	\$2,344.44
409	Equipment Grounding:				
410	Ground Cable Placement	Per Linear Foot	S8GDC	\$0.13	\$5.93
411	DC POWER AMPERAGE CHARGE				
412	HVAC	Per 10 Amps	S8GCS	\$14.62	
413	Per Amp	Per Amp	S8GCR	\$10.61	
414	FIBER CABLE PLACEMENT				
415	Central Office:				
416	Fiber Cable	Per Fiber Cable Sheath	S8GDE	\$4.85	\$1,619.88
417	Entrance Conduit	Per Fiber Cable Sheath	S8GDD	\$8.76	
418	MISCELLANEOUS & OPTIONAL COST:				
419	MISCELLANEOUS COSTS				
420	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	S8GEK	\$0.08	\$14.81
421	Bits Timing	Per two circuits	S8GEJ	\$3.58	\$698.82
422	Space Availability Report	Per Premise	NRFCQ		\$168.04
423	Security Access / ID Cards	Per Five Cards	NRFCM		\$123.35
424	Security Access / ID Cards/Expedite	Per Five Cards	NRFCN		\$203.35
425	CAGE COMMON COSTS				
426	Cage Preparation	Per Linear Foot	S8GCJ	\$1.00	\$157.00
427	INTERCONNECTION COSTS:				
428	ILEC TO CLEC CONNECTION				
429	Voice Grade Arrangement	100 Copper Pairs	S8GD8	\$4.92	\$1,027.16
430	Voice Grade Arrangement	100 Shielded Pairs	S8GD9	\$4.92	\$1,027.16
431	DS1 Arrangement - DCS	28 DS1	S8GDM	\$297.44	\$3,613.06
432	DS1 Arrangement - DSX	28 DS1	S8GDR	\$9.79	\$1,346.48
433	DS3 Arrangement - DCS	1 DS3	S8GDX	\$115.58	\$2,181.58
434	DS3 Arrangement - DSX	1 DS3	S8GD2	\$7.14	\$603.89
435	Fiber Arrangement	12 Fiber Pairs (24 Fiber Strands)	S8GEF	\$6.55	\$1,779.78
436					
437	CLEC-PROVISIONED FACILITIES & EQUIPMENT: VIRTUAL				
438	REAL ESTATE				
439	Site Conditioning	Per Frame	S8FX5		\$92.81
440	Safety & Security	Per Frame	S8FX6		\$195.57
441	Floor Space Usage	Per Frame	S8F62	\$28.91	
442	COMMON SYSTEMS				
443	Common Systems - Standard	Per Frame	S8F64	\$10.75	
444	Common Systems - Non-Standard	Per Cabinet	S8F65	\$19.36	
445	PLANNING				
446	Planning	Per Request	NRM99		\$5,555.76
447	Planning - Subsequent Inter. Cabling	Per Request	NRMA3		\$2,224.49
448	Planning - Subsequent Power Cabling	Per Request	NRMAA		\$2,303.84
449	Planning - Subs. Inter./Power Cabling	Per Request	NRMAX		\$2,882.61
450	POWER PROVISIONING				
451	Power Cable and Infrastructure:				
452	Power Cable Rack				
453	2-10 Amp Feeds	Per Four Power Cables or Quad	NONE		
454	2-20 Amp Feeds	Per 2-10 Amp Power Feeds (CLEC Provided)	C1F37	\$0.52	
455	2-30 Amp Feeds	Per 2-20 Amp Power Feeds (CLEC Provided)	S8GFO	\$0.52	
456	2-40 Amp Feeds	Per 2-30 Amp Power Feeds (CLEC Provided)	C1F38	\$0.52	
457	2-50 Amp Feeds	Per 2-40 Amp Power Feeds (CLEC Provided)	C1F39	\$0.52	
458	2-100 Amp Feeds	Per 2-50 Amp Power Feeds (CLEC Provided)	S8GFP	\$0.52	
459	Equipment Grounding:				
459	Ground Cable Placement	Per Frame	S8F69	\$0.36	
460	DC POWER AMPERAGE CHARGE				
461	HVAC	Per 10 Amps	S8FXO	\$14.62	
462	Per Amp	Per Amp	S8FXN	\$10.61	
463	CEV, HUT & Cabinets	Per 2 inch mounting space	S8FXP	\$1.27	
464	FIBER CABLE PLACEMENT				
465	Central Office:				
466	Fiber Cable	Per Fiber Cable Sheath	S8F8F	\$11.01	\$1,971.42
467	Entrance Conduit	Per Fiber Cable Sheath	S8F8G	\$8.17	

ATT-13STATE
COLLOCATION RATE SUMMARY
 February 13, 2006

ATT-13-STATE/VCI COMPANY
 EFFECTIVE DATE:

	A	B	C	D	E
1	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
468	CEV, HUT & Cabinets:				
469	Fiber Cable Placement	Per Fiber Cable Sheath	S8FXQ		\$53.58
470	Entrance Conduit	Per Fiber Cable Sheath	S8FXR	\$2.61	
471	MISCELLANEOUS & OPTIONAL COST:				
472	MISCELLANEOUS COSTS				
473	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	S8FXT	\$0.08	\$14.81
474	Bits Timing	Per two circuits	S8FXS	\$3.58	\$698.82
475	VIRTUAL FRAME OPTIONS				
476	Standard Equipment Bay	Each (CLEC Provided)	NONE		
477	CEV, HUT, CABINET				
478	24 Foot CEV	2 Inch Mounting Space	S8FXZ	\$1.64	
479	16 Foot CEV	2 Inch Mounting Space	S8FY6	\$1.77	
480	Maxi-Hut	2 Inch Mounting Space	S8FXX	\$0.77	
481	Mini-Hut	2 Inch Mounting Space	S8FXY	\$1.33	
482	Large Cabinet	2 Inch Mounting Space	S8FXU	\$1.63	
483	Medium Cabinet	2 Inch Mounting Space	S8FXV	\$2.19	
484	Small Cabinet	2 Inch Mounting Space	S8FXW	\$3.29	
485	INTERCONNECTION COSTS:				
486	I LEC TO CLEC CONNECTION				
487	Voice Grade Arrangement	100 Copper Pairs (CLEC provides cable)	S8F82	\$3.86	\$225.02
488	Voice Grade Arrangement	100 Shielded Pairs (CLEC provides cable)	S8F83	\$3.86	\$225.02
489	DS1 Arrangement - DCS	28 DS1 (CLEC provides cable)	S8F8X	\$295.42	\$3,496.22
490	DS1 Arrangement - DSX	28 DS1 (CLEC provides cable)	S8F8Y	\$6.07	\$651.13
491	DS3 Arrangement - DCS	1 DS3 (CLEC provides cable)	S8F8Z	\$115.30	\$2,186.12
492	DS3 Arrangement - DSX	1 DS3 (CLEC provides cable)	S8F81	\$5.69	\$204.42
493	Fiber Arrangement	12 Fiber Pairs (CLEC provides cable)	S8F84	\$10.47	\$152.71
494	VIRTUAL TO VIRTUAL CONNECTION				
495	Cable Racking and Hole for Optical	Per Cable	S8FY7	\$0.90	
496	Cable Racking and Hole for DS1	Per Cable	S8FY8	\$0.49	
497	Cable Racking and Hole for DS3	Per Cable	S8FY9	\$0.35	
498	Route Design		NRLWF		\$463.36
499	Connection for DS1	Per 28 Circuits (CLEC provides cable)	S8GFQ	\$0.41	\$0.00
500	Connection for DS3	Per Circuit (CLEC provides cable)	S8GFR	\$0.27	\$0.00
501	Connection for Optical	Per Cable (CLEC provides cable)	S8GFS	\$0.81	\$0.00
502	PROJECT MANAGEMENT				
503	CEV, HUT & CABINET				
504	Project Coordination	Per CLEC Application Augment	NRFCCK		\$631.17
505	EQUIPMENT MAINTENANCE AND SECURITY ESCORT				
506	CENTRAL OFFICE TYPE				
507	Staffed CO During Normal Business Hours	Per 1/4 Hour	NRMHK		\$15.15
508	Staffed CO During Outside Normal Business Hours	4 Hour Minium - Initial	NRMHN		\$242.35
509	Staffed CO During Outside Normal Business Hours	Per 1/4 Hour - Additional	NRMJ7		\$15.15
510	Not Staffed CO/RT During Normal Business Hours	Per 1/4 Hour	NRMJ8		\$15.15
511	Not Staffed CO/RT During Outside Normal Business Hours	4 Hour Minium - Initial	NRMJ9		\$242.35
512	Not Staffed CO/RT During Outside Normal Business Hours	Per 1/4 Hour - Additional	NRML7		\$15.15
513	CEV, HUT & CABINET				
514	Per Visit	4 Hour Minium - Initial	NRMJ9		\$242.35
515	Per Visit	Per 1/4 Hour - Additional	NRML7		\$15.15
516	ADDITIONAL LABOR ELEMENTS				
517	TRAINING				
518	Communications Tech	Per 1/2 Hour	NRMCD		\$39.21
519	CO Manager	Per 1/2 Hour	NRME9		\$39.45
520	Power Engineer	Per 1/2 Hour	NRMF9		\$38.47
521	Equipment Engineer	Per 1/2 Hour	NRMHJ		\$38.47
522	EQUIPMENT EVALUATION COST				
523	Equipment Engineer	Per 1/2 Hour	NRMO9		\$38.47
524	TEST AND ACCEPTANCE				
525	Communications Tech	Per 1/2 Hour	NRMP2		\$39.21
526					
527	AT&T-PROVISIONED FACILITIES & EQUIPMENT: VIRTUAL				
528	REAL ESTATE				
529	Site Conditioning	Per Frame	S8FX5		\$92.81
530	Safety & Security	Per Frame	S8FX6		\$195.57
531	Floor Space Usage	Per Frame	S8FX1	\$28.91	
532	COMMON SYSTEMS				
533	Common Systems - Standard	Per Frame	S8FX3	\$10.75	
534	Common Systems - Non-Standard	Per Frame	S8FX4	\$19.36	
535	PLANNING				
536	Planning	Per Request	NRM99		\$5,555.76
537	Planning - Subsequent Inter. Cabling	Per Request	NRMA3		\$2,224.49
538	Planning - Subsequent Power Cabling	Per Request	NRMAA		\$2,303.84
539	Planning - Subs. Inter./Power Cabling	Per Request	NRMAX		\$2,882.61
540	POWER PROVISIONING				
541	Power Cable and Infrastructure:				
542	2-10 Amp Feeds	Per 2-10 Amp Power Feeds	C1F3G	\$5.83	\$1,378.83
543	2-20 Amp Feeds	Per 2-20 Amp Power Feeds	S8FX7	\$7.74	\$1,570.84
544	2-30 Amp Feeds	Per 2-30 Amp Power Feeds	C1F3H	\$8.35	\$1,700.70
545	2.40 Amp Feeds	Per 2-40 Amp Power Feeds	C1F3J	\$8.96	\$1,830.56

ATT-13STATE
COLLOCATION RATE SUMMARY
 February 13, 2006

ATT-13-STATE/ACI COMPANY
 EFFECTIVE DATE:

	A	B	C	D	E
1	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
546	2-50 Amp Feeds	Per 2-50 Amp Power Feeds	S8FX8	\$9.57	\$1,954.85
547	Equipment Grounding:				
548	Ground Cable Placement	Per Frame	S8FX9	\$0.36	
549	DC POWER AMPERAGE CHARGE				
550	HVAC	Per 10 Amps	S8FXO	\$14.62	
551	Per Amp	Per Amp	S8FXN	\$10.61	
552	CEV, HUT & Cabinets	Per 2 inch mounting space	S8FXP	\$1.27	
553	FIBER CABLE PLACEMENT				
554	Central Office:				
555	Fiber Cable	Per Fiber Cable Sheath	S8F8F	\$11.01	\$1,971.42
556	Entrance Conduit	Per Fiber Cable Sheath	S8F8G	\$8.17	
557	CEV, HUT & Cabinets:				
558	Fiber Cable Placement	Per Fiber Cable Sheath	S8FXQ		\$53.58
559	Entrance Conduit	Per Fiber Cable Sheath	S8FXR	\$2.61	
560	MISCELLANEOUS & OPTIONAL COST:				
561	MISCELLANEOUS COSTS				
562	Timing Lead (1 pair per circuit)	Per Linear Foot, Per pair	S8FXT	\$0.08	\$14.81
563	Bits Timing	Per two circuits	S8FXS	\$3.58	\$698.82
564	VIRTUAL FRAME OPTIONS				
565	Standard Equipment Bay	Each	S8FX2	\$22.19	
566	CEV, HUT, CABINET				
567	24 Foot CEV	2 Inch Mounting Space	S8FXZ	\$1.64	
568	16 Foot CEV	2 Inch Mounting Space	S8FY6	\$1.77	
569	Maxi-Hut	2 Inch Mounting Space	S8FX6	\$0.77	
570	Mini-Hut	2 Inch Mounting Space	S8FX7	\$1.33	
571	Large Cabinet	2 Inch Mounting Space	S8FXU	\$1.63	
572	Medium Cabinet	2 Inch Mounting Space	S8FXV	\$2.19	
573	Small Cabinet	2 Inch Mounting Space	S8FXW	\$3.29	
574	INTERCONNECTION COSTS:				
575	ILEC TO CLEC CONNECTION				
576	Voice Grade Arrangement	100 Copper Pairs	S8FXC	\$4.94	\$1,481.37
577	Voice Grade Arrangement	100 Shielded Pairs	S8FXD	\$4.94	\$1,481.37
578	DS1 Arrangement - DCS	28 DS1	S8FXE	\$297.44	\$4,067.27
579	DS1 Arrangement - DSX	28 DS1	S8FXF	\$9.79	\$1,800.69
580	DS3 Arrangement - DCS	1 DS3	S8FXG	\$115.59	\$2,635.79
581	DS3 Arrangement - DSX	1 DS3	S8FXH	\$7.14	\$1,058.10
582	Fiber Arrangement	12 Fiber Pairs (24 Fiber Strands)	S8FXJ	\$6.55	\$1,996.19
583	VIRTUAL TO VIRTUAL CONNECTION				
584	Cable Racking and Hole for Optical	Per Cable	S8FY7	\$0.90	
585	Cable Racking and Hole for DS1	Per Cable	S8FY8	\$0.49	
586	Cable Racking and Hole for DS3	Per Cable	S8FY9	\$0.35	
587	Route Design		NRML9		\$463.36
588	Connection for DS1	Per 28 Circuits	S8FXL	\$3.34	\$930.53
589	Connection for DS3	Per Circuit	S8FXM	\$3.26	\$706.77
590	Connection for Optical	Per Cable	S8FXK	\$3.32	\$1,095.09
591	PROJECT MANAGEMENT				
592	CEV, HUT & CABINET				
593	Project Coordination	Per CLEC Application Augment	NRFC		\$631.17
594	EQUIPMENT MAINTENANCE AND SECURITY ESCORT				
595	CENTRAL OFFICE TYPE				
596	Staffed CO During Normal Business Hours	Per 1/4 Hour	NRMHK		\$15.15
597	Staffed CO During Outside Normal Business Hours	4 Hour Minium - Initial	NRMHN		\$242.35
598	Staffed CO During Outside Normal Business Hours	Per 1/4 Hour - Additional	NRMJ7		\$15.15
599	Not Staffed CO/RT During Normal Business Hours	Per 1/4 Hour	NRMJ8		\$15.15
600	Not Staffed CO/RT During Outside Normal Business Hours	4 Hour Minium - Initial	NRMJ9		\$242.35
601	Not Staffed CO/RT During Outside Normal Business Hours	Per 1/4 Hour - Additional	NRML7		\$15.15
602	CEV, HUT & CABINET				
603	Per Visit	4 Hour Minium - Initial	NRMJ9		\$242.35
604	Per Visit	Per 1/4 Hour - Additional	NRML7		\$15.15
605	ADDITIONAL LABOR ELEMENTS				
606	TRAINING				
607	Communications Tech	Per 1/2 Hour	NRMCD		\$39.21
608	CO Manager	Per 1/2 Hour	NRME9		\$39.45
609	Power Engineer	Per 1/2 Hour	NRMF9		\$38.47
610	Equipment Engineer	Per 1/2 Hour	NRMHJ		\$38.47
611	EQUIPMENT EVALUATION COST				
612	Equipment Engineer	Per 1/2 Hour	NRMO9		\$38.47
613	TEST AND ACCEPTANCE				
614	Communications Tech	Per 1/2 Hour	NRMP2		\$39.21
615					
	CLEC-PROVISIONED FACILITIES & EQUIPMENT:				
616	ADJACENT ON-SITE				
617	PLANNING				
618	Planning - Initial	Per Request	NRFA1		\$9,268.73
619	Planning - Subsequent	Per Request	NRFA2		\$1,606.77
620	REAL ESTATE				
621	Land Rental	Per Square Foot	S8GEN	\$0.44	
622	POWER PROVISIONING				
623	Power Cable and Infrastructure:				

**ATT-13STATE
COLLOCATION RATE SUMMARY
February 13, 2006**

ATT 13-STATE/VCI COMPANY
EFFECTIVE DATE:

	A	B	C	D	E
1	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
624	2-100 Amp Feeds	Per 2-100 Amp Power Feeds (CLEC provides cable)	NONE		
625	2-200 Amp Feeds	Per 2-200 Amp Power Feeds (CLEC provides cable)	NONE		
626	2-300 Amp Feeds	Per 2-300 Amp Power Feeds (CLEC provides cable)	NONE		
627	2-400 Amp Feeds	Per 2-400 Amp Power Feeds (CLEC provides cable)	NONE		
628	AC Service:				
629	Extension of 100 Amp AC Service (Opt.)	Per Request	NRFCW		\$6,447.00
630	AC Usage	Per KWH	S8GEO	\$0.05	
631	DC POWER AMPERAGE CHARGE				
632	Per Amp	Per Amp	S8GCR	\$10.61	
633	FIBER CABLE PLACEMENT				
634	Fiber Installation	Per Fiber Cable Sheath (CLEC Vendor Pulls Cable)	S8GF4	\$2.13	\$488.48
635	Entrance Fiber Racking	Per Rack/Conduit Duct	S8GDG	\$1.55	
636	CABLE RACK				
637	DC Power Cable Rack	Per Rack	S8GEP	\$13.64	\$2,667.22
638	Fiber Cable Rack	Per Rack	S8GEQ	\$20.63	
639	Interconnection Arrangement (Copper) Racking	Per Rack	S8GER	\$30.63	
640	CONDUIT PLACEMENT				
641	DC Power Cable Rack	Per Rack	S8GES		\$7,386.71
642	Fiber Cable Rack	Per Rack	S8GET		\$4,711.89
643	Interconnection Arrangement (Copper) Racking	Per Rack	S8GEU		\$5,545.50
644	INTERCONNECTION COSTS:				
645	ILEC TO CLEC CONNECTION				
646	Voice Grade Arrangement	100 Copper Pairs (CLEC provides cable)	S8F3G	\$3.86	\$156.02
647	Voice Grade Arrangement	100 Shielded Pairs (CLEC provides cable)	S8F3W	\$3.86	\$156.02
648	DS1 Arrangement - DCS	28 DS1 (CLEC provides cable)	S8F2L	\$295.42	\$3,105.79
649	DS1 Arrangement - DSX	28 DS1 (CLEC provides cable)	S8F2R	\$6.07	\$486.89
650	DS3 Arrangement - DCS	1 DS3 (CLEC provides cable)	S8F23	\$115.30	\$1,809.40
651	DS3 Arrangement - DSX	1 DS3 (CLEC provides cable)	S8F27	\$5.69	\$116.67
652	Fiber Arrangement	12 Fiber Pairs (CLEC provides cable)	S8F3N	\$3.76	\$495.49
653	AT&T-PROVISIONED FACILITIES & EQUIPMENT:				
654	ADJACENT ON-SITE				
655	PLANNING				
656	Planning - Initial	Per Request	NRFA1		\$9,268.73
657	Planning - Subsequent	Per Request	NRFA2		\$1,606.77
658	REAL ESTATE				
659	Land Rental	Per Square Foot	S8GEN	\$0.44	
660	POWER PROVISIONING				
661	Power Cable and Infrastructure:				
662	2-100 Amp Feeds	Per 2-100 Amp Power Feeds	S8GC4	\$13.84	\$7,853.86
663	2-200 Amp Feeds	Per 2-200 Amp Power Feeds	S8GC5	\$13.84	\$14,584.00
664	2-300 Amp Feeds	Per 2-300 Amp Power Feeds	S8GC6	\$13.84	\$20,338.00
665	2-400 Amp Feeds	Per 2-400 Amp Power Feeds	S8GC7	\$13.84	\$28,143.00
666	AC Service:				
667	Extension of 100 Amp AC Service (Opt.)	Per Request	NRFCW		\$6,447.00
668	AC Usage	Per KWH	S8GEO	\$0.05	
669	DC POWER AMPERAGE CHARGE				
670	Per Amp	Per Amp	S8GCR	\$10.61	
671	FIBER CABLE PLACEMENT				
672	Fiber Installation	Per Fiber Cable Sheath	S8GDF	\$2.13	\$976.96
673	Entrance Fiber Racking	Per Rack/Conduit Duct	S8GDG	\$1.55	
674	CABLE RACK				
675	DC Power Cable Rack	Per Rack	S8GEP	\$13.64	\$2,667.22
676	Fiber Cable Rack	Per Rack	S8GEQ	\$20.63	
677	Interconnection Arrangement (Copper) Racking	Per Rack	S8GER	\$30.63	
678	CONDUIT PLACEMENT				
679	DC Power Cable Rack	Per 2-Duct	S8GES		\$7,386.71
680	Fiber Cable Rack	Per 1-Duct	S8GET		\$4,711.89
681	Interconnection Arrangement (Copper) Racking	Per 2-Duct	S8GEU		\$5,545.50
682	INTERCONNECTION COSTS:				
683	ILEC TO CLEC CONNECTION				
684	Voice Grade Arrangement	100 Copper Pairs	S8GEA	\$6.19	\$1,371.93
685	Voice Grade Arrangement	100 Shielded Pairs	S8GEB	\$6.19	\$1,371.93
686	DS1 Arrangement - DCS	28 DS1	S8GDN	\$439.98	\$2,341.45
687	DS1 Arrangement - DSX	28 DS1	S8GDS	\$35.04	\$2,341.45
688	DS3 Arrangement - DCS	1 DS3	S8GDY	\$242.36	\$598.33
689	DS3 Arrangement - DSX	1 DS3	S8GD3	\$12.36	\$598.33
690	Fiber Arrangement	12 Fiber Pairs(24 Fiber Strands)	S8GEG	\$8.25	\$3,751.22
691	CLEC-PROVISIONED FACILITIES & EQUIPMENT:				
692	ADJACENT OFF-SITE				
693	PLANNING				
694	Planning	Per Request	NRFA3		\$1,254.32
695	CONDUIT				
696	Conduit Space	Per Innerduct	S8GEW	\$1.17	
697	INTERCONNECTION COSTS:				
698	ILEC TO CLEC CONNECTION				
699	Voice Grade/DS0 Arrangement	900 DS0 (Hole, Racking, MDF) (CLEC Vendor Pulls and Installs Cable)	S8GF5	\$311.43	

**ATT-13STATE
COLLOCATION RATE SUMMARY
February 13, 2006**

ATT 13-STATE/VCI COMPANY
EFFECTIVE DATE:

	A	B	C	D	E
1	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
700	DS1 Arrangement - DCS	28 DS1 (Hole, Racking, DCS) (CLEC Vendor Pulls and Installs Cable)	S8GF6	\$439.96	
701	DS1 Arrangement - DSX	28 DS1 (Hole, Racking, DSX) (CLEC Vendor Pulls and Installs Cable)	S8GF7	\$35.03	
702	DS1 Arrangement - MDF	450 DS1 (Hole, Racking, MDF) (CLEC Vendor Pulls and Installs Cable)	S8GF8	\$311.43	
703	Fiber Arrangement	12 Fiber Pairs (Hole, Racking, FDF) (CLEC Vendor Pulls and Installs Cable)	S8GF9	\$9.02	
704					
705	AT&T-PROVISIONED FACILITIES & EQUIPMENT:				
706	ADJACENT OFF-SITE				
706	PLANNING				
707	Planning	Per Request	NRFA3		\$1,254.32
708	CONDUIT				
709	Conduit Space	Per Innerduct	S8GEW	\$1.17	
710	INTERCONNECTION COSTS:				
711	IILEC TO CLEC CONNECTION				
712	Voice Grade/DS0 Arrangement	900 DS0	S8GEC	\$311.43	\$485.31
713	DS1 Arrangement - DCS	28 DS1	S8GDO	\$439.96	\$1,830.99
714	DS1 Arrangement - DSX	28 DS1	S8GDT	\$35.03	\$1,830.99
715	DS1 Arrangement - MDF	450 DS1	S8GDU	\$311.43	\$485.31
716	Fiber Arrangement	12 Fiber Pairs (24 Fiber Strands)	S8GEH	\$9.02	\$3,370.20
717					
718	RATES AND CHARGES FOR				
719	COMPLETE SPACE DISCONTINUANCE				
720	Application Fee	Per Request	NRFX1		\$503.95
721	Project Management Fee – Complete Space Discontinuance	Per Request	NRFX2		\$2,883.10
722	Remove Fiber Jumpers	Per linear foot	NRFX3		\$18.79
723	Remove Fiber Cables	Per linear foot	NRFX4		\$14.43
724	Remove VF/DS0 Cable	Per linear foot	NRFX5		\$2.60
725	Remove DS1 Cable	Per linear foot	NRFX6		\$4.89
726	Remove DS3 Cable (Coax)	Per linear foot	NRFX7		\$3.57
727	Remove Timing Cable	Per Request	NRFX8		\$9.64
728	Remove Power Cable-50AMP feed & below	Per linear foot	NRFX9		\$24.76
729	Remove Power Cable-100AMP feed & above	Per linear foot	NRFXA		\$22.73
730	Remove Cage Grounding Material	Each grounding lead & ground bar	NRFXB		\$1,462.85
731	Remove Fiber Entrance Cable	Per cable removal job	NRFXC		\$1,664.00
732	Infrastructure Maps & Records	Per cable removal job	NRFXD		\$104.00
733	Engineering Work Order	Per cable removal job	NRFXE		\$104.00
734	Work Group Information Distribution	Per cable removal job	NRFXF		\$104.00
735	Restore Floor Tile – per Standard Bay	Per Standard Bay	NRFXG		\$71.79
736	Floor Restoration Contractor Trip Charge	Per trip	NRFXH		\$144.63
737	Restore Floor Tile	Per Non-Standard Bay	NRFXJ		\$81.53
738					
739	RATES AND CHARGES FOR				
740	SPACE REASSIGNMENT/RESTENCILING				
741	Application Fee	Per Request	NRFXK		\$503.95
742	Project Management Fee – Space Reassignment	Per Request	NRFXL		\$2,883.10
743	Restencil DS0/DSL Block	Per 100 pair block	NRFXM		\$15.33
744	Restencil DS1 Block	Per 28 DS1s	NRFXN		\$6.02
745	Restencil DS3 Coax Cable	Per cable	NRFXO		\$4.90
746	Restencil Fiber Cable Block	Per 12 pair cable	NRFXP		\$91.95
747	Restencil Fiber Jumper Block	Per 4 jumpers	NRFXQ		\$61.30
748	Restencil Power and tag cables	Per 1-4 feeds	NRFXR		\$107.28
749	Restencil Timing Source and tag cable	Per cable	NRFXS		\$122.60
750	Timing Record Book Update	Per element	NRFTT		\$45.98
751	Interconnection Records Update	Per element	NRFTU		\$296.61
752	Power Records Update	Per element	NRFTV		\$355.94
753	Vendor Engineering	Per Space Reassignment job	NRFTW		\$711.88
754					
755	RATES AND CHARGES FOR				
756	POWER REDUCTION (CABLE REMOVAL)				
757	Application Fee	Per Request	NRFTX		\$503.95
758	Project Management Fee – Power Reduction(cable removal)	Per Request	NRFTY		\$2,220.45
759	Remove Power Cable-50AMP feed & below	Per linear foot	NRFTZ		\$24.76
760	Remove Power Cable-100AMP feed & above	Per linear foot	NRFY1		\$22.73
761					
762	RATES AND CHARGES FOR				
763	POWER REDUCTION (REFUSING ONLY)				
764	Application Fee	Per Request	NRFY2		\$503.95
765	Project Management Fee – Power Refusing Only	50AMP A&B feeds & below	NRFY3		\$1,562.80
766	Project Management Fee – Power Refusing Only	100AMP A&B feeds & above	NRFY4		\$2,004.57
767	Power Fuse Reductions on Company BDFB	50AMP A&B feeds & below	NRFY5		\$367.81
768	Restencil Power and tag cables	Per 1-4 feeds	NRFY6		\$107.28
769	Power Records Update	Per element	NRFY7		\$355.94
770	Vendor Engineering	Per Space Reassignment job	NRFY8		\$711.88
771	Power Fuse Reductions on Power Board	100AMP A&B feeds & above	NRFY9		\$490.41
772	Restencil Power and tag cables	Per 1-4 feeds	NRFYA		\$107.28
773	Power Records Update	Per element	NRFYB		\$355.94

ATT-13STATE
COLLOCATION RATE SUMMARY
 February 13, 2006

ATT-13-STATE/VCI COMPANY
 EFFECTIVE DATE:

	A	B	C	D	E
				Current Monthly Recurring Rate	Current Non- Recurring Rate (Initial)
1	Product Type	Rate Element Description	USOC		
774	Vendor Engineering	Per Space Reassignment job	NRFYC		\$711.88
775					

ATT-13STATE
COLLOCATION RATE SUMMARY
 February 13, 2006

ATT 13-STATE/VCI COMPANY
 EFFECTIVE DATE:

	A	B	C	D	E
1	Product Type	Rate Element Description	USOC	Current Monthly Recurring Rate	Current Non-Recurring Rate (Initial)
776	RATES AND CHARGES FOR				
777	INTERCONNECTION TERMINATION REDUCTION				
778	Application Fee	Per Request	NRFYD		\$503.95
779	Project Management Fee – interconnection Cable Reduction	Per Request	NRFYE		\$2,441.33
780	Remove VF/DS0 Cable	Per linear foot	NRFYF		\$2.60
781	Remove DS1 Cable	Per linear foot	NRFYG		\$4.89
782	Remove DS3 Cable (Coax)	Per linear foot	NRFYH		\$3.57
783	Remove Fiber Cables	Per linear foot	NRFYJ		\$14.43
784	Remove Fiber Jumpers	Per linear foot	NRFYK		\$18.79
785					

APPENDIX DIRECT

TABLE OF CONTENTS

INTRODUCTION.....	1
DEFINITIONS	2
SERVICE	3
RESPONSIBILITIES OF <u>AT&T-12STATE</u>	4
RESPONSIBILITIES OF CLEC	5
RESPONSIBILITIES OF BOTH PARTIES	6
LIABILITY	7
BILLING.....	8
USE OF SUBSCRIBER LISTING INFORMATION.....	9
ASSIGNMENT	10
TERM OF CONTRACT AND RATE STRUCTURE	11

**APPENDIX DIRECT
(DIRECT ACCESS AGREEMENT
FOR LOCAL DIRECTORY ASSISTANCE LISTINGS)**

1. INTRODUCTION

- 1.1 This Appendix sets forth terms and conditions for electronic access to the Directory Assistant data-base provided by the applicable AT&T Inc. (AT&T) owned Incumbent Local Exchange Carrier (ILEC) and CLEC.
- 1.1.1 The Southern New England Telephone Company (AT&T CONNECTICUT) will provide electronic access to its Directory Assistance (DA) database through the FCC 39 Access Tariff.
- 1.2 **AT&T Inc. (AT&T)** means the holding company which directly or indirectly owns the following ILECs: Illinois Bell Telephone Company d/b/a AT&T Illinois, Indiana Bell Telephone Company Incorporated d/b/a AT&T Indiana, Michigan Bell Telephone Company d/b/a AT&T Michigan, Nevada Bell Telephone Company d/b/a AT&T Nevada, The Ohio Bell Telephone Company d/b/a AT&T Ohio, Pacific Bell Telephone Company d/b/a AT&T California, The Southern New England Telephone Company d/b/a AT&T Connecticut, Southwestern Bell Telephone, L.P. d/b/a AT&T Arkansas, AT&T Kansas, AT&T Missouri, AT&T Oklahoma and/or AT&T Texas and/or Wisconsin Bell, Inc. d/b/a AT&T Wisconsin.
- 1.3 **AT&T-2STATE** - As used herein, **AT&T-2STATE** means **AT&T CALIFORNIA** and **AT&T NEVADA**, the applicable AT&T-owned ILEC(s) doing business in California and Nevada.
- 1.4 **AT&T-4STATE** - As used herein, **AT&T-4STATE** means Southwestern Bell Telephone, L.P. d/b/a AT&T Arkansas, AT&T Kansas, AT&T Missouri and AT&T Oklahoma, the applicable AT&T-owned ILEC(s) doing business in Arkansas, Kansas, Missouri and Oklahoma.
- 1.5 **AT&T-7STATE** - As used herein, **AT&T-7STATE** means **AT&T SOUTHWEST REGION 5-STATE**, **AT&T CALIFORNIA** and **AT&T NEVADA**, the applicable AT&T-owned ILEC(s) doing business in Arkansas, California, Kansas, Missouri, Nevada, Oklahoma and Texas.
- 1.6 **AT&T-8STATE** - As used herein, **AT&T-8STATE** means **AT&T SOUTHWEST REGION 5-STATE**, **AT&T CALIFORNIA**, **AT&T NEVADA**, and **AT&T CONNECTICUT** the applicable AT&T-owned ILEC(s) doing business in Arkansas, California, Connecticut, Kansas, Missouri, Nevada, Oklahoma and Texas.
- 1.7 **AT&T-10STATE** - As used herein, **AT&T-10STATE** means **AT&T SOUTHWEST REGION 5-STATE** and **AT&T MIDWEST REGION 5-STATE** on the applicable AT&T-owned ILEC(s) doing business in Arkansas, Illinois, Indiana, Kansas, Michigan, Missouri, Ohio, Oklahoma, Texas and Wisconsin.
- 1.8 **AT&T-12STATE** - As used herein, **AT&T-12STATE** means **AT&T SOUTHWEST REGION 5-STATE**, **AT&T MIDWEST REGION 5-STATE** and **AT&T-2STATE** the applicable AT&T-owned ILEC(s) doing business in Arkansas, California, Illinois, Indiana, Kansas, Michigan, Missouri, Nevada, Ohio, Oklahoma, Texas and Wisconsin.
- 1.9 **AT&T-13STATE** - As used herein, **AT&T-13STATE** means **AT&T SOUTHWEST REGION 5-STATE**, **AT&T MIDWEST REGION 5-STATE**, **AT&T-2STATE** and **AT&T CONNECTICUT** the applicable AT&T-owned ILEC(s) doing business in Arkansas, California, Connecticut, Illinois, Indiana, Kansas, Michigan, Missouri, Nevada, Ohio, Oklahoma, Texas and Wisconsin.
- 1.10 **AT&T ARKANSAS** - As used herein, **AT&T ARKANSAS** means Southwestern Bell Telephone, L.P. d/b/a AT&T Arkansas, the applicable AT&T-owned ILEC doing business in Arkansas.
- 1.11 **AT&T CALIFORNIA** – As used herein, **AT&T CALIFORNIA** means Pacific Bell Telephone Company d/b/a AT&T California, the applicable AT&T-owned ILEC doing business in California.
- 1.12 **AT&T CONNECTICUT** - As used herein, **AT&T CONNECTICUT** means The Southern New England Telephone Company d/b/a AT&T Connecticut, the applicable above listed ILEC doing business in Connecticut.

- 1.13 **AT&T KANSAS** - As used herein, **AT&T KANSAS** means Southwestern Bell Telephone, L.P. d/b/a AT&T Kansas, the applicable AT&T-owned ILEC doing business in Kansas.
- 1.14 **AT&T ILLINOIS** - As used herein, **AT&T ILLINOIS** means Illinois Bell Telephone Company d/b/a AT&T Illinois, the applicable AT&T-owned ILEC doing business in Illinois.
- 1.15 **AT&T INDIANA** - As used herein, **AT&T INDIANA** means Indiana Bell Telephone Company Incorporated d/b/a AT&T Indiana, the applicable AT&T-owned ILEC doing business in Indiana.
- 1.16 **AT&T MICHIGAN** - As used herein, **AT&T MICHIGAN** means Michigan Bell Telephone Company d/b/a AT&T Michigan, the applicable AT&T-owned doing business in Michigan.
- 1.17 **AT&T MIDWEST REGION 5-STATE** - As used herein, **AT&T MIDWEST REGION 5-STATE** means Illinois Bell Telephone Company d/b/a AT&T Illinois, Indiana Bell Telephone Company Incorporated d/b/a AT&T Indiana, Michigan Bell Telephone Company d/b/a AT&T Michigan, The Ohio Bell Telephone Company d/b/a AT&T Ohio, and/or Wisconsin Bell, Inc. d/b/a AT&T Wisconsin, the applicable AT&T-owned ILEC(s) doing business in Illinois, Indiana, Michigan, Ohio and Wisconsin.
- 1.18 **AT&T MISSOURI** - As used herein, **AT&T MISSOURI** means Southwestern Bell Telephone, L.P. d/b/a AT&T Missouri, the applicable AT&T-owned ILEC doing business in Missouri.
- 1.19 **AT&T NEVADA** - As used herein, **AT&T NEVADA** means Nevada Bell Telephone Company d/b/a AT&T Nevada, the applicable AT&T-owned ILEC doing business in Nevada.
- 1.20 **AT&T OHIO** - As used herein, **AT&T OHIO** means The Ohio Bell Telephone Company d/b/a AT&T Ohio, the applicable AT&T-owned ILEC doing business in Ohio.
- 1.21 **AT&T OKLAHOMA** - As used herein, **AT&T OKLAHOMA** means Southwestern Bell Telephone, L.P. d/b/a AT&T Oklahoma, the applicable AT&T-owned ILEC doing business in Oklahoma.
- 1.22 **AT&T SOUTHWEST REGION 5-STATE** - As used herein, **AT&T SOUTHWEST REGION 5-STATE** means Southwestern Bell Telephone, L.P. d/b/a AT&T Arkansas, AT&T Kansas, AT&T Missouri, AT&T Oklahoma and/or AT&T Texas the applicable above listed ILEC(s) doing business in Arkansas, Kansas, Missouri, Oklahoma and Texas.
- 1.23 **AT&T TEXAS** - As used herein, **AT&T TEXAS** means Southwestern Bell Telephone, L.P. d/b/a AT&T Texas, the applicable AT&T-owned ILEC doing business in Texas.
- 1.24 **AT&T WISCONSIN** - As used herein, **AT&T WISCONSIN** means Wisconsin Bell, Inc. d/b/a AT&T Wisconsin, the applicable AT&T-owned ILEC doing business in Wisconsin.
- 1.25 The Prices at which **AT&T-13STATE** agrees to provide electronic access to its Directory Assistance (DA) database are contained in the applicable Appendix Pricing and/or the applicable Commissioned ordered tariff where stated.

2. DEFINITIONS

- 2.1 **“Automated Message Accounting” (AMA)** – Billing detail recordings in the switch.
- 2.2 **“Call Processing Data Link” (CPDL)** - CPDL is a proprietary, licensable interface that utilizes a standard format message protocol for transport of messages between Directory One Call Control and a switching entity.
- 2.3 **“Data Terminating Equipment” (DTE)** - A terminal attached to a data network as an End User node.
- 2.4 **“Nortel Digital Multiplexing Switch” (DMS 200)** - DMS performs base call processing functions and supports service capabilities.
- 2.5 **“IBM RISC 6000 Processor”** – The IBM platform that enables database search capabilities.
- 2.6 **“Nortel Directory One” (D1)** - D1 offers directory search applications built on a standard operating software environment.

- 2.7 **"Nortel Directory One Call Control"** - Allows bi-directional call control capability between the TOPS switch and the D1 network.
- 2.8 **"Electronic White Pages" (EWP)** - EWP allows telephone companies to offer fully customized electronic directory assistance services for all types of users.
- 2.9 **"Nortel Interactive Voice System" (IVS)** - Peripheral off the switch that provides interactive audio.
- 2.10 **"Nortel Multi Purpose Position" (MP, MPX or MPX-IWS)** - Operator Workstations.
- 2.11 **"Non-Published Number" (NP)** - A telephone number that at the request of the telephone subscriber, is neither published in a telephone directory nor provided by an Operator.
- 2.12 **"Operator Service Center" (OSC)** - Physical location of the Operators/workstations.
- 2.13 **"Published Number"** - A telephone number that is published in a telephone directory and is available upon request by calling an AT&T-12STATE DA Operator.
- 2.14 **"Nortel Queue Management System" (QMS)** - Supports up to 255 unique queues on calls to operator positions.
- 2.15 **"Nortel Traffic Operating Position System" (TOPS)** - Performs base call processing functions and support service capabilities.
- 2.16 **"Nortel/IBM Protocol"** – Allows communication between Nortel Switch and IBM database.
- 2.17 **"IBM Platform"** – Offers directory search applications built on a standard operating software environment.

3. SERVICE

- 3.1 Direct Access allows CLECs access to AT&T-12STATE's Directory Assistance (DA) database (which includes residence, business, and government listings) for the sole purpose of providing DA to CLEC's End User. This service shall allow the CLEC to obtain listed name, address, zip code and telephone numbers, except that access to non-published telephone numbers or other information that the customer has asked to make unavailable is not allowed, with the exception of customer name and address AT&T-12STATE will provide CLECs nondiscriminatory access to the same directory listing information available to its own directory assistance operators.
- 3.2 Where technically feasible and/or available, CLEC may receive Direct Access from AT&T-12STATE's host switches via a CLEC Nortel DMS200 TOPS Host Switch, a LUCENT 5ESS OSPS switch or any other Operator assistance switch type with Call Processing Data Link (CDPL). CDPL is a proprietary, licensable interface that utilizes a standard format message protocol for transport of messages between Nortel Directory One Call Control and a switching entity. CPDL provides the protocol by which the CLEC switch may provide auto and offer DACC.

4. RESPONSIBILITIES OF AT&T-12STATE

- 4.1 AT&T-12STATE shall provide and maintain its own Directory Assistance platform equipment to furnish DA services to CLEC for all AT&T-12STATE listings.
- 4.2 AT&T-12STATE shall provide DA listings to CLEC from its current DA records and in accordance with AT&T-12STATE's methods, practices, and procedures.
- 4.3 AT&T-12STATE shall provide CLEC access to the same listing information that is available to its own operators.
- 4.4 AT&T-12STATE shall maintain the same level of system performance for CLEC as it provides to itself.

5. RESPONSIBILITIES OF CLEC

- 5.1 CLEC shall submit requests for Direct Access in writing to AT&T-12STATE. Requests for Direct Access will be pursuant to the Individual Case Basis (ICB) Process as outlined in the attached procedures.
- 5.2 When CLEC utilizes a switch other than those specified in TR-BX.25, the CLEC must obtain CPDL/D1 certification of their switch from NORTEL. The CLEC shall bear all costs of obtaining any vendor certification including payment of any applicable vendor license fees. AT&T-7STATE shall supply Nortel D1 hardware and software; i.e., two (2) ADAX cards per 9,000 Busy Hour calls. AT&T-7STATE shall bear the cost of this hardware and software, but the CLEC will be responsible for Engineering, Furnish and Installation charges.
- 5.2.1 AT&T MIDWEST REGION 5-STATE – The IBM RISC 6000 does not support the CDPL technology.

6. RESPONSIBILITIES OF BOTH PARTIES

- 6.1 The CLEC providing the circuit between CLEC's office and AT&T-12STATE's office shall make such circuits available for use in connection with the DA services covered herein. When the total traffic exceeds the capability of the existing circuits, additional circuits will be provided by the CLEC.
- 6.2 Where applicable, if additional ADAX cards and ASN Routers (with sync and token ring cards) are necessary, they will be provided by AT&T-12STATE, and CLEC will reimburse AT&T-12STATE for the cost, plus Engineering, Furnish and Installation.

7. LIABILITY

- 7.1 The limitation of liability and indemnification provisions of the Agreement shall govern performance under this Appendix CLEC also agrees to release, defend, indemnify, and hold harmless AT&T-12STATE from any claim, demand or suit that asserts any infringement or invasion of privacy or confidentiality of any person or persons caused or claimed to be caused, directly, or indirectly, by AT&T-12STATE employees and equipment associated with provision of the DA Services. This provision includes but is not limited to suits arising from disclosure of the telephone number, address, or name associated with the telephone called or the telephone used to call the DA Services.

8. BILLING

- 8.1 AT&T-12STATE - For information regarding billing, non-payment, disconnection, and dispute resolution, see the General Terms and Conditions of this Agreement.

9. USE OF SUBSCRIBER LISTING INFORMATION

- 9.1 CLEC is authorized to use the subscriber listing information accessed and provided pursuant to this Appendix for the sole purpose of providing local DA for its own End User customers.

10. ASSIGNMENT

- 10.1 The subscriber listing information accessed shall remain the property of AT&T-12STATE. CLEC shall not download, store, print or otherwise extract the DA listing information made available through Direct Access nor shall the CLEC authorize any other company or any person to use any subscriber listing information for any purpose. Each party shall take appropriate measures to guard against any unauthorized use of the listings provided to it hereunder, whether by the other party, its agents or employees.

11. TERM OF CONTRACT AND RATE STRUCTURE

- 11.1 Upon CLEC's request, and pursuant to the terms and conditions herein, AT&T-12STATE will set rates and other appropriate criteria for provision of Direct Access to CLEC pursuant to the ICB process.

11.2 The following types of rates shall apply to Direct Access.

11.2.1 Service Establishment

11.2.1.1 CLEC shall pay a Direct Access Service Establishment Charge (a non-recurring charge) applied at the time a CLEC orders Direct Access.

11.2.2 Direct Access Database Service

11.2.2.1 CLEC shall pay a monthly recurring charge for Direct Access Database Service which provides for database security and administration and ongoing support.

11.2.3 Direct Access Per Search

11.2.3.1 Where applicable, CLEC shall pay a Direct Access Per Search charge for each CLEC subscriber listing search queried from AT&T-12STATE's listing.

APPENDIX DAL

TABLE OF CONTENTS

INTRODUCTION.....1

GENERAL TERMS AND CONDITIONS.....2

ASSIGNMENT3

BREACH OF CONTRACT.....4

LIABILITY.....5

TERM OF APPENDIX.....6

APPENDIX DAL (LOCAL DIRECTORY ASSISTANCE LISTINGS)

1. INTRODUCTION

- 1.1 This Appendix sets forth terms and conditions for which Parties agrees to license its subscriber listing information applicable AT&T Inc. (AT&T) owned Incumbent Local Exchange Carrier (ILEC) and CLEC.
- 1.2 **AT&T Inc. (AT&T)** means the holding company which directly or indirectly owns the following ILECs: Illinois Bell Telephone Company d/b/a AT&T Illinois, Indiana Bell Telephone Company Incorporated d/b/a AT&T Indiana, Michigan Bell Telephone Company d/b/a AT&T Michigan, Nevada Bell Telephone Company d/b/a AT&T Nevada, The Ohio Bell Telephone Company d/b/a AT&T Ohio, Pacific Bell Telephone Company d/b/a AT&T California, The Southern New England Telephone Company d/b/a AT&T Connecticut, Southwestern Bell Telephone, L.P. d/b/a AT&T Arkansas, AT&T Kansas, AT&T Missouri, AT&T Oklahoma and/or AT&T Texas and/or Wisconsin Bell, Inc. d/b/a AT&T Wisconsin.
- 1.3 **AT&T-2STATE** - As used herein, **AT&T-2STATE** means **AT&T CALIFORNIA** and **AT&T NEVADA**, the applicable AT&T-owned ILEC(s) doing business in California and Nevada.
- 1.4 **AT&T-4STATE** - As used herein, **AT&T-4STATE** means Southwestern Bell Telephone, L.P. d/b/a AT&T Arkansas, AT&T Kansas, AT&T Missouri, and AT&T Oklahoma the applicable AT&T-owned ILEC(s) doing business in Arkansas, Kansas, Missouri and Oklahoma.
- 1.5 **AT&T-7STATE** - As used herein, **AT&T-7STATE** means **AT&T SOUTHWEST REGION 5-STATE, AT&T CALIFORNIA** and **AT&T NEVADA**, the applicable AT&T-owned ILEC(s) doing business in Arkansas, California, Kansas, Missouri, Nevada, Oklahoma, and Texas.
- 1.6 **AT&T-8STATE** - As used herein, **AT&T-8STATE** means **AT&T SOUTHWEST REGION 5-STATE, AT&T CALIFORNIA, AT&T NEVADA**, and **AT&T CONNECTICUT** the applicable AT&T-owned ILEC(s) doing business in Arkansas, California, Connecticut, Kansas, Missouri, Nevada, Oklahoma, and Texas.
- 1.7 **AT&T-10STATE** - As used herein, **AT&T-10STATE** means **AT&T SOUTHWEST REGION 5-STATE** and **AT&T MIDWEST REGION 5-STATE** an the applicable AT&T-owned ILEC(s) doing business in Arkansas, Illinois, Indiana, Kansas, Michigan, Missouri, Ohio, Oklahoma, Texas, and Wisconsin.
- 1.8 **AT&T-12STATE** - As used herein, **AT&T-12STATE** means **AT&T SOUTHWEST REGION 5-STATE, AT&T MIDWEST REGION 5-STATE** and **AT&T-2STATE** the applicable AT&T-owned ILEC(s) doing business in Arkansas, California, Illinois, Indiana, Kansas, Michigan, Missouri, Nevada, Ohio, Oklahoma, Texas, and Wisconsin.
- 1.9 **AT&T-13STATE** - As used herein, **AT&T-13STATE** means **AT&T SOUTHWEST REGION 5-STATE, AT&T MIDWEST REGION 5-STATE, AT&T-2STATE** and **AT&T CONNECTICUT** the applicable AT&T-owned ILEC(s) doing business in Arkansas, California, Connecticut, Illinois, Indiana, Kansas, Michigan, Missouri, Nevada, Ohio, Oklahoma, Texas, and Wisconsin.
- 1.10 **AT&T ARKANSAS** - As used herein, **AT&T ARKANSAS** means Southwestern Bell Telephone, L.P. d/b/a AT&T Arkansas, the applicable AT&T-owned ILEC doing business in Arkansas.
- 1.11 **AT&T CALIFORNIA** - As used herein, **AT&T CALIFORNIA** means Pacific Bell Telephone Company d/b/a AT&T California, the applicable AT&T-owned ILEC doing business in California.
- 1.12 **AT&T CONNECTICUT** - As used herein, **AT&T CONNECTICUT** means The Southern New England Telephone Company d/b/a AT&T Connecticut, the applicable above listed ILEC doing business in Connecticut.
- 1.13 **AT&T KANSAS** - As used herein, **AT&T KANSAS** means Southwestern Bell Telephone, L.P. d/b/a AT&T Kansas, the applicable AT&T-owned ILEC doing business in Kansas.

- 1.14 **AT&T ILLINOIS** - As used herein, **AT&T ILLINOIS** means Illinois Bell Telephone Company d/b/a AT&T Illinois, the applicable AT&T-owned ILEC doing business in Illinois.
- 1.15 **AT&T INDIANA** - As used herein, **AT&T INDIANA** means Indiana Bell Telephone Company Incorporated d/b/a AT&T Indiana, the applicable AT&T-owned ILEC doing business in Indiana.
- 1.16 **AT&T MICHIGAN** - As used herein, **AT&T MICHIGAN** means Michigan Bell Telephone Company d/b/a AT&T Michigan, the applicable AT&T-owned doing business in Michigan.
- 1.17 **AT&T MIDWEST REGION 5-STATE** - As used herein, **AT&T MIDWEST REGION 5-STATE** means Illinois Bell Telephone Company d/b/a AT&T Illinois, Indiana Bell Telephone Company Incorporated d/b/a AT&T Indiana, Michigan Bell Telephone Company d/b/a AT&T Michigan, The Ohio Bell Telephone Company d/b/a AT&T Ohio, and/or Wisconsin Bell, Inc. d/b/a AT&T Wisconsin, the applicable AT&T-owned ILEC(s) doing business in Illinois, Indiana, Michigan, Ohio, and Wisconsin.
- 1.18 **AT&T MISSOURI** - As used herein, **AT&T MISSOURI** means Southwestern Bell Telephone, L.P. d/b/a AT&T Missouri, the applicable AT&T-owned ILEC doing business in Missouri.
- 1.19 **AT&T NEVADA** - As used herein, **AT&T NEVADA** means Nevada Bell Telephone Company d/b/a AT&T Nevada, the applicable AT&T-owned ILEC doing business in Nevada.
- 1.20 **AT&T OHIO** - As used herein, **AT&T OHIO** means The Ohio Bell Telephone Company d/b/a AT&T Ohio, the applicable AT&T-owned ILEC doing business in Ohio.
- 1.21 **AT&T OKLAHOMA** - As used herein, **AT&T OKLAHOMA** means Southwestern Bell Telephone, L.P. d/b/a AT&T Oklahoma, the applicable AT&T-owned ILEC doing business in Oklahoma.
- 1.22 **AT&T SOUTHWEST REGION 5-STATE** - As used herein, **AT&T SOUTHWEST REGION 5-STATE** means Southwestern Bell Telephone, L.P. d/b/a AT&T Arkansas, AT&T Kansas, AT&T Missouri, AT&T Oklahoma and/or AT&T Texas the applicable above listed ILEC(s) doing business in Arkansas, Kansas, Missouri, Oklahoma, and Texas.
- 1.23 **AT&T TEXAS** - As used herein, **AT&T TEXAS** means Southwestern Bell Telephone, L.P. d/b/a AT&T Texas, the applicable AT&T-owned ILEC doing business in Texas.
- 1.24 **AT&T WISCONSIN** - As used herein, **AT&T WISCONSIN** means Wisconsin Bell, Inc. d/b/a AT&T Wisconsin, the applicable AT&T-owned ILEC doing business in Wisconsin.
- 1.25 The prices at which **AT&T-13STATE** agrees to provide CLEC with Directory Assistance Listing (DAL) are contained in the applicable Appendix Pricing and/or the applicable Commissioned ordered tariff where stated.

2. GENERAL TERMS AND CONDITIONS

- 2.1 Where technically feasible and/or available, **AT&T-13STATE** will provide Directory Assistance (listing information referred to as Directory Assistance Listing (DAL) in **AT&T SOUTHWEST REGION 5-STATE**, Directory Assistance Listing Information Service (DALIS) in **AT&T CALIFORNIA** and Dialing Parity Directory Listings in **AT&T MIDWEST REGION 5-STATE** (herein after collectively referred to as DAL):
 - 2.1.1 **AT&T-13STATE** owns and maintains the database containing directory assistance listing information (name, address and published telephone number, or an indication of "non-published status") of telephone subscribers.
 - 2.1.2 **AT&T-13STATE** uses the directory assistance listing information in its database to provide directory assistance (DA) service to End Users who call **AT&T-13STATE**'s DA to obtain such information.
 - 2.1.3 Inasmuch as **AT&T-13STATE** provides DA service under contract for Independent Local Exchange Carriers (ILECs) and Competitive Local Exchange Carriers, (CLECs), **AT&T-13STATE**'s database also contains directory assistance listing information for other ILEC and CLEC End Users.

- 2.1.4 CLEC, or its agent, wishes to provide DA service to CLEC's End Users located in the CLEC's service area, and therefore, wishes to load its database with directory assistance listings contained in AT&T-13STATE's DA database.
- 2.1.5 AT&T-13STATE agrees to license requested directory assistance listing information contained in its database, under the following terms and conditions:
- 2.1.5.1 AT&T-13STATE shall license its directory assistance listing information as defined in Exhibit A.
- 2.1.5.2 AT&T-13STATE shall provide directory assistance listing information in a mutually acceptable format.
- 2.1.5.3 AT&T-13STATE shall provide directory assistance listing information to CLEC via a mutually acceptable mode of transmission. Once the mode of transmission has been determined, AT&T-13STATE will provide to CLEC the initial load of directory assistance listing information in a mutually agreed upon timeframe.

2.2 Use of Directory Assistance Listing Information

- 2.2.1 CLEC may use the directory assistance listing information licensed and provided pursuant to this Appendix in compliance with all applicable laws, regulations, and rules including any subsequent decision by the FCC or a court regarding the use of directory assistance listings.
- 2.2.2 Upon termination of the Agreement, CLEC shall cease using, for any purpose whatsoever, the directory assistance listing information provided hereunder by AT&T-13STATE, and shall extract and expunge all copies or any portions thereof from files and records and provide a certification from an officer of the company that all actions have been performed.
- 2.2.3 In the event a telephone service subscriber has a "non-published" listing, a "non-published" classification will be identified in lieu of the telephone number information and will be considered part of the Listing Information. The last name, first name, street number, street name, community, and zip code will be provided as part of the Listing Information. The information provided for non-published customers can only be used for two purposes. First, the non-published status may be added to the listing in CLEC's database for the sole purpose of adding/correcting the non-published status of the listings in the database. Second, addresses for non-published customers may be used for verification purposes. If a caller provides the address for a requested listing, CLEC may verify the listing by matching the caller-provided address with the address in CLEC's dates. CLEC may not provide the address information of a requested listing of a non-published subscriber to a caller under any circumstances. CLEC can notify the customer that the requested listing is non-published.

3. ASSIGNMENT

- 3.1 The directory assistance listings provided by AT&T shall remain the property of AT&T-13STATE. CLEC, or its third-party DA provider/agent, shall take appropriate measures at least equal to the measures CLEC uses for its own listings to guard against any unauthorized use of the listings provided to it hereunder.

4. BREACH OF CONTRACT

- 4.1 In the event a Party is found to have materially breached this Appendix, such breach shall be remedied immediately and the non-breaching Party shall have the right to terminate the breaching party's license, without terminating its own rights hereunder, upon fourteen (14) calendar days notice, until the other Party's breach is remedied. Further should CLEC breach this agreement, it shall immediately cease use of AT&T-13STATE's directory assistance listing information.

5. LIABILITY

- 5.1 AT&T-13STATE makes no express or implied warranties whatsoever regarding the accuracy of the directory assistance listing information provided to CLEC. CLEC agrees to accept the directory assistance listing information on an "as-is" basis with all faults, errors and omissions, if any. AT&T-13STATE makes no warranty, expressed or implied, with respect to any listings or the information contained therein, including but not limited to warranties for merchantability or fitness for a particular purpose.
- 5.2 CLEC hereby releases AT&T-13STATE from any and all liability for damages due to errors or omissions in the directory assistance listing information provided under this Appendix, or by reason of delay in providing the directory assistance listing information, including, but not limited to, special, indirect, consequential, punitive or incidental damages.
- 5.3 CLEC shall indemnify, protect, save harmless and defend AT&T-13STATE (or AT&T-13STATE's officers, employees, agents, assigns and representatives) from and against any and all losses, liability, damages and expense arising out of any demand, claim, suit or judgment by a third party in any way related to AT&T-13STATE Appendix, and every interconnection, service and network element provided hereunder, shall be subject to all rates, terms and conditions contained in this Agreement or any other appendices or attachments to this Agreement which are supplying directory assistance listing information, or any actual error or omission. CLEC shall so indemnify regardless of whether the demand, claim or suit by the third party is brought jointly against CLEC and AT&T-13STATE, and/or against AT&T-13STATE alone. However, if such demand, claim or suit specifically alleges that an error or omission appears in DA listing information, AT&T-13STATE may, at its option, assume and undertake its own defense, or assist in the defense of CLEC, in which event CLEC shall reimburse AT&T-13STATE for reasonable attorney's fees and other expenses incurred by it in handling and defending such demand, claim and/or suit. CLEC shall not enter into any settlement of any such demand, claim or suit without the prior written consent of AT&T-13STATE.

6. TERM OF APPENDIX

- 6.1 This Appendix will continue in force for the length of the Interconnection Agreement, but no less than twelve (12) months. At the expiration of the term of the Interconnection Agreement to which this Appendix is attached, or twelve (12) months, whichever occurs later either Party may terminate this Appendix upon one hundred-twenty (120) calendar day's written notice to the other Party.

APPENDIX 911

TABLE OF CONTENTS

INTRODUCTION.....	1
DEFINITIONS	2
<u>AT&T-13STATE</u> RESPONSIBILITIES	3
CLEC RESPONSIBILITIES	4
RESPONSIBILITIES OF BOTH PARTIES	5
METHODS AND PRACTICES.....	6
CONTINGENCY.....	7
BASIS OF COMPENSATION.....	8
LIABILITY	9

APPENDIX 911

1. INTRODUCTION

- 1.1 This Appendix sets forth terms and conditions by which the applicable AT&T Inc. (AT&T)-owned Incumbent Local Exchange Carrier (ILEC) will provide CLEC with access to the applicable AT&T-owned ILEC's 911 and E911 Databases and provide interconnection and Call Routing for purposes of 911 call completion to a Public Safety Answering Point (PSAP) as required by Section 251 of the Act.
- 1.2 The Parties acknowledge and agree that AT&T-13STATE can only provide E911 Service in territory where an **AT&T-13STATE** is the E911 network provider, and then only that E911 service configuration as purchased by the E911 Customer or PSAP. **AT&T-13STATE**'s E911 Selective Routers and E911 Database Management System are by mutual agreement being provided on an "as is" basis.
- 1.3 For CLECs with their own switches, **AT&T-13STATE** shall provide access to its E911 Selective Routers as described herein only where the PSAP and/or E911 Customer served by the E911 Selective Routers has approved CLEC to carry E911 Emergency Services calls, which approval is subject to being revoked, conditioned, or modified by the PSAP and/or E911 Customer at any time.

2. DEFINITIONS

- 2.1 "**911 System**" means the set of network, database and customer premise equipment (CPE) components required to provide 911 service.
- 2.2 "**911 Trunk**" means a trunk capable of transmitting Automatic Number Identification (ANI) associated with a call to 911 from CLEC's End Office to the E911 system.
- 2.3 "**Automatic Location Identification**" or "**ALI**" means the automatic display at the PSAP of the caller's telephone number, the address/location of the telephone and, in some cases, supplementary emergency services information.
- 2.4 "**Automatic Number Identification**" or "**ANI**" means the telephone number associated with the access line from which a call to 911 originates.
- 2.5 "**Company Identifier**" or "**Company ID**" means a three to five (3 to 5) character identifier chosen by the Local Exchange Carrier that distinguishes the entity providing dial tone to the End-User. The Company Identifier is maintained by NENA in a nationally accessible database.
- 2.6 "**Database Management System**" or "**DBMS**" means a system of manual procedures and computer programs used to create, store and update the data required to provide Selective Routing and/or Automatic Location Identification for 911 systems.
- 2.7 "**E911 Customer**" means a municipality or other state or local government unit, or an authorized agent of one or more municipalities or other state or local government units to whom authority has been lawfully delegated to respond to public emergency telephone calls, at a minimum, for emergency police and fire services through the use of one telephone number, 911.
- 2.8 "**E911 Universal Emergency Number Service**" (also referred to as "**Expanded 911 Service**" or "**Enhanced 911 Service**") or "**E911 Service**" means a telephone exchange communications service whereby a public safety answering point (PSAP) answers telephone calls placed by dialing the number 911. E911 includes the service provided by the lines and equipment associated with the service arrangement for the answering, transferring, and dispatching of public emergency telephone calls dialed to 911. E911 provides completion of a call to 911 via dedicated trunking facilities and includes Automatic Number Identification (ANI), Automatic Location Identification (ALI), and/or Selective Routing.
- 2.9 "**Emergency Services**" means police, fire, ambulance, rescue, and medical services.

- 2.10 **"Emergency Service Number" or "ESN"** means a three to five digit number representing a unique combination of emergency service agencies (Law Enforcement, Fire, and Emergency Medical Service) designated to serve a specific range of addresses within a particular geographical area. The ESN facilitates selective routing and selective transfer, if required, to the appropriate PSAP and the dispatching of the proper service agency(ies).
- 2.11 **"National Emergency Number Association" or "NENA"** means the National Emergency Number Association is a not-for-profit corporation established in 1982 to further the goal of "One Nation-One Number". NENA is a networking source and promotes research, planning, and training. NENA strives to educate, set standards and provide certification programs, legislative representation and technical assistance for implementing and managing 911 systems.
- 2.12 **"Public Safety Answering Point" or "PSAP"** means an answering location for 911 calls originating in a given area. The E911 Customer may designate a PSAP as primary or secondary, which refers to the order in which calls are directed for answering. Primary PSAPs answer calls; secondary PSAPs receive calls on a transfer basis. PSAPs are public safety agencies such as police, fire, emergency medical, etc., or a common bureau serving a group of such entities.
- 2.13 **"Selective Routing" and "Selective Router"** means the routing and equipment used to route a call to 911 to the proper PSAP based upon the number and location of the caller. Selective routing is controlled by an ESN, which is derived from the location of the access line from which the 911 call was placed.

3. AT&T-13STATE RESPONSIBILITIES

- 3.1 AT&T-13STATE shall provide and maintain such equipment at the 911 Selective Router and the DBMS as is necessary to provide CLEC E911 Emergency Services at parity with that of AT&T-13STATE retail end users. AT&T-13STATE shall provide CLEC access to the AT&T-13STATE 911 System as described in this section.
- 3.2 Call Routing
- 3.2.1 AT&T-13STATE will route 911 calls from the AT&T-13STATE Selective Router to the designated primary PSAP or to designated alternate locations, according to routing criteria specified by the PSAP.
- 3.2.2 AT&T-13STATE will forward the calling party number (ANI) it receives from CLEC and the associated 911 Address Location Identification (ALI) to the PSAP for display. If no ANI is forwarded by CLEC, AT&T-13STATE will forward an Emergency Service Central Office (ESCO) identification code for display at the PSAP. If ANI is forwarded by the CLEC, but no ALI record is found in the E911 DBMS, AT&T-13STATE will report this "No Record Found" condition to the CLEC in accordance with NENA standards.
- 3.3 Facilities and Trunking
- 3.3.1 AT&T-13STATE shall provide and maintain sufficient dedicated E911 trunks from AT&T-13STATE's Selective Router to the PSAP of the E911 Customer, according to provisions of the appropriate state Commission-approved tariff and documented specifications of the E911 Customer.
- 3.3.2 AT&T-13STATE will provide facilities to interconnect the CLEC to the AT&T-13STATE Selective Router, as specified in the applicable AT&T-13STATE Special Access tariff. Additionally, when diverse facilities are requested by CLEC, AT&T-13STATE will provide such diversity where technically feasible, at standard AT&T-13STATE Special Access Tariff rates.
- 3.4 Database
- 3.4.1 Where AT&T-13STATE manages the E911 Database, AT&T-13STATE shall provide CLEC access to the E911 Database to store CLEC's End User 911 Records [that is, the name, address, and associated telephone number(s) for each of CLEC's End Users. CLEC or its representative(s) is responsible for electronically providing End User 911 Records and updating this information.

- 3.4.2 Where AT&T-13STATE manages the E911 Database, AT&T-13STATE shall coordinate access to the AT&T-13STATE DBMS for the initial loading and updating of CLEC End User 911 Records.
- 3.4.3 Where AT&T-13STATE manages the E911 Database, AT&T-13STATE's E911 Database shall accept electronically transmitted files that are based upon NENA standards. Manual (i.e. facsimile) entry shall be utilized only in the event that the DBMS is not functioning properly.

4. CLEC RESPONSIBILITIES

- 4.1 Call Routing (for CLECs with their own switches)
 - 4.1.1 CLEC will transport 911 calls from each point of interconnection (POI) to the AT&T-13STATE Selective Router location.
 - 4.1.2 CLEC will forward the ANI information of the party calling 911 to the AT&T-13STATE 911 Selective Router.
- 4.2 Facilities and Trunking (for CLECs with their own switches)
 - 4.2.1 CLEC shall provide interconnection with each AT&T-13STATE 911 Selective Router that serves the exchange areas in which CLEC is authorized to and will provide telephone exchange service.
 - 4.2.2 CLEC acknowledges that its End Users in a single local calling scope may be served by different Selective Routers and CLEC shall be responsible for providing interconnection facilities to route 911 calls from its End Users to the proper E911 Selective Router.
 - 4.2.3 CLEC shall provide a minimum of two (2) one-way outgoing E911 trunk(s) dedicated for originating 911 emergency service calls from the point of interconnection (POI) to interconnect to each AT&T-13STATE 911 Selective Router, where applicable. Where SS7 connectivity is available and required by the applicable E911 Customer, the Parties agree to implement Common Channel Signaling trunking rather than CAMA MF trunking.
 - 4.2.3.1 CLEC is responsible for providing a separate E911 trunk group for each county or other geographic area that the CLEC serves if the E911 Customer for such county or geographic area has a specified varying default routing condition. Where PSAPs do not have the technical capability to receive 10-digit ANI, E911 traffic must be transmitted over a separate trunk group specific to the underlying technology. In addition, 911 traffic originating in one (1) NPA (area code) must be transmitted over a separate 911 trunk group from 911 traffic originating in any other NPA (area code) 911.
 - 4.2.4 CLEC shall maintain facility transport capacity sufficient to route 911 traffic over trunks dedicated for 911 interconnection between the CLEC switch and the AT&T-13STATE Selective Router.
 - 4.2.5 CLEC shall provide sufficient trunking to route CLEC's originating 911 calls to the designated AT&T-13STATE 911 Selective Router.
 - 4.2.6 A diverse (i.e. separate) 911 Trunk is recommended and may be required by the E911 Customer. If required by the E911 Customer, diverse 911 Trunks shall be ordered in the same fashion as the primary 911 Trunks. CLEC is responsible for initiating trunking and facility orders for diverse routes for 911 interconnection.
 - 4.2.7 CLEC is responsible for determining the proper quantity of trunks and transport facilities from its switch(es) to interconnect with the AT&T-13STATE 911 Selective Router.
 - 4.2.8 CLEC shall engineer its 911 trunks to attain a minimum P.01 grade of service as measured using the "busy day/busy hour" criteria or, if higher, at such other minimum grade of service as required by Applicable Law.
 - 4.2.9 CLEC shall monitor its 911 trunks for the purpose of determining originating network traffic volumes. If CLEC's traffic study indicates that additional 911 trunks are needed to meet the current level of 911 call volumes, CLEC shall provision additional 911 trunks for interconnection with AT&T-13STATE.

4.2.10 CLEC is responsible for the isolation, coordination and restoration of all 911 facility and trunking maintenance problems from CLEC's demarcation (for example, collocation) to the AT&T-13STATE 911 Selective Router(s). CLEC is responsible for advising AT&T-13STATE of the 911 trunk identification and the fact that the trunks are dedicated for 911 traffic when notifying AT&T-13STATE of a failure or outage. The Parties agree to work cooperatively and expeditiously to resolve any 911 outage. AT&T-13STATE will refer network trouble to CLEC if no defect is found in AT&T-13STATE's 911 network. The Parties agree that 911 network problem resolution will be managed expeditiously at all times.

4.3 Database (applicable to all CLECs)

4.3.1 Once the 911 interconnection between CLEC and all appropriate AT&T-13STATE Selective Router(s) has been established and tested, CLEC or its representatives shall be responsible for providing CLEC's End User 911 Records to AT&T-13STATE for inclusion in AT&T-13STATE's DBMS on a timely basis.

4.3.2 CLEC or its agent shall provide initial and ongoing updates of CLEC's End User 911 Records that are MSAG-valid in electronic format based upon established NENA standards.

4.3.3 CLEC shall adopt use of a Company ID on all CLEC End User 911 Records in accordance with NENA standards. The Company ID is used to identify the carrier of record in facility configurations.

4.3.4 CLEC is responsible for providing AT&T-13STATE updates to the E911 database; in addition, CLEC is responsible for correcting any errors that may occur during the entry of their data to the AT&T-13STATE 911 DBMS.

5. RESPONSIBILITIES OF BOTH PARTIES

5.1 For CLECs with their own switch(es), both parties shall jointly coordinate the provisioning of transport capacity sufficient to route originating E911 calls from the CLEC's POI to the designated AT&T-13STATE 911 Selective Router(s).

5.1.1 AT&T-13STATE and CLEC will cooperate to promptly test all trunks and facilities between CLEC's network and the AT&T-13STATE Selective Router(s). CLEC agrees that it will not pass live traffic until successful testing is completed by both Parties.

5.2 911 Surcharge Remittance to PSAP

5.2.1 For CLECs with their own switch(es), the Parties agree that:

5.2.1.1 AT&T-13STATE is not responsible for collecting and remitting applicable 911 surcharges or fees directly to municipalities or government entities where such surcharges or fees are assessed by said municipality or government entity, and

5.2.1.2 AT&T-13STATE is not responsible for providing the 911 Customer detailed monthly listings of the actual number of access lines, or breakdowns between the types of access lines (e.g., residential, business, payphone, Centrex, PBX, and exempt lines).

5.2.2 For CLEC Resellers, except where state law requires the ILEC to serve as a clearinghouse between Resellers and PSAPs, the Parties agree that:

5.2.2.1 CLEC shall be responsible for collecting and remitting all applicable 911 fees and surcharges on a per line basis to the appropriate PSAP or other governmental authority responsible for collection of such fees and surcharges.

5.2.2.2 AT&T-13STATE shall include Reseller CLEC information when providing the 911 Customer with detailed monthly listings of the actual number of access lines, or breakdowns between the types of access lines (e.g., residential, business, payphone, Centrex, PBX, and exempt lines).

6. METHODS AND PRACTICES

- 6.1 With respect to all matters covered by this Appendix, each Party will comply with all of the following to the extent that they apply to access to 911 and E911 Databases: (i) all FCC and applicable state Commission rules and regulations, (ii) any requirements imposed by any Governmental Authority other than a Commission, (iii) the terms and conditions of AT&T-13STATE's Commission-ordered tariff(s) and (iv) the principles expressed in the recommended standards published by NENA.

7. CONTINGENCY

- 7.1 The terms and conditions of this Appendix represent a negotiated plan for providing access to 911 and E911 Databases, and provide interconnection and call routing for purposes of 911 call completion to a Public Safety Answering Point (PSAP) as required by Section 251 of the Act.
- 7.2 The Parties agree that the 911 System is provided herein is for the use of the E911 Customer, and recognize the authority of the E911 Customer to establish service specifications and grant final approval (or denial) of service configurations offered by AT&T-13STATE and CLEC. These specifications shall be documented in Exhibit I, CLEC Serving Area Description and E911 Interconnection Details. CLEC shall complete its portion of Exhibit I and submit it to AT&T-13STATE not later than forty-five (45) days prior to the passing of live traffic. AT&T-13STATE shall complete its portion of Exhibit I and return Exhibit I to CLEC not later than thirty (30) days prior to the passing of live traffic.
- 7.3 CLEC must obtain documentation of approval of the completed Exhibit I from the appropriate E911 Customer(s) that have jurisdiction in the area(s) in which CLEC's End Users are located CLEC shall provide documentation of all requisite approval(s) to AT&T-13STATE prior to use of CLEC's E911 connection for actual emergency calls.
- 7.4 Each Party has designated a representative who has the authority to complete additional Exhibit(s) I to this Appendix when necessary to accommodate expansion of the geographic area of CLEC into the jurisdiction of additional PSAP(s) or to increase the number of CAMA trunks. CLEC must obtain approval of each additional Exhibit I, as set forth in Section 7.2, and shall furnish documentation of all requisite approval(s) of each additional Exhibit I in accordance with Section 7.2.
- 7.5 In AT&T-2STATE and AT&T MIDWEST REGION 5-STATE the state specific forms shall be submitted in lieu of the Exhibit 1 referenced in Sections 7.1, 7.2 and 7.4 hereof.

8. BASIS OF COMPENSATION

- 8.1 Rates for access to 911 and E911 Databases, interconnection and call routing of E911 call completion to a Public Safety Answering Point (PSAP) as required by Section 251 of the Act are set forth in AT&T-13STATE's Appendix Pricing or applicable AT&T-13STATE Commission-approved access tariff.

9. LIABILITY

- 9.1 AT&T-13STATE's liability and potential damages, if any, for its gross negligence, recklessness or intentional misconduct, is not limited by any provision of this Appendix. AT&T-13STATE shall not be liable to CLEC, its End Users or its E911 calling parties or any other parties or persons for any Loss arising out of the 911 System or any errors, interruptions, defects, failures or malfunctions of the 911 System, including any and all equipment and data processing systems associated therewith. Damages arising out of such interruptions, defects, failures or malfunctions of the system after AT&T-13STATE has been notified and has had reasonable time to repair, shall in no event exceed an amount equivalent to any charges made for the service affected for the period following notice from CLEC until service is restored.
- 9.2 CLEC's liability and potential damages, if any, for its gross negligence, recklessness or intentional misconduct is not limited by any provision of this Appendix. In the event CLEC provides E911 Service to AT&T-13STATE, CLEC shall not be liable to AT&T-13STATE, its End Users or its E911 calling parties or any other parties or persons for any Loss arising out of the provision of E911 Service or any errors, interruptions, defects, failures or malfunctions of E911 Service, including any and all equipment and data

processing systems associated therewith. Damages arising out of such interruptions, defects, failures or malfunctions of the system after CLEC has been notified and has had reasonable time to repair, shall in no event exceed an amount equivalent to any charges made for the service affected for the period following notice from AT&T-13STATE until service is restored.

- 9.3 CLEC agrees to release, indemnify, defend and hold harmless AT&T-13STATE from any and all Loss arising out of AT&T-13STATE providing CLEC access to the 911 System hereunder or out of CLEC's End Users' use of the 911 System, whether suffered, made, instituted or asserted by CLEC, its End Users, or by any other parties or persons, for any personal injury or death of any person or persons, or for any loss, damage or destruction of any property, whether owned by CLEC, its End Users or others, unless the act or omission proximately causing the Loss constitutes gross negligence, recklessness or intentional misconduct of AT&T-13STATE.
- 9.4 CLEC also agrees to release, indemnify, defend and hold harmless AT&T-13STATE from any and all Loss involving an allegation of the infringement or invasion of the right of privacy or confidentiality of any person or persons, caused or claimed to have been caused, directly or indirectly, by the installation, operation, failure to operate, maintenance, removal, presence, condition, occasion or use of the 911 System features and the equipment associated therewith, including by not limited to the identification of the telephone number, address or name associated with the telephone used by the party or parties accessing the 911 System provided hereunder, unless the act or omission proximately causing the Loss constitutes the gross negligence, recklessness or intentional misconduct of AT&T-13STATE.

APPENDIX MERGER CONDITIONS

TABLE OF CONTENTS

MERGER CONDITIONS..... 1
DEFINED TERMS; DATES OF REFERENCE2
PROMOTIONAL DISCOUNTS ON RESALE3
CONFLICTING CONDITIONS4
SUSPENSION OF CONDITIONS5

APPENDIX MERGER CONDITIONS

1. MERGER CONDITIONS

- 1.1 For purposes of this Appendix only, AT&T-13STATE is defined as one of the following ILECs, as appropriate, in those geographic areas where the referenced AT&T-owned Company is the ILEC: Illinois Bell Telephone Company d/b/a AT&T Illinois, Indiana Bell Telephone Company Incorporated d/b/a AT&T Indiana, Michigan Bell Telephone Company d/b/a AT&T Michigan, Nevada Bell Telephone Company d/b/a AT&T Nevada, The Ohio Bell Telephone Company d/b/a AT&T Ohio, Pacific Bell Telephone Company d/b/a AT&T California, The Southern New England Telephone Company d/b/a AT&T Connecticut, Southwestern Bell Telephone, L.P., d/b/a AT&T Arkansas, AT&T Kansas, AT&T Missouri, AT&T Oklahoma and/or AT&T Texas and/or Wisconsin Bell, Inc. d/b/a AT&T Wisconsin.
- 1.1.1 AT&T-2STATE - As used herein, AT&T-2STATE means AT&T CALIFORNIA and AT&T NEVADA, the applicable AT&T-owned ILEC(s) doing business in California and Nevada.
- 1.1.2 AT&T-13STATE - As used herein, AT&T-13STATE means AT&T SOUTHWEST REGION 5-STATE, AT&T MIDWEST REGION 5-STATE, AT&T-2STATE and AT&T CONNECTICUT the applicable AT&T-owned ILEC(s) doing business in Arkansas, California, Connecticut, Illinois, Indiana, Kansas, Michigan, Missouri, Nevada, Ohio, Oklahoma, Texas, and Wisconsin.
- 1.1.3 AT&T CONNECTICUT - As used herein, AT&T CONNECTICUT means The Southern New England Telephone Company d/b/a AT&T Connecticut, the applicable above listed ILEC doing business in Connecticut.
- 1.1.4 AT&T MIDWEST REGION 5-STATE - As used herein, AT&T MIDWEST REGION 5-STATE means Illinois Bell Telephone Company d/b/a AT&T Illinois, Indiana Bell Telephone Company Incorporated d/b/a AT&T Indiana, Michigan Bell Telephone Company d/b/a AT&T Michigan, The Ohio Bell Telephone Company d/b/a AT&T Ohio, and/or Wisconsin Bell, Inc. d/b/a AT&T Wisconsin, the applicable AT&T-owned ILEC(s) doing business in Illinois, Indiana, Michigan, Ohio, and Wisconsin.
- 1.1.5 AT&T SOUTHWEST REGION 5-STATE - As used herein, AT&T SOUTHWEST REGION 5-STATE means Southwestern Bell Telephone, L.P. d/b/a AT&T Arkansas, AT&T Kansas, AT&T Missouri, AT&T Oklahoma and/or AT&T Texas the applicable above listed ILEC(s) doing business in Arkansas, Kansas, Missouri, Oklahoma, and Texas.
- 1.2 The Parties agree to abide by and incorporate by reference into this Appendix the FCC Merger Conditions to the extent that particular conditions have not yet terminated (sunset) and which are specifically addressed herein or relate to any provisions set forth herein.
- 1.3 Each of the obligations set forth in this Appendix terminates the earlier of: (1) the date this Agreement itself terminates without reference to this Appendix; or (2) the date such obligation terminates under the FCC Merger Conditions.

2. DEFINED TERMS; DATES OF REFERENCE

- 2.1 Unless otherwise defined in this Appendix, capitalized terms shall have the meanings assigned to such terms in the Agreement without reference to this Appendix and in the FCC Merger Conditions.
- 2.2 For purposes of calculating the intervals set forth in the FCC Merger Conditions concerning carrier to carrier promotions:
- 2.2.1 the Merger Closing Date is October 8, 1999; and
- 2.2.2 the Offering Window begins November 7, 1999.

- 2.3 "FCC Merger Conditions" means the Conditions for FCC Order Approving SBC/Ameritech Merger, CC Docket No. 98-141.

3. PROMOTIONAL DISCOUNTS ON RESALE

- 3.1 The promotional resale discount ("Resale Discount") on telecommunications services that AT&T-13STATE provides at retail to subscribers who are not telecommunications carriers, where such services are resold to residential end user customers sunset (terminated) in each AT&T-13STATE on November 8, 2002. Consequently, such discount is not available to any CLEC who did not have an approved and effective FCC Merger Conditions Appendix in each of its Agreements with AT&T-13STATE that provided for such Resale Discount before November 8, 2002. Thus, notwithstanding anything to the contrary in this Appendix or Agreement, in the event that any other telecommunications carrier should adopt provisions in this Appendix or Agreement pursuant to Section 252(i) of the Act, or otherwise obtains this Appendix, CLEC shall not be entitled to this Resale Discount unless the CLEC: (1) had an approved and effective FCC Merger Conditions Appendix in each of its Agreements with AT&T-13STATE that provided for this Resale Discount before November 8, 2002; and (2) even then, only with respect to those underlying resold lines the Adopting CLEC ordered prior to November 8, 2002 for this resale discount with a requested installation date of no later than December 7, 2002, as more specifically addressed in Paragraph 48 of the FCC Merger Conditions.
- 3.2 With respect to any CLEC that had an approved and effective FCC Merger Conditions Appendix in its Interconnection Agreement with AT&T-13STATE that provided for such Resale Discount before November 8, 2002, such CLEC shall continue to receive this promotional discount only for those underlying resold lines CLEC ordered during the Offering Window for this resale discount that has/had a requested installation date of no later than December 7, 2002, as more specifically addressed in Paragraph 48 of the FCC Merger Conditions. Any resold services (such as Call Waiting) provided over a resold customer line that is/was placed in service after December 7, 2002 shall not be eligible for the Resale Discount. Resold services (such as Call Waiting) added to a resold line that qualifies for the Resale Discount (i.e., which was ordered by CLEC during the offering window and has/had a requested installation date of no later than December 7, 2002) shall be eligible for the Resale Discount for the duration of the Promotional Period for the underlying resold service regardless of whether such resold services were added after the end of the Offering Window (i.e., November 8, 2002). AT&T is under no obligation to provide a service for resale at the Resale Discount outside the Promotional Period. For purposes of this subsection, Promotional Period is defined as a period of 36 months from the date a qualifying resold service was installed and operational, or the period during which the resold service remains in service at the same location and for the same telecommunications carrier, whichever is shorter.
- 3.3 If CLEC does not qualify for the Resale Discount, AT&T-13STATE's provision, if any, and CLEC's payment for promotional resale discounts shall continue to be governed by Appendix Resale as currently contained in the Agreement without reference to this Appendix. Unless AT&T receives thirty (30) days advance written notice with instructions to terminate service provided via the Resale Discount or to convert such service to an available alternative service provided by AT&T-13STATE, then upon expiration of the Resale Discount in any state, the service shall automatically convert to an appropriate AT&T-13STATE product/service offering pursuant to the rates, terms and conditions of the Agreement or, in the absence of rates, terms and conditions in the Agreement, the applicable tariff. Where there are no provisions for such offering in the Agreement without reference to this Appendix and there is no applicable tariff, the Parties shall meet within 30 days of a written request to do so to negotiate mutually acceptable rates, terms and conditions that shall apply retroactively. If the Parties are unable to reach agreement within 60 days of the written request to negotiate, any outstanding disputes shall be handled in accordance with the Dispute Resolution procedures in the Agreement.

4. CONFLICTING CONDITIONS

- 4.1 If any of the FCC Merger Conditions in this Appendix and conditions imposed in connection with the merger under state law grant similar rights against AT&T-13STATE, CLEC shall not have a right to invoke the relevant terms of these FCC Merger Conditions in this Appendix if CLEC has invoked substantially related conditions imposed on the merger under state law in accordance the FCC Merger Conditions.

5. SUSPENSION OF CONDITIONS

- 5.1 If the FCC Merger Conditions are overturned or any of the provisions of the FCC Merger Conditions that are incorporated herein by reference are amended or modified as a result of any order or finding by the FCC, a court of competent jurisdiction or other governmental and/or regulatory authority, any impacted promotional discounts and other provisions described in this Appendix shall be automatically and without notice suspended as of the date of such termination, order or finding and shall not apply to any product or service purchased by CLEC or provisioned by AT&T-13STATE after the date of such termination, order or finding. Thereafter, AT&T-13STATE's continued provision and CLEC's payment for any service or item originally ordered or provided under this Appendix shall be governed by the rates, terms, and conditions as currently contained in the Agreement without reference to this Appendix. In the event that the FCC changes, modifies, adds or deletes any of the FCC Merger Conditions set forth herein, the Parties agree that the FCC's final order controls and takes precedence over the FCC Merger Conditions set forth herein.

APPENDIX ITR (Interconnection Trunking Requirements)

TABLE OF CONTENTS

INTRODUCTION.....	1
DEFINITIONS	2
ONE-WAY AND TWO-WAY TRUNK GROUPS	3
TANDEM TRUNKING AND DIRECT END OFFICE TRUNKING	4
TRUNK GROUPS.....	5
TRUNK FORECASTING RESPONSIBILITIES: <u>AT&T-13STATE</u>	6
TRUNK DESIGN BLOCKING CRITERIA: <u>AT&T-13STATE</u>	7
TRUNK SERVICING: <u>AT&T-13STATE</u>	8
TRUNK DATA EXCHANGE: <u>AT&T-13STATE</u>	9
NETWORK MANAGEMENT: <u>AT&T-13STATE</u>	10
OUT OF EXCHANGE TRAFFIC.....	11
SWITCHED ACCESS TRAFFIC.....	12

APPENDIX ITR (Interconnection Trunking Requirements)

1. INTRODUCTION

- 1.1 This Appendix sets forth terms and conditions for Interconnection provided by the applicable AT&T Inc. (AT&T) owned Incumbent Local Exchange Carrier (ILEC) and Competitive Local Exchange Carrier (CLEC).
- 1.2 This Appendix provides descriptions of the trunking requirements between CLEC and AT&T-13STATE. Any references to incoming and outgoing trunk groups are from the perspective of CLEC. The paragraphs below describe the required and optional trunk groups for Section 251(b)(5) Traffic, ISP-Bound Traffic, IntraLATA Toll Traffic, InterLATA "Meet Point" Traffic, Mass Calling, E911, Operator Services and Directory Assistance traffic.
- 1.3 Local Only and Local Interconnection Trunk Groups may only be used to transport traffic between the Parties' End Users.
- 1.4 **AT&T Inc. (AT&T)** means the holding company which directly or indirectly owns the following ILECs: Illinois Bell Telephone Company d/b/a AT&T Illinois, Indiana Bell Telephone Company Incorporated d/b/a AT&T Indiana, Michigan Bell Telephone Company d/b/a AT&T Michigan, Nevada Bell Telephone Company d/b/a AT&T Nevada, The Ohio Bell Telephone Company d/b/a AT&T Ohio, Pacific Bell Telephone Company d/b/a AT&T California, The Southern New England Telephone Company d/b/a AT&T Connecticut, Southwestern Bell Telephone, L.P. d/b/a AT&T Arkansas, AT&T Kansas, AT&T Missouri, AT&T Oklahoma and/or AT&T Texas and/or Wisconsin Bell, Inc. d/b/a AT&T Wisconsin.
- 1.5 **AT&T-2STATE** - As used herein, **AT&T-2STATE** means **AT&T CALIFORNIA** and **AT&T NEVADA**, the applicable AT&T-owned ILEC(s) doing business in California and Nevada.
- 1.6 **AT&T-4STATE** - As used herein, **AT&T-4STATE** means Southwestern Bell Telephone, L.P. d/b/a AT&T Arkansas, AT&T Kansas, AT&T Missouri, and AT&T Oklahoma the applicable AT&T-owned ILEC(s) doing business in Arkansas, Kansas, Missouri and Oklahoma.
- 1.7 **AT&T-7STATE** - As used herein, **AT&T-7STATE** means **AT&T SOUTHWEST REGION 5-STATE**, **AT&T CALIFORNIA** and **AT&T NEVADA**, the applicable AT&T-owned ILEC(s) doing business in Arkansas, California, Kansas, Missouri, Nevada, Oklahoma and Texas.
- 1.8 **AT&T-8STATE** - As used herein, **AT&T-8STATE** means **AT&T SOUTHWEST REGION 5-STATE**, **AT&T CALIFORNIA**, **AT&T NEVADA**, and **AT&T CONNECTICUT** the applicable AT&T-owned ILEC(s) doing business in Arkansas, California, Connecticut, Kansas, Missouri, Nevada, Oklahoma and Texas.
- 1.9 **AT&T-10STATE** - As used herein, **AT&T-10STATE** means **AT&T SOUTHWEST REGION 5-STATE** and **AT&T MIDWEST REGION 5-STATE** an the applicable AT&T-owned ILEC(s) doing business in Arkansas, Illinois, Indiana, Kansas, Michigan, Missouri, Ohio, Oklahoma, Texas and Wisconsin.
- 1.10 **AT&T-12STATE** - As used herein, **AT&T-12STATE** means **AT&T SOUTHWEST REGION 5-STATE**, **AT&T MIDWEST REGION 5-STATE** and **AT&T-2STATE** the applicable AT&T-owned ILEC(s) doing business in Arkansas, California, Illinois, Indiana, Kansas, Michigan, Missouri, Nevada, Ohio, Oklahoma, Texas and Wisconsin.
- 1.11 **AT&T-13STATE** - As used herein, **AT&T-13STATE** means **AT&T SOUTHWEST REGION 5-STATE**, **AT&T MIDWEST REGION 5-STATE**, **AT&T-2STATE** and **AT&T CONNECTICUT** the applicable AT&T-owned ILEC(s) doing business in Arkansas, California, Connecticut, Illinois, Indiana, Kansas, Michigan, Missouri, Nevada, Ohio, Oklahoma, Texas and Wisconsin.
- 1.12 **AT&T ARKANSAS** - As used herein, **AT&T ARKANSAS** means Southwestern Bell Telephone, L.P. d/b/a AT&T Arkansas, the applicable AT&T-owned ILEC doing business in Arkansas.

- 1.13 **AT&T CALIFORNIA** - As used herein, **AT&T CALIFORNIA** means Pacific Bell Telephone Company d/b/a AT&T California, the applicable AT&T-owned ILEC doing business in California.
- 1.14 **AT&T CONNECTICUT** - As used herein, **AT&T CONNECTICUT** means The Southern New England Telephone Company, the applicable above listed ILEC doing business in Connecticut.
- 1.15 **AT&T KANSAS** - As used herein, **AT&T KANSAS** means Southwestern Bell Telephone, L.P. d/b/a AT&T Kansas, the applicable AT&T-owned ILEC doing business in Kansas.
- 1.16 **AT&T ILLINOIS** - As used herein, **AT&T ILLINOIS** means Illinois Bell Telephone Company d/b/a AT&T Illinois, the applicable AT&T-owned ILEC doing business in Illinois.
- 1.17 **AT&T INDIANA** - As used herein, **AT&T INDIANA** means Indiana Bell Telephone Company Incorporated d/b/a AT&T Indiana, the applicable AT&T-owned ILEC doing business in Indiana.
- 1.18 **AT&T MICHIGAN** - As used herein, **AT&T MICHIGAN** means Michigan Bell Telephone Company d/b/a AT&T Michigan, the applicable AT&T-owned ILEC doing business in Michigan.
- 1.19 **AT&T MIDWEST REGION 5-STATE** - As used herein, **AT&T MIDWEST REGION 5-STATE** means Illinois Bell Telephone Company d/b/a AT&T Illinois, Indiana Bell Telephone Company Incorporated d/b/a AT&T Indiana, Michigan Bell Telephone Company d/b/a AT&T Michigan, The Ohio Bell Telephone Company d/b/a AT&T Ohio, and/or Wisconsin Bell, Inc. d/b/a AT&T Wisconsin, the applicable AT&T-owned ILEC(s) doing business in Illinois, Indiana, Michigan, Ohio and Wisconsin.
- 1.20 **AT&T MISSOURI** - As used herein, **AT&T MISSOURI** means Southwestern Bell Telephone, L.P. d/b/a AT&T Missouri, the applicable AT&T-owned ILEC doing business in Missouri.
- 1.21 **AT&T NEVADA** - As used herein, **AT&T NEVADA** means Nevada Bell Telephone Company d/b/a AT&T Nevada, the applicable AT&T-owned ILEC doing business in Nevada.
- 1.22 **AT&T OHIO** - As used herein, **AT&T OHIO** means The Ohio Bell Telephone Company d/b/a AT&T Ohio, the applicable AT&T-owned ILEC doing business in Ohio.
- 1.23 **AT&T OKLAHOMA** - As used herein, **AT&T OKLAHOMA** means Southwestern Bell Telephone, L.P. d/b/a AT&T Oklahoma, the applicable AT&T-owned ILEC doing business in Oklahoma.
- 1.24 **AT&T SOUTHWEST REGION 5-STATE** - As used herein, **AT&T SOUTHWEST REGION 5-STATE** means Southwestern Bell Telephone, L.P. d/b/a AT&T Arkansas, AT&T Kansas, AT&T Missouri, AT&T Oklahoma and/or AT&T Texas the applicable above listed ILEC(s) doing business in Arkansas, Kansas, Missouri, Oklahoma and Texas.
- 1.25 **AT&T TEXAS** - As used herein, **AT&T TEXAS** means Southwestern Bell Telephone, L.P. d/b/a AT&T Texas, the applicable AT&T-owned ILEC doing business in Texas.
- 1.26 **AT&T WISCONSIN** - As used herein, **AT&T WISCONSIN** means Wisconsin Bell, Inc. d/b/a AT&T Wisconsin, the applicable AT&T-owned ILEC doing business in Wisconsin.

2. DEFINITIONS

- 2.1 "Access Tandem Switch" is defined as a switching machine within the public switched telecommunications network that is used to connect and switch trunk circuits between and among End Office Switches for IXC (Inter-exchange Carrier) carried traffic and IntraLATA Toll Traffic in the **AT&T SOUTHWEST REGION 5-STATE** as well as switching Section 251(b)(5) Traffic and ISP-Bound Traffic in **AT&T-2STATE**, **AT&T MIDWEST REGION 5-STATE** and **AT&T CONNECTICUT**.
- 2.2 "End Office" or "End Office Switch" is a switching machine that directly terminates traffic to and receives traffic from end users purchasing local exchange services. A PBX is not considered an End Office Switch.
- 2.3 "IntraLATA Toll Traffic" or "IntraLATA Toll" is defined as traffic between one **AT&T-13STATE** local calling area and the local calling area of another **AT&T-13STATE** or ILEC within one LATA within the respective state.

- 2.4 "IntraLATA Toll Trunk Group" is defined as a trunk group carrying IntraLATA Toll Traffic as defined above.
- 2.5 "ISP-Bound Traffic" is as defined in Attachment: Intercarrier Compensation.
- 2.6 "Local Interconnection Trunk Groups" are two-way trunk groups used to carry Section 251(b)(5)/IntraLATA Toll Traffic between CLEC End Users and AT&T-12STATE End Users. In AT&T CONNECTICUT these trunk groups will carry the same type of traffic, but they will be established and used as one-way.
- 2.7 "Local/IntraLATA Tandem Switch" is defined as a switching machine within the public switched telecommunications network that is used to connect and switch trunk circuits between and among subtending End Office Switches for Section 251(b)(5)/IntraLATA Toll Traffic.
- 2.8 "Local Only Tandem Switch" is defined as a switching machine within the public switched telecommunications network that is used to connect and switch trunk circuits between and among other End Office Switches for Section 251(b)(5) and ISP-Bound Traffic.
- 2.9 "Local Only Trunk Groups" are two-way trunk groups used to carry Section 251(b)(5) and ISP-Bound Traffic only.
- 2.10 "Local Tandem" refers to any Local Only, Local/IntraLATA, Local/Access or Access Tandem Switch serving a particular local calling area.
- 2.11 "Meet Point Trunk Group" carries traffic between CLEC's End Users and Interexchange Carriers (IXCs) via AT&T-13STATE Access or Local/Access Tandem Switches.
- 2.12 "Offers Service" is defined as when CLEC opens an NPA-NXX, ports a number to serve an End User or pools a block of numbers to serve End Users.
- 2.13 "Section 251(b)(5) Traffic" is as defined in Attachment: Intercarrier Compensation.
- 2.14 "Section 251(b)(5)/IntraLATA Toll Traffic" shall mean for purposes of this Attachment, (i) Section 251(b)(5) Traffic, (ii) ISP-Bound Traffic, (iii) IntraLATA Toll traffic originating from an End User obtaining local dialtone from CLEC where CLEC is both the Section 251(b)(5) Traffic and IntraLATA Toll provider, and/or (iv) IntraLATA Toll traffic originating from an End User obtaining local dialtone from AT&T-13STATE where AT&T-13STATE is both the Section 251(b)(5) Traffic and IntraLATA Toll provider.

3. ONE-WAY AND TWO-WAY TRUNK GROUPS

- 3.1 CLEC shall issue Access Service Requests (ASRs) for two-way Local Only Trunk Groups, Local Interconnection Trunk Groups and Meet Point Trunk Groups. CLEC shall issue ASRs for one-way trunk groups originating at CLEC's switch. AT&T-13STATE shall issue ASRs for one-way trunk groups originating at the AT&T-13STATE switch.
- 3.2 Trunk groups for ancillary services (e.g. OS/DA, BLVI, High Volume Call In, and E911) and Meet Point Trunk Groups can be established between CLEC's switch and the appropriate AT&T-13STATE Tandem Switch as further provided in this Appendix ITR.
- 3.3 Two-way Local Interconnection Trunk Groups can be established between CLEC's switch and an AT&T-12STATE Local Tandem or End Office Switch. Two-way Local Only Trunk Groups can be established between CLEC's switch and an AT&T-12STATE Local Tandem. These trunk groups will utilize Signaling System 7 (SS7) or multi-frequency (MF) signaling protocol, with SS7 signaling preferred whenever possible.
- 3.4 Local Interconnection Trunk Groups in AT&T CONNECTICUT must be ordered and provisioned as one-way to accommodate billing and technical limitations.
- 3.5 The Parties recognize that embedded one-way trunks may exist for Section 251(b)(5)/IntraLATA Toll Traffic. The Parties may agree to negotiate a transition plan to migrate the embedded one-way Local Only and/or Local Interconnection Trunk Groups to two-way Local Only and/or two-way Local Interconnection Trunk Groups. The Parties will coordinate any such migration, trunk group prioritization, and

implementation schedule. AT&T-12STATE agrees to develop a cutover plan and project manage the cutovers with CLEC participation and agreement.

4. TANDEM TRUNKING AND DIRECT END OFFICE TRUNKING

- 4.1 AT&T-13STATE deploys in its network Local Only Tandem Switches (AT&T SOUTHWEST REGION 5-STATE and AT&T MIDWEST REGION 5-STATE), Local/IntraLATA Tandem Switches (AT&T SOUTHWEST REGION 5-STATE) Local/Access Tandem Switches and Access Tandem Switches. In addition AT&T-13STATE deploys Tandems that switch ancillary traffic such as E911 (E911 Tandem or E911 Selective Routing Tandem), Operator Services/ Directory Assistance (OS/DA Tandem), and Mass Calling (choke Tandem).
- 4.2 CLEC shall establish Local Only or Local Interconnection Trunk Groups to all Local Tandems in the LATA in which CLEC Offers Service in AT&T CONNECTICUT, AT&T MIDWEST REGION 5-STATE, and AT&T-2STATE. If CLEC Offers Service in a LATA in which there is no AT&T Local Tandem, CLEC shall establish Local Interconnection Trunk Groups to each AT&T-13STATE End Office Switch in that LATA in which it Offers Service. CLEC shall establish Local Only or Local Interconnection Trunk Groups to all Local Tandems in the local exchange area in which CLEC Offers Service in AT&T SOUTHWEST REGION 5-STATE. If there are no Local Tandems in the local exchange area in which CLEC Offers Service in the AT&T SOUTHWEST REGION 5-STATE, CLEC shall establish a Local Interconnection Trunk Group to each AT&T-13STATE End Office Switch in that local exchange area in which CLEC Offers Service. CLEC shall route appropriate traffic (i.e. only traffic to End Offices that subtend that Local Tandem) to the respective AT&T-13STATE Local Tandem on the trunk groups defined below. AT&T-13STATE shall route appropriate traffic to CLEC switches on the trunk groups defined below.
- 4.3 Direct End Office Trunk Group(s) (DEOTs) transport Section 251(b)(5)/IntraLATA Toll Traffic between CLEC's switch and an AT&T-13STATE End Office and are not switched at a Local Tandem location. CLEC shall establish a two-way Direct End Office Trunk Group (one-way in AT&T CONNECTICUT) when actual or projected End Office Section 251(b)(5)/IntraLATA Toll Traffic requires twenty-four (24) or more trunks. Once provisioned, traffic from CLEC to AT&T-13STATE must be redirected to route first to the DEOT with overflow traffic alternate routed to the appropriate AT&T-13STATE Local Tandem. If an AT&T-13STATE End Office does not subtend an AT&T-13STATE Local Tandem, a direct final Direct End Office Trunk Group will be established by CLEC, and there will be no overflow of Section 251(b)(5)/IntraLATA Toll Traffic.
- 4.4 All traffic received by AT&T-13STATE on the DEOT from CLEC must terminate in the End Office, i.e. no Tandem switching will be performed in the End Office. Where End Office functionality is provided in a Remote End Office Switch of a host/remote configuration, CLEC shall establish the DEOT at the host switch. The number of digits to be received by the AT&T-13STATE End Office shall be mutually agreed upon by the Parties. This trunk group shall be two-way (one-way in AT&T CONNECTICUT).
- 4.5 Trunk Configuration
 - 4.5.1 Trunk Configuration – AT&T SOUTHWEST REGION 5-STATE, AT&T MIDWEST REGION 5-STATE and AT&T CONNECTICUT
 - 4.5.1.1 Where available and upon the request of the other Party, each Party shall cooperate to ensure that its trunk groups are configured utilizing the Bipolar 8 Zero Substitution Extended Super Frame (B8ZS ESF) protocol for 64 kbps Clear Channel Capability (64CCC) transmission to allow for ISDN interoperability between the Parties' respective networks. Trunk groups configured for 64CCC and carrying Circuit Switched Data (CSD) ISDN calls shall carry the appropriate Trunk Type Modifier in the CLCI-Message code. Trunk groups configured for 64CCC and not used to carry CSD ISDN calls shall carry a different appropriate Trunk Type Modifier in the CLCI-Message code.
 - 4.5.1.2 Any AT&T-13STATE switch incapable of handling 64CCC traffic will require that Local Interconnection Trunk Groups be established at those switches using Alternate Mark Inversion (AMI).

4.5.2 Trunk Configuration – AT&T-2STATE

- 4.5.2.1 When Interconnecting at AT&T-2STATE's digital End Offices, the Parties have a preference for use of Bipolar 8 Zero Substitution Extended Super Frame (B8ZS ESF) two-way trunks for all traffic between their networks. Where available, such trunk equipment will be used for Local Interconnection Trunk Groups. Where AMI trunks are used, either Party may request upgrade to B8ZS ESF when such equipment is available.
- 4.5.2.2 When interconnecting at AT&T CALIFORNIA's DMS Access Tandem(s), 64CCC data and voice traffic may be combined on the same two-way Local Interconnection Trunk Group. 64 CCC data and voice traffic must be on separate two-way Local Interconnection Trunk Groups and not combined at AT&T CALIFORNIA's 4E Access Tandems.

5. TRUNK GROUPS

- 5.1 When CLEC Offers Service in a Local Exchange Area or LATA, the following trunk groups shall be used to exchange various types of traffic between CLEC End Users and AT&T-13STATE End Users.
- 5.2 Local Only and Local Interconnection Trunk Group(s) in each Local Exchange Area: AT&T SOUTHWEST REGION 5-STATE.
- 5.2.1 A two-way Local Only Trunk Group shall be established between CLEC's switch and each AT&T SOUTHWEST REGION 5-STATE Local Only Tandem Switch in the local exchange area. Inter-Tandem switching is not provided.
- 5.2.2 A two-way Local Interconnection Trunk Group shall be established between CLEC switch and each AT&T SOUTHWEST REGION 5-STATE Local/IntraLATA Tandem Switch and each Local/Access Tandem Switch in the local exchange area. Inter-Tandem switching is not provided.
- 5.2.3 AT&T SOUTHWEST REGION 5-STATE reserves the right to initiate a one-way IntraLATA Trunk Group to CLEC in order to provide Tandem relief when a community of interest is outside the local exchange area in which CLEC is interconnected.
- 5.2.4 Where traffic from CLEC switch to an AT&T SOUTHWEST REGION 5-STATE End Office is sufficient (24 or more trunks), a Local Interconnection Trunk Group shall also be established to the AT&T SOUTHWEST REGION 5-STATE End Office.
- 5.2.5 A Local Interconnection Trunk Group shall be established from CLEC switch to each AT&T SOUTHWEST REGION 5-STATE End Office in a local exchange area that has no Local Tandem. This trunk group shall be established as a direct final.
- 5.2.6 When AT&T SOUTHWEST REGION 5-STATE has a separate Local Only Tandem Switch(es) in the local exchange area, and a separate Access Tandem Switch that serves the same local exchange area, a two-way IntraLATA Toll Trunk Group shall be established to the AT&T SOUTHWEST REGION 5-STATE Access Tandem Switch. In addition a two-way Local Only Trunk Group(s) shall be established from CLEC's switch to each AT&T SOUTHWEST REGION 5-STATE Local Only Tandem Switch.
- 5.2.7 Each Party shall deliver to the other Party over the Local Only and/or Local Interconnection Trunk Group(s) only such traffic that originates and terminates in the same local exchange area.
- 5.3 Local Only and/or Local Interconnection Trunk Group(s) in Each LATA: AT&T MIDWEST REGION 5-STATE, AT&T CONNECTICUT, AT&T-2STATE
- 5.3.1 Tandem Trunking – AT&T-2STATE and AT&T MIDWEST REGION 5-STATE
- 5.3.1.1 In AT&T-2STATE and AT&T MIDWEST REGION 5-STATE;
- 5.3.1.1.1 Section 251(b)(5) and ISP Bound Traffic shall be routed on Local Only Trunk Groups established at all AT&T Local Only Tandems in the LATA for calls destined to or from all AT&T MIDWEST REGION 5-STATE End Offices that

subtend the designated tandem. These trunk groups shall be two-way and will utilize Signaling System (SS7) signaling.

5.3.1.1.2 Section 251(b)(5)/IntraLATA Toll Traffic shall be routed on Local Interconnection Trunk Groups established at all AT&T Local/IntraLATA, Local/Access, or Access Tandem Switch(es) (AT&T-2STATE only) in the LATA for calls destined to or from all AT&T-2STATE and AT&T MIDWEST REGION 5-STATE End Offices that subtend the designated tandems. These trunk groups shall be two-way and will utilize Signaling System (SS7) signaling.

5.3.2 Tandem Trunking – AT&T CONNECTICUT

5.3.2.1 In AT&T CONNECTICUT, Section 251(b)(5)/IntraLATA Toll Traffic shall be routed on Local Interconnection Trunk Groups established at all AT&T Local Tandems in the LATA for calls destined to or from all AT&T CONNECTICUT End Offices that subtend the designated tandem. These trunk groups shall be one-way and will utilize Signaling System 7 (SS7) signaling.

5.3.3 Direct End Office Trunking

5.3.3.1 The Parties shall establish Direct End Office Trunk Groups for the exchange of Section 251(b)(5)/IntraLATA Toll Traffic where actual or projected traffic demand is or will be twenty-four (24) or more trunks.

5.4 Meet Point Trunk Group: AT&T-13STATE

5.4.1 IXC carried traffic shall be transported between CLEC's switch and the AT&T-13STATE Access Tandem Switch or Local/Access Tandem Switch over a Meet Point Trunk Group separate from Section 251(b)(5)/IntraLATA Toll Traffic. The Meet Point Trunk Group will be established for the transmission and routing of exchange access traffic between CLEC's End Users and IXCs via a AT&T-13STATE Access Tandem Switch or Local/Access Tandem Switch.

5.4.2 Meet Point Trunk Groups shall be provisioned as two-way and will utilize SS7 signaling, except multifrequency ("MF") signaling will be used on a separate Meet Point Trunk Group to complete originating calls to switched access customers that use MF FGD signaling protocol.

5.4.3 When AT&T-13STATE has more than one Access or Local/Access Tandem Switch in a local exchange area or LATA, CLEC shall establish a Meet Point Trunk Group to every AT&T-13STATE Access or Local/Access Tandem Switch where CLEC has homed its NXX code(s).

5.4.4 AT&T-13STATE will not block switched access customer traffic delivered to any AT&T-13STATE Access Tandem Switch or Local/Access Tandem Switch for completion on CLEC's network. The Parties understand and agree that Meet Point trunking arrangements are available and functional only to/from switched access customers who directly connect with any AT&T-13STATE Access Tandem Switch or Local/Access Tandem Switch that CLEC's switch subtends in each LATA. In no event will AT&T-13STATE be required to route such traffic through more than one of its tandem switches for connection to/from switched access customers. AT&T-13STATE shall have no responsibility to ensure that any switched access customer will accept traffic that CLEC directs to the switched access customer.

5.4.5 CLEC shall provide all SS7 signaling information including, without limitation, charge number and originating line information ("OLI"). For terminating FGD, AT&T-13STATE will pass all SS7 signaling information including, without limitation, CPN if it receives CPN from FGD carriers. All privacy indicators will be honored. Where available, network signaling information such as transit network selection ("TNS") parameter, carrier identification codes ("CIC") (CCS platform) and CIC/OZZ information (non-SS7 environment) will be provided by CLEC wherever such information is needed for call routing or billing. The Parties will follow all OBF adopted standards pertaining to TNS and CIC/OZZ codes.

5.5 800/(8YY) Traffic: AT&T-13STATE

- 5.5.1 If CLEC chooses AT&T-13STATE to handle 800/(8YY) database queries from its switches, all CLEC originating 800/(8YY) traffic will be routed over the Meet Point Trunk Group. This traffic will include a combination of both Interexchange Carrier (IXC) 800/(8YY) service and CLEC 800/(8YY) service that will be identified and segregated by carrier through the database query handled through the AT&T-13STATE Access or Local/Access Tandem Switch.
- 5.5.2 All originating Toll Free Service 800/(8YY) calls for which CLEC requests that AT&T-13STATE perform the Service Switching Point ("SSP") function (e.g. perform the database query) shall be delivered using GR-394 format over the Meet Point Trunk Group. Carrier Code "0110" and Circuit Code (to be determined for each LATA) shall be used for all such calls.
- 5.5.3 CLEC may handle its own 800/(8YY) database queries from its switch. If so, CLEC will determine the nature (local/intraLATA/interLATA) of the 800/(8YY) call based on the response from the database. If the query determines that the call is a local or IntraLATA 800/(8YY) number, CLEC will route the post-query local or IntraLATA converted ten-digit local number to AT&T-13STATE over the Local Interconnection Trunk Group. In such case, CLEC is to provide an 800/(8YY) billing record when appropriate. If the query reveals the call is an InterLATA 800/(8YY) number, CLEC will route the post-query inter-LATA call (800/(8YY) number) directly from its switch for carriers interconnected with its network or over the Meet Point Trunk Group to carriers not directly connected to its network but are connected to AT&T-13STATE's Access or Local/Access Tandem Switch. Calls will be routed to AT&T-13STATE over the Local Only and/or Local Interconnection Trunk Groups or Meet Point Trunk Groups within the LATA in which the calls originate.
- 5.5.4 All post-query Toll Free Service 800/(8YY) calls for which CLEC performs the SSP function, if delivered to AT&T-13STATE, shall be delivered using GR-394 format over the Meet Point Trunk Group for calls destined to IXCs, or shall be delivered by CLEC using GR-317 format over the Local Only and/or Local Interconnection Trunk Group for calls destined to End Offices that directly subtend the tandem.

5.6 E911 Trunk Group

- 5.6.1 A dedicated trunk group for each NPA shall be established to each appropriate E911 switch within the local exchange area or LATA in which CLEC Offers Service. This trunk group shall be provisioned as one-way outgoing only and will utilize MF CAMA signaling or, where available, SS7 signaling. CLEC will have administrative control for the purpose of issuing ASRs on this trunk group. Where the parties utilize SS7 signaling and the E911 network has the technology available, only one E911 trunk group shall be established to handle multiple NPAs within the local exchange area or LATA. If the E911 network does not have the appropriate technology available, a SS7 trunk group shall be established for each NPA in the local exchange area or LATA. CLEC shall provide a minimum of two (2) one-way outgoing channels on E911 trunk groups per default PSAP or default ESN assignment dedicated for originating E911 emergency service calls from the Point of Interconnection (POI) to the AT&T-13STATE E911 Selective Router switch that serves a specified geographic rate area.
- 5.6.2 In AT&T CONNECTICUT only, CLEC will comply with the CT DPUC directives regarding the E911 trunk groups. The current directive requires CLEC to establish three separate dedicated trunk groups for each Connecticut NPA and default PSAP or default ESN assignment, from its switch to each of the Connecticut E911 Selective Routing tandems. For each NPA, one trunk group using SS7 signaling will go to the Primary E911 Selective Routing tandem. A second trunk group using SS7 will go to the Secondary E911 Selective routing tandem. The third trunk group will have MF CAMA signaling and will go to the Primary E911 Selective Routing tandem and serve as a backup. These trunk groups shall be provisioned by CLEC as one-way outgoing only. CLEC will have administrative control for the purpose of issuing ASRs.

5.6.3 CLEC will cooperate with AT&T-13STATE to promptly test all E911 trunks and facilities between CLEC's network and the AT&T-13STATE E911 Selective Routing Tandem to assure proper functioning of E911 service. CLEC will not turn up live traffic until successful testing is completed by both Parties.

5.7 High Volume Call In (HVCI) / Mass Calling (Choke) Trunk Group: AT&T-12STATE

5.7.1 A dedicated trunk group shall be required to the designated Public Response HVCI/Mass Calling Network Access Tandem in each serving area. This trunk group shall be one-way outgoing only and shall utilize MF signaling. As the HVCI/Mass Calling trunk group is designed to block all excessive attempts toward HVCI/Mass Calling NXXs, it is necessarily exempt from the one percent blocking standard described elsewhere for other final Local Interconnection Trunk Groups. CLEC will have administrative control for the purpose of issuing ASRs on this one-way trunk group. The Parties will not exchange live traffic until successful testing is completed by both Parties.

5.7.2 This group shall be sized as follows:

Number of Access Lines Served	Number of Mass Calling Trunks
0 – 10,000	2
10,001 – 20,000	3
20,001 – 30,000	4
30,001 – 40,000	5
40,001 – 50,000	6
50,001 – 60,000	7
60,001 – 75,000	8
75,000 +	9 maximum

5.7.3 If CLEC should acquire a HVCI/Mass Calling customer, i.e. a radio station, CLEC shall notify AT&T-12STATE at least 60 days in advance of the need to establish a one-way outgoing SS7 or MF trunk group from the AT&T-12STATE HVCI/Mass Calling Serving Office to the CLEC customer's serving office. CLEC will have administrative control for the purpose of issuing ASRs on this one-way trunk group.

5.7.4 If CLEC finds it necessary to issue a new choke telephone number to a new or existing HVCI/Mass Calling customer, CLEC may request a meeting to coordinate with AT&T-12STATE the assignment of HVCI/Mass Calling telephone number from the existing choke NXX. In the event that the CLEC establishes a new choke NXX, CLEC must notify AT&T-12STATE a minimum of ninety (90) days prior to deployment of the new HVCI/Mass Calling NXX. AT&T-12STATE will perform the necessary translations in its End Offices and Tandem(s) and issue ASRs to establish a one-way outgoing SS7 or MF trunk group from the AT&T-12STATE Public Response HVCI/Mass Calling Network Access Tandem to CLEC's choke serving office.

5.7.5 In AT&T CONNECTICUT, where HVCI/Mass Calling NXXs have not been established, the Parties agree to utilize "call gapping" as the method to control high volumes of calls, where technically feasible in the originating switch, to specific high volume customers or in situations such as those described in Section 35 Network Maintenance and Management of the General Terms and Conditions.

5.8 Operator Services/Directory Assistance Trunk Group(s)

5.8.1 Terms and Conditions for Inward Assistance Operator Services are found in Appendix INW.

5.8.2 If AT&T-13STATE agrees through a separate appendix or contract to provide Directory Assistance and/or Operator Services for CLEC the following trunk groups are required:

5.8.2.1 Directory Assistance (DA)

5.8.2.1.1 CLEC may contract for DA services only. A segregated trunk group for these services will be required to the appropriate AT&T-13STATE Operator Services Tandem in the LATA for the NPA the CLEC wishes to serve. This trunk group is provisioned as one-way outgoing only and utilizes Modified Operator Services Signaling (2 Digit Automatic Number Identification (ANI)). CLEC will have administrative control for the purpose of issuing ASRs on this one-way trunk group.

5.8.2.2 Directory Assistance Call Completion (DACC)

5.8.2.2.1 CLEC contracting for DA services may also contract for DACC. This requires a segregated one-way trunk group to each AT&T-13STATE Operator Services Tandem within the LATA for the combined DA and DACC traffic. This trunk group is provisioned as one-way outgoing only and utilizes Modified Operator Services Signaling (2 Digit ANI). CLEC will have administrative control for the purpose of issuing ASRs on this one-way trunk group.

5.8.2.3 Busy Line Verification/Emergency Interrupt (BLV/EI)

5.8.2.3.1 When AT&T-13STATE's operator is under contract to verify the busy status of CLEC End Users, AT&T-13STATE will utilize a segregated one-way with MF signaling trunk group from AT&T-13STATE's Operator Services Tandem to CLEC switch. CLEC will have administrative control for the purpose of issuing ASRs on this one-way trunk group.

5.8.2.4 Operator Assistance (0+, 0-)

5.8.2.4.1 This service requires a one-way trunk group from CLEC switch to AT&T-13STATE's Operator Services Tandem. Two types of trunk groups may be utilized. If the trunk group transports DA/DACC, the trunk group will be designated with the appropriate traffic use code and modifier. If DA is not required or is transported on a segregated trunk group, then the group will be designated with a different appropriate traffic use code and modifier. Modified Operator Services Signaling (2 Digit ANI) will be required on the trunk group. CLEC will have administrative control for the purpose of issuing ASRs on this one-way trunk group.

5.8.2.5 Digit-Exchange Access Operator Services Signaling

5.8.2.5.1 CLEC will employ Exchange Access Operator Services Signaling (EAOSS) from the equal access End Offices (EAEO) to the Operator Services switch that are equipped to accept 10 Digit Signaling for Automatic Number Identification (ANI).

5.8.2.6 OS Questionnaire

5.8.2.6.1 If CLEC chooses AT&T-13STATE to provide either OS and/or DA, then CLEC agrees to accurately complete the OS Questionnaire prior to submitting ASRs for OS and DA trunks.

6. TRUNK FORECASTING RESPONSIBILITIES: AT&T-13STATE

6.1 CLEC agrees to provide an initial forecast for all trunk groups described in this Appendix ITR. AT&T-13STATE shall review this trunk forecast and provide any additional information that may impact the trunk forecast information provided by CLEC. Subsequent trunk forecasts shall be provided on a semi-annual basis, not later than January 1 and July 1 in order to be considered in the semi-annual publication of the AT&T-13STATE General Trunk Forecast. Parties agree to the use of Common Language Location Identification (CLLI) coding and Common Language Circuit Identification for Message Trunk coding (CLCI-MSG) which is described in TELCORDIA TECHNOLOGIES documents BR795-100-100 and BR795-400-

100 respectively. Inquiries pertaining to use of TELCORDIA TECHNOLOGIES Common Language Standards and document availability should be directed to TELCORDIA TECHNOLOGIES at 1-800-521-2673.

- 6.2 The semi-annual forecasts shall include:
 - 6.2.1 Yearly forecasted trunk quantities for all trunk groups required in this Appendix for a minimum of three (current plus 2 future) years; and
 - 6.2.2 A description of major network projects anticipated for the following six months. Major network projects include trunking or network rearrangements, shifts in anticipated traffic patterns, orders greater than four (4) DS1s, or other activities that are reflected by a significant increase or decrease in trunking demand for the following forecasting period.
 - 6.2.3 The Parties shall agree on these forecasts to ensure efficient trunk utilization. For forecast quantities that are in dispute, the Parties shall make all reasonable efforts to develop a mutually agreeable forecast.
 - 6.2.4 Orders for trunks that exceed forecasted quantities for forecasted locations will be accommodated as mutually agreed to by the Parties. Parties shall make all reasonable efforts and cooperate in good faith to develop alternative solutions to accommodate these orders.
- 6.3 CLEC shall be responsible for forecasting two-way trunk groups. AT&T-13STATE shall be responsible for forecasting the one-way trunk groups terminating to CLEC and CLEC shall be responsible for forecasting the one-way trunk groups terminating to AT&T-13STATE, unless otherwise specified in this Appendix.
- 6.4 Each Party shall provide a specified point of contact for planning and forecasting purposes.

7. TRUNK DESIGN BLOCKING CRITERIA: AT&T-13STATE

- 7.1 Trunk requirements for forecasting and servicing shall be based on the blocking objectives shown in Table 1. Trunk requirements shall be based upon time consistent average busy season busy hour twenty (20) day averaged loads applied to industry standard Neal-Wilkinson Trunk Group Capacity algorithms (using Medium day-to-day Variation and 1.0 Peakedness factor until actual traffic data is available).

TABLE 1

<u>Trunk Group Type</u>	<u>Design Blocking Objective</u>
Local Interconnection Trunk Group - Direct End Office (Primary High)	ECCS*
Local Interconnection Trunk Group - Direct End Office (Final)	2%
IntraLATA Toll Trunk Group (Local/Access or Access Tandem Switch)	1%
Local Interconnection Trunk Group (Local Tandem)	1%
Meet Point (Local/Access or Access Tandem Switch)	0.5%
E911	1%
Operator Services (DA/DACC)	1%
Operator Services (0+, 0-)	1%
Busy Line Verification/Emergency Interrupt	1%

*During implementation the Parties will mutually agree on an Economic Centum Call Seconds (ECCS) or some other means for the sizing of this trunk group.

8. TRUNK SERVICING: AT&T-13STATE

- 8.1 Orders between the Parties to establish, add, change or disconnect trunks shall be processed by using an Access Service Request (ASR). CLEC will have administrative control for the purpose of issuing ASRs on two-way trunk groups. In AT&T CONNECTICUT where one-way trunks are provisioned, AT&T CONNECTICUT will issue ASRs for trunk groups for traffic that originates from AT&T CONNECTICUT and terminates to CLEC.

- 8.2 Both Parties will jointly manage the capacity of Local Only, Local Interconnection, and Meet Point Trunk Groups. Both Parties may send a Trunk Group Service Request (TGSR) to the other Party to trigger changes to the Local Only, Local Interconnection, and Meet Point Trunk Groups based on capacity assessment. The TGSR is a standard industry support interface developed by the Ordering and Billing Forum of the Carrier liaison Committee of the Alliance for Telecommunications Solutions (ATIS) organization. TELCORDIA TECHNOLOGIES Special Report STS000316 describes the format and use of the TGSR. Contact TELCORDIA TECHNOLOGIES at 1-800-521-2673 regarding the documentation availability and use of this form.
- 8.3 Utilization: Utilization shall be defined as Trunks Required as a percentage of Trunks In Service.
- 8.3.1 In A Blocking Situation (Over-utilization)
- 8.3.1.1 In a blocking situation, CLEC is responsible for issuing ASRs on all two-way Local Only, Local Interconnection and Meet Point Trunk Groups and one-way CLEC originating Local Only and/or Local Interconnection Trunk Groups to reduce measured blocking to design objective blocking levels based on analysis of trunk group data. If an ASR is not issued, AT&T-13STATE will issue a TSGR. CLEC will issue an ASR within three (3) business days after receipt and review of the TGSR. CLEC will note "Service Affecting" on the ASR.
- 8.3.1.2 In a blocking situation, AT&T-13STATE is responsible for issuing ASRs on one-way AT&T originating Local Only and/or Local Interconnection Trunk Groups to reduce measured blocking to design objective blocking levels based on analysis of trunk group data. If an ASR is not issued, CLEC will issue a TSGR. AT&T-13STATE will issue an ASR within three (3) business days after receipt and review of the TGSR.
- 8.3.1.3 If an alternate final Local Only Trunk Group or Local Interconnection Trunk Group is at seventy-five percent (75%) utilization, a TGSR is sent to CLEC for the final and all subtending high usages that are contributing any amount of overflow to the alternate final route.
- 8.3.1.4 If a direct final Meet Point Trunk Group is at seventy-five percent (75%) utilization, a TGSR shall be sent to CLEC.
- 8.3.2 Underutilization
- 8.3.2.1 Underutilization of Local Only Trunk Groups, Local Interconnection Trunk Groups and Meet Point Trunk Groups exists when provisioned capacity is greater than the current need. Those situations where more capacity exists than actual usage requires will be handled in the following manner:
- 8.3.2.1.1 If a Local Only Trunk Group, Local Interconnection Trunk Group or a Meet Point Trunk Group is under seventy-five percent (75%) of CCS capacity on a monthly average basis, for each month of any three (3) consecutive months period, either Party may request the issuance of an order to resize the Local Only Trunk Group, Local Interconnection Trunk Group or the Meet Point Trunk Group, which shall be left with not less than twenty-five percent (25%) excess capacity. In all cases, grade of service objectives shall be maintained.
- 8.3.2.1.2 Either party may send a TGSR to the other Party to trigger changes to the Local Only Trunk Groups, Local Interconnection Trunk Groups or Meet Point Trunk Groups based on capacity assessment. Upon receipt of a TGSR, the receiving Party will issue an ASR to the other Party within twenty (20) business days after receipt of the TGSR.
- 8.3.2.1.3 Upon review of the TGSR, if a Party does not agree with the resizing, the Parties will schedule a joint planning discussion within the twenty (20) business days. The Parties will meet to resolve and mutually agree to the disposition of the TGSR.

8.3.2.1.4 If AT&T-13STATE does not receive an ASR, or if CLEC does not respond to the TGSR by scheduling a joint discussion within the twenty (20) business day period, AT&T-13STATE will attempt to contact CLEC to schedule a joint planning discussion. If CLEC will not agree to meet within an additional five (5) business days and present adequate reason for keeping trunks operational, AT&T-13STATE reserves the right to issue ASRs to resize the Local Only Trunk Groups, Local Interconnection Trunk Groups, or Meet Point Trunk Groups.

8.3.3 Trunk Servicing – AT&T SOUTHWEST REGION 5-STATE Exceptions

8.3.3.1 The Parties will process trunk service requests submitted via a properly completed ASR within ten (10) business days of receipt of such ASR unless defined as a major project. Incoming orders will be screened by AT&T SOUTHWEST REGION 5-STATE trunk engineering personnel for reasonableness based upon current utilization and/or consistency with forecasts. If the nature and necessity of an order requires determination, the ASR will be placed in held status, and a Joint Planning discussion conducted. Parties agree to expedite this discussion in order to minimize delay in order processing. Extension of this review and discussion process beyond two days from ASR receipt will require the ordering Party to Supplement the order with proportionally adjusted Customer Desired Due Dates. Facilities must also be in place before trunk orders can be completed.

8.4 Projects require the coordination and execution of multiple orders or related activities between and among AT&T-13STATE and CLEC work groups, including but not limited to the initial establishment of Local Only, Local Interconnection or Meet Point Trunk Groups and service in an area, NXX code moves, re-homes, facility grooming, or network rearrangements.

8.4.1 Orders that comprise a project, i.e. greater than four (4) DS1s, shall be submitted at the same time, and their implementation shall be jointly planned and coordinated.

8.5 Projects-Tandem Rehomes/Switch Conversion/Major Network Projects

8.5.1 AT&T-13STATE will advise CLEC of all projects significantly affecting CLEC trunking. Such Projects may include Tandem Rehomes, Switch Conversions and other major network changes. An Accessible Letter with project details will be issued at least 6 months prior to the project due dates. AT&T-13STATE will follow with a Trunk Group Service Request (TGSR) approximately 4 to 6 months before the due date of the project. A separate TGSR will be issued for each CLEC trunk group and will specify the required CLEC ASR issue date. Failure to submit ASR(s) by the required date may result in AT&T-13STATE ceasing to deliver traffic until the ASR(s) are received and processed.

9. TRUNK DATA EXCHANGE: AT&T-13STATE

9.1 The Parties agree to exchange traffic data on two-way trunk groups and to implement such an exchange within three (3) months of the date that two-way trunking is established and the trunk groups begin passing live traffic, or another date is agreed to by the Parties.

9.2 Exchange of traffic data enables each Party to make accurate and independent assessments of trunk group service levels and requirements. The Parties may agree to establish a timeline for implementing an exchange of traffic data utilizing the DIXC process via a Network Data Mover (NDM) or FTP computer to computer file transfer process. Implementation shall be within three (3) months of the date, or such date as agreed upon, that the trunk groups begin passing live traffic. The traffic data to be exchanged will be the Originating Attempt Peg Count, Usage (measured in Hundred Call Seconds), Overflow Peg Count, and Maintenance Usage (measured in Hundred Call Seconds on a seven (7) day per week, twenty-four (24) hour per day, fifty-two (52) weeks per year basis). The Parties agree that twenty (20) business days is the study period duration objective. However, on occasion a study period may be less than twenty (20) business days but at minimum must be at least three (3) business days to be utilized for engineering

purposes, although with less statistical confidence. For AT&T originated one-way, or for any two-way trunk groups, these reports can be made available weekly upon request.

- 9.3 A trunk group utilization report (TIKI) is available upon request. The report is provided in an MS-Excel format.

10. NETWORK MANAGEMENT: AT&T-13STATE

10.1 Restrictive Controls

10.1.1 Either Party may use protective network traffic management controls such as 7-digit and 10-digit code gaps set at appropriate levels on traffic toward each other's network, when required, to protect the public switched network from congestion due to facility failures, switch congestion, or failure or focused overload. CLEC and AT&T-13STATE will immediately notify each other of any protective control action planned or executed.

10.2 Expansive Controls

10.2.1 Where the capability exists, originating or terminating traffic reroutes may be implemented by either Party to temporarily relieve network congestion due to facility failures or abnormal calling patterns. Reroutes will not be used to circumvent normal trunk servicing. Expansive controls will only be used when mutually agreed to by the Parties.

10.3 Mass Calling

10.3.1 CLEC and AT&T-13STATE shall cooperate and share pre-planning information regarding cross-network call-ins expected to generate large or focused temporary increases in call volumes.

11. OUT OF EXCHANGE TRAFFIC

- 11.1 Interconnection services are available in accordance with section 251(a)(1) of the Act for the purposes of exchanging traffic to/from a non-AT&T incumbent exchange and consistent with the Appendix Out of Exchange Traffic.

12. SWITCHED ACCESS TRAFFIC

12.1 For purposes of this Agreement only, Switched Access Traffic shall mean all traffic that originates from an end user physically located in one local exchange and delivered for termination to an end user physically located in a different local exchange (excluding traffic from exchanges sharing a common mandatory local calling area as defined in AT&T-13STATE's local exchange tariffs on file with the applicable state commission) including, without limitation, any traffic that (i) terminates over a Party's circuit switch, including traffic from a service that originates over a circuit switch and uses Internet Protocol (IP) transport technology (regardless of whether only one provider uses IP transport or multiple providers are involved in providing IP transport) and/or (ii) originates from the end user's premises in IP format and is transmitted to the switch of a provider of voice communication applications or services when such switch utilizes IP technology and terminates over a Party's circuit switch. Notwithstanding anything to the contrary in this Agreement, all Switched Access Traffic shall be delivered to the terminating Party over feature group access trunks per the terminating Party's access tariff(s) and shall be subject to applicable intrastate and interstate switched access charges; provided, however, the following categories of Switched Access Traffic are not subject to the above stated requirement relating to routing over feature group access trunks:

- (i) IntraLATA toll Traffic or Optional EAS Traffic from a CLEC end user that obtains local dial tone from CLEC where CLEC is both the Section 251(b)(5) Traffic provider and the intraLATA toll provider,
- (ii) IntraLATA toll Traffic or Optional EAS Traffic from an AT&T end user that obtains local dial tone from AT&T where AT&T is both the Section 251(b)(5) Traffic provider and the intraLATA toll provider;
- (iii) Switched Access Traffic delivered to AT&T from an Interexchange Carrier (IXC) where the terminating number is ported to another CLEC and the IXC fails to perform the Local Number Portability (LNP) query; and/or

- (iv) Switched Access Traffic delivered to either Party from a third party competitive local exchange carrier over interconnection trunk groups carrying Section 251(b)(5) Traffic and ISP-Bound Traffic (hereinafter referred to as "Local Interconnection Trunk Groups") destined to the other Party.

Notwithstanding anything to the contrary in this Agreement, each Party reserves its rights, remedies, and arguments relating to the application of switched access charges for traffic exchanged by the Parties prior to the Effective Date of this Agreement and described in the FCC's Order issued in the Petition for Declaratory Ruling that AT&T's Phone-to-Phone IP Telephony Services Exempt from Access Charges, WC Docket No. 01-361(Released April 21, 2004).

- 12.2 In the limited circumstances in which a third party competitive local exchange carrier delivers Switched Access Traffic as described in Section 12.1 (iv) above to either Party over Local Interconnection Trunk Groups, such Party may deliver such Switched Access Traffic to the terminating Party over Local Interconnection Trunk Groups. If it is determined that such traffic has been delivered over Local Interconnection Trunk Groups, the terminating Party may object to the delivery of such traffic by providing written notice to the delivering Party pursuant to the notice provisions set forth in the General Terms and Conditions and request removal of such traffic. The Parties will work cooperatively to identify the traffic with the goal of removing such traffic from the Local Interconnection Trunk Groups. If the delivering Party has not removed or is unable to remove such Switched Access Traffic as described in Section 12.1(iv) above from the Local Interconnection Trunk Groups within sixty (60) days of receipt of notice from the other party, the Parties agree to jointly file a complaint or any other appropriate action with the applicable Commission to seek any necessary permission to remove the traffic from such interconnection trunks up to and including the right to block such traffic and to obtain compensation, if appropriate, from the third party competitive local exchange carrier delivering such traffic to the extent it is not blocked.