

Attachment 17: Performance Measurements

SBC MISSOURI/TCG-KC

ATTACHMENT 17: Performance Measurements

This Attachment 17: Performance Measurements sets forth the terms and conditions under which SBC MISSOURI will report performance to TCG-KC and compare that performance to SBC MISSOURI's own performance or benchmark criteria, whichever is applicable. Enforcement measures through liquidated damages for failure to meet certain performance measures, set forth in this Attachment, are agreed upon in the Performance Remedy Plan included in a separate agreement of the Parties (Performance Remedy Plan Agreement).

- 1.0** SBC MISSOURI agrees to provide TCG-KC a monthly report of performance for the performance measures listed in Appendix Performance Measurements Business Rules. SBC MISSOURI will collect, analyze, and report performance data for these measures in accordance with SBC MISSOURI's Performance Measurement Business Rules, as approved by the Public Utility Commission of MISSOURI (the "Commission" or "PUC"). Both the performance measures and the business rules are subject to modification in accordance with Section 3.0.
- 2.0** For purposes of this Attachment, performance results (whether in the form of means, percentages, or rates) will be measured in a single month for the same measurement at equivalent levels of disaggregation, for both SBC MISSOURI (or its affiliate purchasing the same service from SBC under an ICA) and TCG-KC. Compliance will be determined separately for each CLEC and disaggregation level, based on statistical tests or by direct comparison with an established standard (benchmark), as defined in the Performance Remedy Plan Agreement.
- 3.0** A workshop and/or conference shall be organized and held annually for the purpose of evaluating the existing performance measures and determining whether any measures should be deleted, modified or any new measures added. Provided however, no new measures shall be added which measures activities already governed by existing measures. TCG-KC may actively participate in this annual workshop with SBC MISSOURI, other CLECs, and Commission representatives.
- 3.1** As provided in the Performance Remedy Plan Agreement, no changes to remedies/liquidated damages (remedies) or any other term or condition of this Attachment affecting remedies, including but not limited to the level of remedies to be paid by SBC MISSOURI and the application of a benchmark, shall be made except by the consent of the Parties only and shall not be effective until and memorialized in an amendment to the Performance Remedy Plan Agreement. Except as otherwise provided in the Performance Remedy Plan Agreement, neither Party shall have a right to seek MISSOURI Public Utility Commission jurisdiction or intervention to address any issues affecting remedies. Any dispute concerning remedies or modification to the current remedy plan shall be resolved pursuant to the dispute resolution provisions of that separate agreement.
- 3.2** TCG-KC and SBC MISSOURI will consult with one another and attempt in good faith to resolve any issues regarding the accuracy or integrity of data collected, generated, and reported pursuant to this Attachment. In the event that TCG-KC requests such consultation and the issues raised by TCG-KC have not been resolved within 45 days after TCG-KC's request for consultation, then SBC MISSOURI will allow TCG-KC to have an independent audit conducted, at TCG-KC's

expense, of SBC MISSOURI's performance measurement data collection, computing, and reporting processes. In the event the subsequent audit reinforces the problem identified during the 45 day consultation period or if any new problem is identified, SBC MISSOURI shall reimburse TCG-KC any expense incurred for such audit. TCG-KC may not request more than one audit per twelve calendar months under this section.

4.0 General Assessments Payable to the MISSOURI State Treasury:

4.1 If SBC MISSOURI fails to submit performance reports by the last business day of the month, the following assessments apply unless excused for good cause by the Commission:

If no reports are filed, \$5,000 per day past the last business day of the month;

If incomplete reports are filed, \$1,000 per day for each measurement affected by missing performance results, subject to a maximum of \$5,000.

4.2 If SBC MISSOURI alters previously reported data to TCG-KC, and after discussions with SBC MISSOURI, TCG-KC disputes such alterations, then TCG-KC can request that the Commission review the submissions and the Commission may take appropriate action. This does not apply to the limitation stated under the section entitled "Exclusions Limited."

4.3 Assessments under this section will not be included in determining the applicability of the cap in the Performance Remedy Plan.

5.0 Reports

5.1 TCG-KC will have access to monthly reports on aggregate CLEC liquidated damages paid (credits issued), performance measures and business rules through an Internet website. The website will include individual CLEC data, aggregate CLEC data, and SBC MISSOURI state aggregate data.

5.2 In the event SBC MISSOURI misses any measurement for two consecutive months, for each succeeding violation of that measurement, upon request from TCG-KC, SBC MISSOURI shall conduct a joint investigation with TCG-KC to identify and resolve the problem in a cooperative manner. Such corrective action may include additional training, allocation of additional resources, or modification of SBC MISSOURI processes, to the extent appropriate.

5.3 SBC MISSOURI will not levy a separate charge for provision of the data to TCG-KC called for under this Attachment. SBC MISSOURI will make raw data available to TCG-KC via the CRDWS - CLEC Raw Data Web Site. Raw data for the current period will be posted in detail files for downloading by the last business day of each month. These files will be available for download for 60 days from the date of posting, after which the earliest monthly file will be replaced with the raw data file for the current month. Notwithstanding any other provisions of this Agreement, the Parties agree that such records will be deemed Proprietary Information.

6.0 Attached hereto, and incorporated herein by reference, are the following Appendices:

Appendix 1: Performance Measurement Business Rules (Version 4.0)

TABLE OF CONTENTS PERFORMANCE MEASURES

A.	Pre-Ordering/Ordering	3
	1.1 Average Response Time for Manual Loop Make-Up Information.....	3
	2 Percent Responses Received within "X" seconds – OSS Interfaces.....	4
	4 OSS Defects Per Million Opportunities (DPMO).....	6
	5 Percent Firm Order Confirmations (FOCs) Returned on time for LSR requests and returned within X days on ASR requests	7
	7.1 Percent Mechanized Completion Notifications Available Within one Day of Work Completion.....	12
	10 Percent Mechanized/Manual Rejects Returned Within one "X" hours of receipt of LSR	13
	10.2 Percentage of Orders that receive SBC-caused Jeopardy Notifications	15
	11.2 Average SBC-caused Jeopardy Notification Interval.....	16
	12.1 Percent Provisioning Accuracy	18
	12.2 Percent Mechanized Line Loss Notifications Returned Within One Day of Work Completion	19
	13 Order Process Percent Flow Through	20
	13.1 Overall Percent LSR Process Flow Through.....	21
B.	Billing	22
	17.2 Billing Completion Notices	22
C.	Miscellaneous Administrative	23
	22 Local Service Center (LSC) Grade of Service (GOS).....	23
	22.1 Mechanized Customer Production Support Center (MCPSC) Average Speed of Answer	24
	25 Local Operations Center (LOC) Grade of Service (GOS).....	25
D.	Provisioning	26
	28 Percent POTS/UNE-P/Specials/UNES/LNP Loop/LNP Standalone/Interconnection Trunks Installations Completed Within the customer requested due date.....	26
	30 Percent SBC Missed Due Dates Due To Lack Of Facilities.....	30
	32 Average Delay Days For SBC Caused Missed Due Dates.....	32
	35 Percent Trouble Report Within X Days (I10/I30) of Installation.....	34
	101 Percent Out of Service < 60 minutes	37
E.	Maintenance	38
	37.1 Trouble Report Rate net of installation and repeat reports.....	38
	38 Percent Missed Repair Commitments	40
	39 Mean time to restore/Average Trunk Restoration Interval	41

40 Percent Out Of Service (OOS) < 24 Hours..... 44

41 Percent Repeat Reports..... 45

F. Interconnection Trunks 47

70 Percentage of Trunk Blockage..... 47

71 Common Transport Trunk Blockage..... 49

73.1 Percentage Held Interconnection Trunks..... 50

G. 911..... 51

104 Average Time Required to Update 911 Database (Facility Based Providers)..... 51

H. Collocation..... 52

107 Percentage Missed Collocation Due Dates..... 52

I. Coordinated Conversion 54

115.2 Combined Outage Percentage of CHC/FDT LNP with Loop Line Conversions..... 54

J. NXX 55

117 Percent NXXs loaded and tested prior to the LERG effective date..... 55

K. BONA FIDE/SPECIAL REQUEST PROCESS (BFRs) 56

120 Percentage of Requests Processed Within 30 Business Days..... 56

124 Timely resolution of significant Software Failures related with Releases..... 57

 Due Date Interval Matrix..... 58

PERFORMANCE MEASUREMENTS BUSINESS RULES**A. Pre-Ordering/Ordering**

1.1. Measurement	
Average Response Time for Manual Loop Make-Up Information	
Definition:	
The average time required to provide manual loop qualification for xDSL capable loops measured in business days.	
Exclusions:	
Manual requests for Loop Makeup Information not initiated by the CLEC; however, manual requests initiated by the LSC as part of the ordering process when no mechanized loop qualification data is available will be included.	
Business Rules:	
For a DataGate/EDI/CORBA or EnhancedVerigate initiated request, the start date and time is when the request is received in the Loop Qual System. The end date and time for the DataGate/EDI/CORBA or EnhancedVerigate request is when the loop makeup information has either has been e-mailed back to the CLEC or, if the CLEC does not want email, is available in the Loop Qual System.	
For manual requests for Loop Makeup Information initiated by the LSC as part of the ordering process, the start date and time is the receipt date and time of the good LSR. The end date and time is when the loop makeup information is available in the Loop Qual System.	
SBC will provide raw data to CLECS in an agreed to format, on a monthly basis, without the need for a request from a CLEC, until such time as both parties agree it is no longer necessary.	
Calculation:	Report Structure:
$\sum(\text{Date and Time the Loop Qualification is made available to CLEC} - \text{Date and Time the CLEC request is received}) / \text{Total number of loop qualifications}$	By CLEC, All CLECs and SBC or its affiliates (or SBC acting on behalf of its affiliate).by state.
Disaggregations and Benchmarks:	
None	3 business days (Critical Z does not apply)

2. Measurement	
Percent Responses Received within "X" seconds – OSS Interfaces	
Definition:	
The percent of responses completed in "x" seconds for pre-order interfaces (EnhancedVerigate, EDI and CORBA) by function.	
Exclusions:	
None	
Business Rules:	
<p>Timestamps for the uniform interfaces (EnhancedVerigate, EDI and CORBA) are taken at the SBC Pre-Order Adapter and do not include transmission time through the xRAF or protocol translation times. The clock starts on the date/time when the query is received by the SBC Pre-Order Adapter and stops at the date/time the SBC Pre-Order Adapter passes the response back to the interfacing application (EnhancedVerigate, EDI pre-order or CORBA). The response time is measured only within the published hours of interface availability as posted on the CLEC on-line website.</p> <p>For the protocol translation response times, interface input times start at the time the interface receives the pre-order query request from the CLEC and the end time is when the connection is made to the SBC Pre-Order Adapter for processing. Interface output times start when the interface receives the response message back from SBC Pre-Order Adapter and the end time is when the message is sent to the CLEC.</p> <p>If the CLEC accesses SBC systems using a Service Bureau Provider, the measurement of SBC's performance does not include Service Bureau Provider processing, availability or response time.</p>	
Calculation:	Report Structure:
(# of responses within each time interval ÷ total responses) * 100	Reported on a CLEC, all CLECs, and SBC affiliate where applicable (or SBC acting on behalf of its affiliate), by interface, by state.
Disaggregations and Benchmark:	
<p>Overall transactions returned within required interval. Benchmark 95% Does not include Protocol Translation times as noted below.</p> <p>No damages will apply to the Protocol Translation Times for EDI and EnhancedVerigate. (Note – Nonuniform DataGate/EDI/CORBA have been eliminated from PM #2 due to the elimination of this interface.) (Critical Z does not apply)</p> <p>All measurements below will be reported on a diagnostic basis.</p>	
Measurement	EnhancedVerigate, EDI and CORBA
Address Verification	95% in <= 10 seconds
Telephone Number Assignment (includes random inquiry, reservation, confirmation and cancellation transactions)	95% in <= 10 seconds
Telephone Number Assignment – Specific Inquiry	95% in <= 20 seconds

Customer Service Summary (non-uniform) /Customer Service Inquiry (Uniform) < = 30 WTNs (Also broken down for Lines as required for DIDs).	95% in <=15 seconds
Service/Feature Availability	95% in <=13 seconds
Service Appointment Scheduling (Due Date)	95% in <=5 seconds
Dispatch Required	95% in <=19 seconds
PIC / LPIC	95% in <=25 seconds
Actual Loop Makeup Information requested	95% in <= 60 seconds
Design Loop Makeup Information requested(includes Pre-Qual transactions)	95% in <=15 seconds
Protocol Translation Time – EDI(input and output)	95% in <= 4 seconds
Protocol Translation Time – CORBA (input and output)	95% in <=1 seconds
Protocol Translation Time – EnhancedVerigate (input and output)	95% in <= 1 seconds Diagnostic

4 Measurement	
OSS Defects Per Million Opportunities (DPMO)	
Definition:	
OSS Interface Defects per Million Minutes Opportunities of Scheduled Availability	
Exclusions:	
<ul style="list-style-type: none"> Scheduled interface outages for major system releases or system maintenance where CLECs were provided with advanced notification of the downtime in compliance with SBC Southwest's change management process Undetected Interface outages reported by a CLEC that were not reported to SBC Southwest's designated trouble reporting center within 5 business days 	
Business Rules:	
<p>The "Minutes of Scheduled Availability" are the cumulative number of Minutes over which SBC Southwest plans to offer and support CLEC access to SBC Southwest's operational support systems (OSS) functionality during the reporting period. "OSS Defects" are the actual number of minutes, during the scheduled available time, that the SBC Southwest interface is incapable of accepting, receiving and/or responding to CLEC transactions or data files. An "OSS Defect" for pre-order includes all minutes of unavailability by the pre-order disaggregations listed below. Under this measure there is no consideration of "partial availability" (i.e. degraded service conditions).</p> <p>SBC will not schedule normal maintenance during OSS Hours of availability as posted on the CLEC web site unless otherwise notified via an accessible letter. SBC Southwest will not schedule normal maintenance during business hours (8:00 a.m. to 5:30 p.m. central time Monday through Friday).</p>	
Calculation:	Report Structure:
Minutes of outage / Minutes of scheduled availability * 1,000,000	CLECs in the aggregate (except for RAF which is reported by CLEC)
Disaggregations and Benchmarks:	
<ul style="list-style-type: none"> Verigate (interface only) = 5000 DPMO EDI Pre-Order (interface only) = 3000 DPMO CORBA Pre-Order (interface only) = 3000 DPMO Total of all 5 Pre-Order function disaggregations = 5,000 DPMO LEX = 5000 DPMO EDI Ordering = 3000 DPMO EBTA GUI = 5000 DPMO EBTA App-to-App = 5000 DPMO SBC Southwest RAF (by CLEC) = 5000 DPMO SBC Toolbar = 5000 DPMO EASE reported for Consumer and Business = Diagnostic 	
(Critical Z does not apply)	

5. Measurement: (PM 5 combined with PM 5.2)
Percent Firm Order Confirmations (FOCs) Returned on time for LSR requests and returned within X days on ASR requests.
Definition:
Percent of FOCs returned to the CLEC within a specified time frame from receipt of a complete and accurate service request to return of confirmation to CLEC.
Exclusions:
For LSRs <ul style="list-style-type: none"> • Rejected (manual and electronic) LSRs. • SBC only Disconnect orders. • Services ordered out of the Access Tariff • Interconnection Orders • Unbundled Dedicated Transport Orders
For ASRs <ul style="list-style-type: none"> • All LSRs • Access Orders purchased from SBC tariffs • Rejected (manual and electronic) ASRs • SBC Only disconnect Orders
Business Rules:
<p>FOC business rules are established to reflect the Local Service Center (LSC) normal hours of operation, which include Monday through Friday, 8:00 a.m. to 5:30 p.m, excluding holidays and weekends. If the start time is outside of normal business hours, then the start date/time is set to 8:00 a.m. on the next business day. Example: If the request is received Monday through Friday between 8:00 a.m. to 5:30 p.m.; the valid start time will be Monday through Friday between 8:00 a.m. to 5:30 p.m. If the actual request is received Monday through Thursday after 5:30 p.m. and before 8:00 a.m. the next day; the valid start time will be the next business day at 8:00 a.m. If the actual request is received Friday after 5:30 p.m. and before 8:00 a.m. Monday; the valid start time will be at 8:00 a.m. Monday. If the request is received on a holiday (anytime); the valid start time will be the next business day at 8:00 a.m. For LSRs received electronically requiring no manual intervention by the LSC, the OSS hours of operation will be used in lieu of the LSC hours of operation (i.e., actual OSS processing time outside of LSC hours will not be excluded in calculating the interval). The returned confirmation to the CLEC will establish the actual end date/time. For UNE Loop and Port combinations, orders requiring N, C, and D orders; the FOC is sent back at the time the last order that establishes service is distributed.</p> <p>All UNE P orders are categorized as Simple or Complex in the same manner as Retail or Resale orders are categorized. All orders that flow through EASE are categorized as Simple and all orders that do not flow through EASE are categorized as Complex.</p> <p>A Mechanized Business Ordering system (MBOS) document is required for engineering of trunks that must take place prior to the request being worked.</p> <p>The MBOS form must be initiated by the LSC service representative with information from the LSR for services such as Centrex, DIDs, Plexar I, Package II, Plexar II Basic, Plexar Custom Basic, and PRI services such as Smart Trunks, Select Video, etc. Once the MBOS form is completed, the LSC service representative must release it to the other involved</p>

departments for review and determination of the design information and to determine the necessary steps to provide the services. This may involve review of TN number availability, design circuit provisioning, translations requirements, etc. to determine the service availability and due date. Depending on the service and complexity of the request, the return of the MBOS could be 3-5 days. Therefore, the FOC is to be negotiated for any services that require an MBOS.

If the CLEC accesses SBC systems using a Service Bureau Provider, the measurement of SBC's performance does not include Service Bureau Provider processing, availability or response time.

ENHANCEDLEX/EDI

For ENHANCEDLEX and EDI originated LSRs, the start date and time is the receive date and time that is automatically recorded by the interface (EDI or ENHANCEDLEX) with the system date and time. The end date and time is recorded by the interface (EDI or ENHANCEDLEX) and reflects the actual date and time the FOC is available to the CLEC. For LSRs where FOC times are negotiated with the CLEC, the ITRAK entry on the SORD service order is used in the calculation.

MANUAL REQUESTS

Manual service order requests are those initiated by the CLEC by fax. The fax receipt date and time is recorded and input into WFM. The end time is the actual date and time that a successful attempt to send a paper fax is made back to the CLEC or in cases where fax receipt is prevented at CLEC's facility, the end date and time will be the 2nd attempt to send fax to the CLEC. If a CLEC does not require a paper fax, the FOC information is provided via the FOC/SOC Website, and the end time is the date and time the FOC is loaded to the Website. The ITRAK-FID is used when FOC times are negotiated with the CLEC. The LSC populates the ITRAK-FID with certain pre-established data entries that are used in the FOC calculation.

FOR ASRs:

FOC business rules are established to reflect the Local Service Center (LSC) normal hours of operation, which include Monday through Friday, 8:00 a.m.-5:30 p.m., excluding holidays and weekends. If the start time is outside of normal business hours, then the start date/time is set to 8:00 a.m. on the next business day. Example: If the request is received Monday through Friday between 8:00 a.m. to 5:30 p.m.; the valid start time will be Monday through Friday between 8:00 a.m. to 5:30 p.m. If the actual request is received Monday through Thursday after 5:30 p.m. and before 8:00 a.m. the next day; the valid start time will be the next business day at 8:00 a.m. If the actual request is received Friday after 5:30 p.m. and before 8:00 a.m. Monday; the valid start time will be at 8:00 a.m. Monday. If the request is received on a holiday (anytime); the valid start time will be the next business day at 8:00 a.m. The returned confirmation to the CLEC will establish the actual end date/time. The ITRAK-FID is used when FOC times are negotiated with the CLEC. The LSC populates the ITRAK-FID with certain pre-established data entries that are used in the FOC calculation.

In the event that the Access Service Order Guidelines/Access Service Request (ASOG/ASR) Bi-Annual Release occurs during LSC hours of operation, that time will be excluded from the

determination of timely FOCs.

Calculation:	Report Structure:
(# FOCs returned within "x" hours ÷ total FOCs sent) * 100	Reported by CLEC, all CLECs, and SBC affiliate where applicable (or SBC acting on behalf of its affiliate). This includes mechanized from EDI and ENHANCEDLEX and manual (e.g. FAX or phone orders). By State.
Disaggregations and Benchmarks:	

<p>1. Electronic/Electronic LSRs</p> <p>2. Manual Intervention LSRs</p> <p>A. Mechanized Simple Res/Bus/UNE-P/Mechanized UNE Loop (1-49)/Mechanized Switch Ports/ Mechanized LNP with Loop (1-19)/ EELS</p> <p>B. Mechanized UNE xDSL Capable Loop (1-20)</p> <p>C. Mechanized UNE xDSL Capable Loop (>20)</p> <p>D. Manual and Mechanized Complex Bus (1-200)/ Manual and Mechanized LNP Complex Business (1-19)/Manual Simple Res./Bus/UNE-P/Manual UNE Loop(1-49)/ Manual LNP with Loop (1-19)/ Manual LNP Complex Business (1-19)/Manual UNE xDSL Capable Loop (1-49)</p> <p>E. Manual and Mechanized Complex Bus (>200)/Manual and Mechanized UNE Loop (>50)/ Manual and Mechanized LNP Complex Business (20-50 Lines)/ Complex UNE-P/ Manual and Mechanized LNP with Loop (>20)/Manual UNE xDSL Capable Loop (> 49)</p> <p>F. Manually and Mechanized LNP Complex Business (>50)/ MBOS related services (Centrex, Plexar I Pkg II, Plexar II, Plexar Custom Basic) < Negotiated with Notification of Timeframe within 24 Clock Hours/ Projects</p> <p>3. ASRs</p> <p>A. Interconnection Facilities and Trunks</p> <p>B. Unbundled Dedicated Transport DS3s</p> <p>C. Unbundled Dedicated Transport DS1s</p> <p>D. Projects</p>	<p>1. Electronic – Electronic 95% within 45 minutes</p> <p>2. 95% within</p> <p>A. 5 Hours</p> <p>B. 6 Hours</p> <p>C. 14 Hours</p> <p>D. 24 Hours</p> <p>E. 48 Hours</p> <p>F. Negotiated interval</p> <p>3. 95% within</p> <p>A. 7 business days</p> <p>B. 5 business days</p> <p>C. 1 business days</p>
--	--

	D. Negotiated Interval (Critical Z does not apply)
--	---

7.1 Measurement	
Percent Mechanized Completion Notifications Available Within one Business Day of Work Completion	
Definition:	
Percent Mechanized Completion Notifications Available Within one Business Day	
Exclusions:	
Exclude Weekends And Holidays	
Business Rules:	
Days are calculated by subtracting the date the SOC was available to the CLEC via EDI/LEX minus the order completion date. If the CLEC accesses SBC systems using a Service Bureau Provider, the measurement of SBC's performance does not include Service Bureau Provider processing, availability or response time.	
Calculation:	Report Structure:
(# mechanized completions notifications returned to the CLEC within 1 business day of work completion ÷ total mechanized completions notifications) * 100	Reported by CLEC and all CLECs and SBC Affiliate, by state.
Disaggregations and Benchmark:	
None	97% (Critical Z does not apply)

10. Measurement (PM 10 combined with PM 10.1)	
Percent Mechanized/Manual Rejects Returned Within "X" hours of receipt of LSR	
Definition:	
Percent mechanized rejects returned within one hour of the receipt of the LSR	
Exclusions:	
For manual rejects received electronically only, rejects of LSRs received through manual process.	
Business Rules:	
<p><u>Mechanized Rejects</u> The start time used is the date and time the LSR is recorded by the interface (EDI/Enhanced LEX) if it falls during normal system processing hours of operation, as defined in the published hours of operation document on the CLEC online website. If the interface start time is outside of normal processing hours, then the start date/time is set to the next closest posted processing start time. The end time is the date and time the reject notice is available to the CLEC via EDI or Enhanced LEX. A mechanized reject is any reject made available to the CLEC electronically without manual intervention. If the CLEC accesses SBC systems using a Service Bureau Provider, the measurement of SBC's performance does not include Service Bureau Provider processing, availability or response time.</p> <p><u>Manual Rejects Received Electronically</u> The start time is the time the LSR is received electronically via EDI or Enhanced LEX if it falls during normal business hours of operation. Reject business rules are established to reflect the Local Service Center (LSC) normal hours of operation, which include Monday through Friday, 8:00 a.m. to 5:30 p.m., excluding holidays and weekends. If the start time is outside of normal business hours, then the start date/time is set to 8:00 a.m. on the next business day. Example: If the request is received Monday through Friday between 8:00 a.m. to 5:30 p.m.; the valid start time will be Monday through Friday between 8:00 a.m. to 5:30 p.m. If the actual request is received Monday through Thursday after 5:30 p.m. and before 8:00 a.m. the next day; the valid start time will be the next business day at 8:00 a.m. If the actual request is received Friday after 5:30 p.m. and before 8:00 a.m. Monday; the valid start time will be at 8:00 a.m. Monday. If the request is received on a holiday (anytime), the valid start time will be the next business day at 8:00 a.m.</p> <p>The end time is the date and time the reject notice is available to the CLEC via EDI/ Enhanced LEX. A manual reject is a reject of an electronically received LSR that requires manual intervention. If the CLEC accesses SBC systems using a Service Bureau Provider, the measurement of SBC's performance does not include Service Bureau Provider processing, availability or response time.</p>	
Calculation:	Report Structure:
(# mechanized rejects returned within 1 hour ÷ total rejects) * 100 (# electronic manual rejects returned within 6 hours of receipt of LSR ÷ total electronic manual rejects) * 100	Reported for CLEC and all CLECs and SBC affiliate, by state.
Disaggregations and Benchmark:	

1 Mechanized 2. Manual rejects received electronically	1. 97% within 1 hour 2. 97% within 6 hours (Critical Z does not apply)
---	--

10.2 Measurement:	
Percentage of Orders that receive SBC-caused Jeopardy Notifications	
Definition:	
Percentage of total orders received electronically via LEX/EDI and processed for which SBC notifies the CLEC that an order is in jeopardy of meeting the due date, due to SBC cause.	
Exclusions:	
N and D service orders	
Business Rules:	
<p>Percentage of Orders Given Jeopardy Notices measures the number of jeopardy notices sent to customers as a percentage of the total number of orders completed in the period. A jeopardy is a notification provided to the CLECs where SBC identifies the potential for not meeting the scheduled due date (LOF or additional information).</p> <p>Jeopardy Code changes, additions or deletions are part of the LSOR change management process. Updates will be provided to the CLECs in advance as outlined in the OSS release Accessible Letters. In the event a new code is established, changed or deleted between LSOR releases, SBC will notify the CLECs via an Accessible Letter. These Accessible Letters will be listed/posted on SBC's CLEC website with the applicable LSOR, until the LSOR online documentation has been updated with the modification.</p>	
Calculation:	Report Structure:
(Number of orders jeopardized ÷ Number of orders confirmed) * 100	Reported by CLEC and all CLECs, by state.
Disaggregations and Benchmarks:	
<ul style="list-style-type: none"> • Jeopardies previously referred to as Rejects (See Accessible Letter CLECSS99-175 dated December 30, 1999) • Facilities Jeopardies • Other SBC caused Jeopardies • CLEC/EU caused Jeopardies A list of current Jeopardy codes may be found in CLEC Online in the CLEC Handbook User Guides/Tech Pubs section. Choose Ordering, LSOR 6+ (13 State) Local Service Ordering Requirements, LSOR 6+ (13 State Documentation, Volume II, SBC Local Responses, Local Response Jeopardy, RCODE – Reason Code.. 	Diagnostic

11.2 Measurement:
Average SBC-caused Jeopardy Notification Interval
Definition:
Measures the average remaining time between the pre-existing committed order completion date and time (communicated via the FOC) and the date and time SBC issues a notice to the CLEC indicating an order received electronically via LEX/EDI is in jeopardy of missing the due date (or the due date/time has been missed).
Jeopardy Code changes, additions or deletions are part of the LSOR change management process. Updates will be provided to the CLECs in advance as outlined in the OSS release Accessible Letters. In the event a new code is established, changed or deleted between LSOR releases, SBC will notify the CLECs via an Accessible Letter. These Accessible Letters will be listed/posted on SBC's CLEC website with the applicable LSOR, until the LSOR online documentation has been updated with the modification.
Exclusions:
<ul style="list-style-type: none"> • N and D Service orders
Business Rules:
With respect to this interval, it is assumed that the order due date time is 5:00 PM for <i>uncoordinated orders</i> , and the Jeopardy date and time will be the actual date and time that SBC issues a notice and is available to the CLEC indicating an order is in jeopardy of missing the due date. With regards to <i>coordinated orders (CHC/FDT)</i> the scheduled due date and time will be used. If the CLEC accesses SBC systems using a Service Bureau Provider, the measurement of SBC's performance does not include Service Bureau Provider processing, availability or response time. Business Hours are 8:00 AM-5:30 PM, M-F.
Levels of Disaggregation:

<ul style="list-style-type: none"> • Jeopardies previously referred to as Rejects (See Accessible Letter CLECSS99-175 dated December 30, 1999) • Facilities Jeopardies <ul style="list-style-type: none"> POTS (includes the following): <ul style="list-style-type: none"> • 8.0 dB Loop with Test Access and 8.0 dB Loop without Test Access (FW) • 8.0 dB Loop with Test Access and 8.0 dB Loop without Test Access (NFW) • 5.0 dB Loop with Test Access and 5.0 dB Loop without Test Access • UNE Platform – POTS UNE SPECIALS or Designed Services (includes the following): <ul style="list-style-type: none"> • BRI Loop with Test Access • ISDN BRI Port • DS1 Loop with Test Access • DS1 Dedicated Transport • Subtending Channel (23B) • Subtending Channel (1D) • Analog Trunk Port • Subtending Digital Direct Combination Trunks • DS3 Dedicated Transport • Dark Fiber • DSL Loops – Line Sharing • DSL Loops – Non-Line Sharing • DSL Loops - Line Splitting • UNE-Platform-Specials <p style="text-align: center;">Other SBC Caused</p> <ul style="list-style-type: none"> • Other SBC caused Jeopardies • CLEC/EU caused Jeopardies 	
Calculation:	Report Structure:
Sum ((Committed Due Date /Time for the order) – (Date/Time of Jeopardy notice))/ (number of Jeopardy Orders)	Reported by CLEC and all CLECs and SBC affiliate by state.
Benchmark:	
Facilities Jeopardies: POTS – 1 hour UNE Specials – 4 hours Other SBC caused – 1 day	
Diagnostic only	

12.1 Measurement	
Percent Provisioning Accuracy	
Definition:	
Percent of completed service orders submitted via LEX/EDI that are provisioned as requested on the CLEC submitted LSR.	
Exclusions:	
<ul style="list-style-type: none"> • Cancelled Orders • Rejected orders due to CLEC caused errors 	
Business Rules:	
<p>This measurement compares all fields listed in Attachment 5 as submitted on the LSR to the associated service order that provisioned the requested services. SBC commits to make a good faith effort to maintain the list in Attachment 5 with any new fields that can be compared mechanically (e.g. features, PIC, etc.) when those fields have a legitimate impact on the customer.</p> <p>SBC Billing will inform the LSC and ASC through Bill Alerts, regarding situations that impact or potentially impact customer billing. The LSC and ASC will notify the affected CLECs upon receipt of the Bill Alerts.</p>	
Calculation:	Report Structure:
(# of completed service orders with fields provisioned as ordered on the LSR's ÷ total service orders completed * 100	Reported by individual CLEC, CLECs and SBC, by state.
Disaggregations and Benchmarks:	
<ul style="list-style-type: none"> • Flow Through • Non-Flow Through <p>Note: SBC will provide disaggregations by UNE-P, UNE Loop, LNP and others on a CLEC requested basis.</p>	95%

12.2 Measurement	
Percent Mechanized Line Loss Notifications Returned Within One Day Of Work Completion	
Definition:	
Percent mechanized line loss notifications returned within one business day of the completion of work.	
Exclusions:	
<ul style="list-style-type: none"> • Where CLEC accesses SBC's systems using a Service Bureau Provider, the measurement of SBC's performance shall not include Service Bureau Provider processing, availability or response time. • CLEC-caused misses and delays 	
Business Rules:	
Days are calculated by subtracting the date the line loss notification was made available to the CLEC from the work completion date. The date that the last service order associated with the LSR is provisioned is the work completion date. The calculation is based on business days, using a full 24 hour day.	
This includes all products for which loss notifications are sent.	
Calculation:	Report Structure:
(# of mechanized line loss notifications returned to the CLEC within 1 day of work completion ÷ total line loss notifications) * 100	Reported for CLEC all CLECs, and SBC Affiliates, by state.
Disaggregations and Benchmarks:	
None	95% within one business day

13. Measurement	
Order Process Percent Flow Through	
Definition:	
Percent of orders from entry to distribution that progress through SBC ordering systems without manual intervention.	
Exclusions:	
<ul style="list-style-type: none"> • Excludes rejected orders • Manually received orders 	
Business Rules:	
The number of eligible orders that flow through SBC's ordering systems and are distributed in SORD without manual intervention, divided by the total number of Eligible electronically generated orders within the reporting period. Orders that fall out for manual handling, that are worked by SBC and not rejected back to CLEC due to CLEC caused errors, will be included as failed pass-through occurrences. This measure is based on orders designed to flow through.	
Calculation:	Report Structure:
(# of orders that flow through ÷ total eligible electronic orders) * 100	Reported by CLEC, all CLECs and SBC and SBC affiliate, by state.
Disaggregations and Benchmarks:	
SBC will report its performance separately by order type (Resale POTS, UNE combinations POTS, Specials (resale and UNE combinations), UNE loops, DSL-capable loops, and other).	95%

13. 1 Measurement	
Overall Percent LSR Process Flow Through	
Definition:	
Percent of LSRs that progress through SBC's ordering, provisioning, and billing systems without manual intervention.	
Exclusions:	
<ul style="list-style-type: none"> LSRs rejected electronically at LASR or MOG due to a CLEC-caused entry error 	
Business Rules:	
<p>The number of LSRs that are completely processed, through posting and through all relevant systems and databases, without manual intervention, divided by the total number of LSRs that are not rejected electronically at LASR or MOG due to a CLEC-caused entry error within the reporting period. LSRs for which SBC returns an erroneous electronic reject are counted in the denominator and as a failed pass through occurrence in the numerator. Other examples of LSRs that would be counted as failed pass-through occurrences in the numerator would include:</p> <ul style="list-style-type: none"> LSRs for which SBC returns a manually generated reject, order confirmation, or jeopardy notification, LSRs for which SBC internal service orders are not electronically generated or as to which any manual entry is made on associated SBC internal service orders, LSRs with any associated service orders that do not distribute out of SBC's SORD system without fall out or manual processing, LSRs with any associated service orders that do not update databases without fall out or manual processing, LSRs which result in any manual AIN trigger setting or manual switch translation work, LSRs with any associated service orders that do not successfully post to each SBC back end billing systems without fall out or manual processing including error resolution. 	
Calculation:	Report Structure:
(# of LSRs completely processed without manual intervention ÷ total # of LSRs not rejects at LASR or MOG due to CLEC-caused entry error) * 100	Reported by CLEC, all CLECs, SBC and SBC Affiliates by state.
Disaggregations and Benchmarks:	
SBC will report its performance separately by order type (Resale POTS, UNE combinations POTS, Specials (resale and UNE combinations), UNE loops, DSL-capable loops, and other).	Diagnostic

B. Billing

17.2 New Measurement	
Billing Completion Notices	
Definition:	
Percentage of Billing Completion Notices sent within five business days after service order posting in SORD. For purposes of this measurement, service order posting in SORD occurs before service orders are sent to the respective billing system for billing completion.	
Exclusions:	
<ul style="list-style-type: none"> • Access Service Orders billed through CABS • Interconnection Trunk Orders • T-Orders when dual service is involved • Weekends and Holidays 	
Business Rules:	
This measurement will determine percentage of Billing Completion notices sent to CLEC within 5 business days after service order posting in SORD. This measurement would include all SORD orders produced as a result of an LSR request (i.e., C, N, and D wholesale orders). For purposes of this measurement, service order posting in SORD occurs before service orders are sent to the respective billing system for billing completion. If multiple orders exist on a single LSR, the last order must post in SORD prior to triggering the five business day window. Billing Completion notices are not sent to CLEC until all related SORD orders have posted in the billing systems.	
Calculation:	Report Structure:
Sum (Number of Billing Completion Notices sent within 5 Business Days) / (Number of Billing Completion Notices sent) x 100	Reported by State
Disaggregations and Benchmarks:	
None	95% Billing Completion Notices within 5 business days of service order posting in SORD.

C. Miscellaneous Administrative

22. Measurement	
Local Service Center (LSC) Grade Of Service (GOS)	
Definition:	
Percent of calls answered by the Local Service Center (LSC) within 20 seconds.	
Exclusions:	
Excludes Weekends and Holidays.	
Business Rules:	
The clock starts when the customer enters the queue and the clock stops when a SBC representative answers the call. The speed of answer is determined by measuring and accumulating the elapsed time from the entry of a CLEC customer call into the SBC call management system queue until the CLEC customer call is transferred to SBC personnel assigned to handling CLEC calls for assistance. Data is accumulated from 12:00 a.m. on the first calendar day to 11:59 p.m. on the last calendar day of the month for the reporting period. Hours of operation are 8:00 a.m. to 5:30 p.m. Monday through Friday.	
Calculation:	Report Structure:
Total number of calls answered by the LSC within a specified period of time ÷ Total number of calls answered by the LSC	Reported for all calls to the LSC by operational separation
Disaggregations and Benchmarks:	
By SBC LSC	Parity with SBC RSC / BSC

22.1 Measurement:	
Mechanized Customer Production Support Center (MCPSC) Average Speed of Answer	
Definition:	
Average speed of answer for calls answered by the Mechanized Customer Production Support Center (MCPSC) for the SBC region.	
Exclusions:	
<ul style="list-style-type: none"> • Weekends • Holidays • Outside normal business hours 	
Business Rules:	
The clock starts when a call enters the queue and the clock stops when a SBC representative answers the call. The speed of answer is determined by measuring and accumulating the elapsed time from the entry of a CLEC call into the MCPSC call management system queue until the CLEC call is transferred to a SBC personnel assigned to handling CLEC calls for assistance. Data is accumulated from 12:00 a.m. on the first calendar day to 11:59 p.m. on the last calendar day of the month for the reporting period. Normal business hours of operation are 7:00 a.m. to 7:00 p.m. CST. Monday through Friday.	
Calculation:	Report Structure:
Total amount of time between the receipt of a call to the selected regional option for the MCPSC until the call is answered by the SBC representative / Total number of calls answered by the MCPSC.	Reported for all calls to the MCPSC.
Disaggregations and Benchmarks:	
None	Less than 120 seconds. Critical-Z does not apply.

25. Measurement	
Local Operations Center (LOC) Grade Of Service (GOS)	
Definition:	
Percent of calls answered by the Local Operations Center (LOC) within 20 seconds	
Exclusions:	
None	
Business Rules:	
The clock starts when the customer enters the queue and the clock stops when the SBC representative answers the call. The speed of answer is determined by measuring and accumulating the elapsed time from the entry of a CLEC customer call into the SBC call management system queue until the CLEC customer call is transferred to SBC personnel assigned to handling CLEC calls for assistance. Data is accumulated from 12:00 a.m. on the first calendar day to 11:59 p.m. on the last calendar day of the month for the reporting period. The Measure includes calls to the LOC related to provisioning activities, e.g., coordinated conversions, as well as maintenance activities.	
Calculation:	Report Structure:
Total number of calls answered by the LOC 20 seconds ÷ total number of calls answered by the LOC	Reported for all calls to the LOC by operational separation and SBC Retail Repair Bureau (CSB) for maintenance calls by state.
Disaggregations and Benchmarks:	
<ul style="list-style-type: none"> • Maintenance Calls (i.e., calls to 1-800-220-4818) • Provisioning Calls – DSL (i.e., calls to 1-817-212-5900) • Provisioning Calls – All other (i.e., calls to Resale:1-817-212-5598; calls to Interconnection: 1-817-212-5588) <p>(The telephone numbers above are subject to change, but notification will be made via an Accessible Letter.)</p>	<ul style="list-style-type: none"> • Parity with SBC CSB • 90% within 20 seconds (Critical Z does not Apply) • 90% within 20 seconds (Critical Z does not Apply)

D. Provisioning

28. Measurement (PM 28 combined with PM 56, PM 56.1, PM 73, and PM 91)
Percent POTS/UNE-P/Specials/UNES/LNP Loop/LNP Standalone/Interconnection Trunks Installations Completed Within the customer requested due date.
Definition:
<u>POTS/UNE-P/Specials/UNES/LNP Loops/LNP Standalone</u> Measure of orders (circuits for specials) completed within the customer requested due date when that date is greater than or equal to the standard offered interval, (see Due Date Interval Matrix at the end of this document.), or if expedited the date agreed to by SBC.
<u>Interconnection Trunks</u> Percentage of interconnection trunks completed within the customer requested due date, where the requested customer requested due date is greater than or equal to 20 days or if expedited (accepted or not accepted) the date agreed to by SBC.
Exclusions:
<ul style="list-style-type: none"> ● Excludes customer caused misses (e.g., customer not ready, construction not complete). ● Excludes all orders except N, T, and C orders. ● Excludes Weekends and Holidays. ● Excludes circuits requested for less than the standard offered interval unless agreed to by SBC ● NPAC caused delays unless caused by SBC (LNP only)
Business Rules:
<u>POTS/UNE-P</u> The clock starts on the Application Date, which is the day that SBC receives a correct Service Order (EASE) / LSR (LEX or EDI). The clock stops on the Completion Date which is the day that SBC personnel complete the service order activity. Orders are included in the month they are completed. There are 2 types of orders in the measurement. Same Day Due orders (defined as distribution time EQUAL or BEFORE 3:00 p.m. and Application Date = Distribution Date = Due Date. Next Day Due orders (defined as distribution time AFTER 3:00 p.m. and Application Date = Distribution Date and Due Date is one business day after Application Date. If the order is Same Day Due, then (Completion – Application Date), if the order is Next Day Due, then [(Completion – Next Business Day) + 1]. UNE Combinations, are reported at order level. Due dates for Field Work orders are determined by the offered interval on the due date board at the time that the order is distributed, unless an expedite has been accepted by SBC. If the CLEC submits an expedite which is not accepted or the LSR contains an invalid due date, the SBC agreed to due date will be substituted for the customer requested due date and included in this measure. Due dates for No Field Work Orders will be the due date requested on the LSR, except that, for a No Field Work Order submitted after 3:00 p.m. and the due date requested is the same business day, the due date will be the next business day, unless an expedite has been accepted by SBC. SBC will provide a diagnostic measure as to how often due date on FOC changes from

requested. This will be in the form of a monthly report of the percentage of CLEC requested due dates which are confirmed by FOC, reported separately for resale and for UNE-P if technically feasible. (including/disaggregated by both Field Work and No Field Work orders).

Specials

The Application Date is the day that the customer initiated the service request. The Completion Date is the day that SBC personnel complete the service order activity by circuit. For orders requiring negotiated due dates, the negotiated due date will be considered the customer requested due date. This measure is reported at a circuit level.

UNEs/EELS

The Application Date is the day that the customer initiated the service request. The Completion Date is the day that SBC personnel complete the service order activity by circuit. For orders requiring negotiated due dates, the negotiated due date will be considered the customer requested due date. This measure includes expedites agreed to by SBC. This measure is reported at a circuit level.

LNP Loops

The start time is the date of the receipt of an accurate LSR. The Completion Date is the day that SBC personnel complete the service order activity. If the CLEC submits the LSR prior to 3:00 p.m. the CLEC may request a 3 day interval. If the LSR is submitted after 3:00 p.m. the CLEC can request a 4 day interval. The base of items is out of WFA (Work Force Administration) and it is reported at an order level to account for different measurement standards based on the number of circuits per order.

LNP Standalone

Industry guidelines for due dates for LNP are as follows:

- For Offices in which NXXs are previously opened – 3 Business Days.
- New NXX – 5 Business days on LNP capable NXX.

The above-noted due dates are from the date of the FOC receipt.

For partial LNP conversions that require restructuring of customer account:

- 1-30 TNs: Add one additional day to the FOC interval. The LNP due date intervals will continue to be three business days and five business days from the receipt of the FOC depending on whether the NXX has been previously opened or is new.

>30 TNs, including entire NXX: The due dates are negotiated.

Interconnection Trunks

SBC will compare the completion date to the customer desired due date, where the requested customer requested due date is greater than or equal to 20 days or if expedited (accepted or not accepted) the date agreed to by SBC to determine the count of missed installations. The completion date is the date the work is completed and accepted by the CLEC. The measurement is taken for all circuits that complete in the reporting period. Interconnection trunks are selected based on a specific service code off of the circuit ID. Unsolicited FOCs will not be acknowledged in calculating due dates. (i.e., if an unsolicited FOC is received by CLEC, the due date on the first FOC will still be used as the due date.

Calculation:

Report Structure:

<p>POTS/UNE-P/Specials/UNEs - (Count of orders/circuits installed within the requested interval ÷ total number of orders/circuits not subject to exclusions) * 100</p> <p>LNP Loops/LNP Standalone - Count of N, T, C orders installed within customer requested due date ÷ total N, T, C orders excluding those requested earlier than the standard offered interval) * 100</p> <p>Interconnection Trunks - (Count trunk circuits completed within the customer requested due date, where the requested customer requested due date is greater than or equal to 20 days or if expedited (accepted or not accepted) the date agreed to by SBC ÷ total trunk circuits completed) * 100</p>	<p>Reported for CLEC, all CLECs and SBC by state.</p>
---	---

Disaggregations and Benchmarks:

<p><u>POTS</u></p> <ol style="list-style-type: none"> 1. Field Work (FW) <ul style="list-style-type: none"> - Bus Class of Svc - Res Class of Svc 2. No Field Work (NFW) <ul style="list-style-type: none"> - Bus Class of Svc - Res Class of Svc 3. UNE-P -Field Work (FW) 4. UNE -P - No Field Work (NFW) 5. 8.0dB Loops (standalone and loop with LNP) <p><u>Resale Specials/UNE</u></p> <ol style="list-style-type: none"> 6. DS0 (DDS, VGPL, 5 db loops, switch ports) 7. DS1 and above (DS1, DS3, OCn and Dark Fiber) Loops and Transport 8. ISDN & BRI (resale, loops and ports) 	<ol style="list-style-type: none"> 1. Resale POTS parity between Field Work compared to SBC Field Work (N, T, C order types) 2. Resale POTS parity between No Field Work compared to SBC Retail No Field Work (N, T, C order types). 3. UNE-P Parity between Field Work compared to SBC Retail Field Work (N, T, C order types) 4. UNE-P Parity between No Field Work compared to SBC Retail No Field Work. (N, T, C order types). 5. 95% <p>Resale Specials and UNEs</p> <ol style="list-style-type: none"> 6. 95% 7. 95% in five days (Critical Z does not apply) 8. 95% 9. 95%
---	--

<p>9. DSL and Line Splitting</p> <p>10. Line Sharing and IDSL)</p> <p>11. EELS – DSO</p> <p>12. EELS – DS1</p> <p>13. Interconnection trunks</p> <p>14. <u>LNP only:</u> NXXs previously opened and NXX new (1-30 TNs and greater than 30 TNs)</p>	<p>10. 95%</p> <p>11. 90%(5 days), 92% in 6 months, 95% in a year</p> <p>12. 90%(5 days), 92% in 6 months, 95% in a year (Critical Z does not apply)</p> <p>13. 95%</p> <p>14. 96.5%</p>
---	--

30. Measurement (PM 30 Combined with PM 60)	
Percent SBC Missed Due Dates Due To Lack of Facilities	
Definition:	
<p><u>POTS/UNE-P/Specials/8.0 dB Loops</u> Percent N, T, and C orders with missed committed due dates due to lack of facilities.</p> <p><u>UNEs</u> Percentage of UNEs circuits with missed committed due dates due to lack of facilities.</p>	
Exclusions:	
<ul style="list-style-type: none"> • Excludes orders that are not N, T, or C. • Interconnection Trunks. 	
Business Rules:	
<p><u>POTS/UNE-P –</u> The Due Date is the customer requested due date when that date is greater than or equal to the offered interval, or if expedited (accepted or not accepted), the date agreed to by SBC which is the due date reflected on the FOC. The Completion Date is the day that SBC personnel complete the service order activity.</p> <p>UNE-P- are reported at order level. The lack of facilities is selected based on the missed reason code.</p> <p><u>Specials –</u> The Due Date starts the clock. The Completion Date is the day that SBC personnel complete the service order activity, which stops the clock. The source is WFA (Work Force Administration) and is at an item or circuit level. Specials are selected based on a specific service code off of the circuit ID and by selected center names that indicate resale. The lack of facilities is selected based on the missed reason code.</p> <p><u>UNEs/EELS –</u> Any completion date that is greater than the due date with a SBC lack of facilities missed reason code. This measurement is reported at a circuit level for all UNEs with the exception of 8db loops, which are reported at an order level to facilitate comparison with POTS retail.</p>	
Calculation:	Report Structure:
(Count of orders / circuits with missed due dates due to lack of facilities ÷ total field work orders / circuits completed) * 100 (Calculated monthly based on posted orders)	Reported for CLEC, all CLECs and SBC Retail for POTS. By state.
Disaggregations and Benchmarks:	

<ol style="list-style-type: none"> 1. POTS- Field Work (FW) <ul style="list-style-type: none"> - Bus Class of Svc - Res Class of Svc 2. UNE-P -_Field Work (FW) 3. 8.0dB Loops 	<ol style="list-style-type: none"> 1. Resale POTS parity between Field Work compared to SBC Field Work (N, T, C order types) 2. UNE-P Parity between Field Work compared to SBC Field Work (N, T, C order types) 3. Compared to Business Retail POTS and Residence Retail POTS Combined
<p><u>Resale Specials/UNEs:</u></p>	
<ol style="list-style-type: none"> 4. DS0 (DDS, VGPL, switch ports) 	<ol style="list-style-type: none"> 4. 5%
<ol style="list-style-type: none"> 5. DS1 and above (DS1, OCn and Dark Fiber) Loops and Transport 	<ol style="list-style-type: none"> 5. 4% (Critical Z does not apply)
<ol style="list-style-type: none"> 6. ISDN & BRI (resale, loops, and ports) 	<ol style="list-style-type: none"> 6. 5%
<ol style="list-style-type: none"> 7. DSL and Line Splitting 	<ol style="list-style-type: none"> 7. 5%
<ol style="list-style-type: none"> 8. Line Sharing and IDSL 	<ol style="list-style-type: none"> 8. 5%
<ol style="list-style-type: none"> 9. EELS – DS0 	<ol style="list-style-type: none"> 9. 5%
<ol style="list-style-type: none"> 10. EELS – DS1 	<ol style="list-style-type: none"> 10. 8%, 4% in 6 months (Critical Z does not apply)
<p>Note: Comparisons are used for Diagnostic purposes only.</p>	

32. Measurement (PM 32 Combined with PM 62 and PM 74)	
Average Delay Days For SBC Caused Missed Due Dates.	
Definition:	
<u>POTS/UNE-P/Specials</u> Average calendar days from due date to completion date on company missed orders /circuit.	
<u>UNEs/EELS</u> Average calendar days from the customer requested due date when that date is greater than or equal to the offered interval, or if expedited (accepted or not accepted), the date agreed to by SBC which is the due date reflected on the FOC, to completion date on company missed UNEs (8.0 dB loops are measured at an order level).	
<u>Interconnection Trunks</u> Average calendar days from customer requested due date where the date is greater than or equal to 20 days or if expedited (accepted or not) the date agreed to by SBC to completion date on company missed interconnection trunk orders.	
Exclusions:	
<ul style="list-style-type: none"> Excludes orders that are not N, T, or C. <p>For Specials/UNEs/Interconnection Trunks Only:</p> <ul style="list-style-type: none"> Excludes any incremental days attributable to the CLEC after the initial SBC caused delay. Does not exclude No Access attributable to the end user after the initial due date has been missed by SBC. 	
Business Rules:	
<p>Resale POTS and UNE-P - The Due Date is the customer requested due date when that date is greater than or equal to the offered interval, or if expedited (accepted or not accepted), the date agreed to by SBC which is the due date reflected on the FOC. The Completion Date is the day that SBC personnel complete the service order activity. UNE-Ps are reported by the order that completes the service activity POTS and UNE-Ps are reported at an order level.</p> <p>Specials - The calculation is the difference in calendar days between the completion date and the due date. The source is WFA (Work Force Administration) and is reported at a circuit level. Specials are selected based on a specific service code off of the circuit ID.</p> <p>UNEs/EELS - The calculation is the difference in calendar days between the completion date and the FOC due date. The Due Date is the customer requested due date when that date is greater than or equal to the offered interval. If expedited (accepted or not accepted), the Due Date is the date agreed to by SBC, which is the due date reflected on the FOC. The data is reported at a circuit level. UNEs are selected based on a specific service code off of the circuit ID. This measurement is reported at a circuit level for all UNEs with the exception of 8.0 dB loops, which are reported at an order level to facilitate comparison with POTS retail.</p> <p>Interconnection Trunking - The calculation is the difference in calendar days between the completion date (the date the CLEC accepts the circuit) and the customer requested due date where the date is greater than or equal to 20 days or if expedited (accepted or not) the date agreed to by SBC. The data is reported at a circuit level. Interconnection Trunks are selected based on a specific service code off of the circuit ID.</p>	
Calculation:	Report Structure:

$\frac{\Sigma(\text{Completion date} - \text{orders/committed circuits due date})}{\text{total \# of completed orders/posted circuits with a SBC caused missed due date}}$	Reported for CLEC, all CLECs and SBC, by state.
Disaggregations and Benchmarks:	
<p>POTS</p> <p>1. Field Work (FW) - Bus Class of Svc - Res Class of Svc No Field Work (NFW) - Bus Class of Svc - Res Class of Svc</p> <p>2. UNE-P Field Work (FW) No Field Work (NFW)</p> <p>3. 8.0dB Loops – FW 8.0dB Loops - NFW</p> <p><u>Resale Specials/UNEs:</u></p> <p>4. DS0 (DDS, VGPL, 5.0 dB loops, switch ports) 5. DS1 and above (DS1, DS3, OCn, and Dark Fiber) Loops and Transport) 6. ISDN & BRI (resale, loops and ports) 7. DSL and Line Splitting 8. Line Sharing and IDSL 9. EELS – DS0 10. EELS – DS1 11. Interconnection Trunks</p>	<p>1. Resale POTS parity between Field Work compared to SBC Field Work (N, T, C order types) and No Field Work compared to SBC Retail No Field Work (N, T, C order types).</p> <p>2. UNE-P Parity between Field Work compared to SBC Field Work (N, T, C order types) and No Field Work compared to SBC Retail No Field Work. (N, T, C order types).</p> <p>3. Compared to Business Retail POTS and Residence Retail POTS Combined – FW and NFW</p> <p>4. 6 days</p> <p>5. 6 days (Critical Z does not apply)</p> <p>6. 5 days</p> <p>7. 6 days</p> <p>8. 6 days</p> <p>9. 6 days</p> <p>10. 6 days (Critical Z does not apply)</p> <p>11. Parity with SBC Interoffice trunking network</p>

35. Measurement (PM 35 Combined with PM 59 and PM 98)

Percent Trouble Report Within X Days (I-10 / I-30) of Installation

Definition:

Percent of N, T, C orders, (by circuit for specials), that receive an electronic or manual trouble report on or within 10 calendar days for POTS/UNE-P, or 30 calendar days for specials), of service order completion.

Percentage of UNEs that receive a customer trouble report within "X" calendar days, where "x" is 10 calendar days for 8db loops and 30 calendar days for all other UNEs, of service order completion.

Exclusions:

- Excludes subsequent reports. A subsequent report is a repair report that is received while an existing repair report is open on the same number.
- CLEC excludable reports. POTS reports taken on the completion date after the completion of the service order are not excluded unless another exclusion already applies.
- Excludes reports caused by customer provided equipment (CPE) or wiring, Interexchange Carrier/Competitive Access Provider, and Informational.
- Excludes trouble report received on the due date before service order completion.
- Interconnection Trunks
- Loops without test access - BRI
- Orders that are not N, T, or C.
- DSL loops > 12Kf with load coils, repeaters, and/or excessive bridged tap (as indicated on the Loop Qual) for which the CLEC has not authorized conditioning and those load coils, repeaters, and bridged taps that are determined to be the cause of trouble.
- Trouble reports caused by lack of digital test capabilities on 2-wire BRI and IDSL capable loops where acceptance testing is available and not selected by the CLEC.
- UNE DS1 Loop trouble reports where CLEC chooses not to do cooperative testing or acceptance testing between CLEC and SBC due to CLEC reasons on the due date.
- Trouble reports for DSL stand alone loops caused by the lack of loop acceptance testing between CLEC and SBC due to CLEC reasons on the due date.
- CLEC-caused errors.
- NPAC-caused errors unless caused by SBC.
- Stand Alone LNP Orders with more than 500 number activations.

Business Rules:**POTS/UNE-P**

Includes reports received the day after SBC personnel complete the service order through 10 calendar days after completion. The denominator for this measure is the total count of orders posted within the reporting month. (However, the denominator will at a minimum equal the numerator). The numerator is the number of trouble reports received within 10 days of service order completion. These will be reported the month that they are closed. This will include troubles taken on the day of completion found to be as a result of a UNE-P conversion.

Resale specials

A trouble report is counted if it is flagged on WFA (Work Force Administration) as a trouble report that had a service order completion within 30 days. It cannot be a repeat report. The order flagged against must be an addition in order for the trouble report to be counted. Specials are selected based on a specific service code off of the circuit ID. The denominator for this measure is the total count of orders posted within the reporting month. (However, the denominator will at a minimum equal the numerator). The numerator is the number of trouble reports received within 30 days of service order completion and closed within the reporting month.

UNES/EELS

A trouble report is counted if it is received within "X" calendar days, where "X" is 10 calendar days for 8db loops and 30 calendar days for all other UNEs, calendar days of a service order completion. UNEs are selected based on a specific service code off of the circuit ID. This measurement is reported at a circuit level. The denominator for this measure is the total count of circuits posted within the reporting month. (However, the denominator will at a minimum equal the numerator). The numerator is the number of trouble reports received within "X" calendar days where "X" is 10 calendar days for 8db and 5dB loops and 30 calendar days for all other UNEs, calendar days of service order completion that were closed during the reporting month.

Calculation:	Report Structure:
(Count of initial, electronic or manual trouble reports on or within X (where X is 10 days for POTS/UNE-P and 8dB loops, UNE-P, and 30 days for Resale Specials) calendar days of service order completion ÷ total # of orders/total circuits) * 100	Reported for POTS Resale by CLEC, total CLECs and SBC, by state.
Disaggregations and Benchmarks:	
1. POTS N& T orders C Orders Field Work (FW) No Field Work (NFW) Business class of service Residence class of service 2. UNE-P New/Move Orders Change/conversion Orders Field Work (FW) No Field Work (NFW)	1. Resale POTS parity between Field Work compared to SBC Field Work (N, T, and C order types) and No Field Work compared to SBC Retail No Field Work (N, T, and C order types). 2. UNE-P Parity between Field Work New and Move orders compared to SBC Field Work New and Move orders. Parity between Field Work Change and Conversion orders compared to SBC Field Work Change orders. Parity between No Field Work New and Move orders compared to SBC Retail No Field Work New and Move orders. Parity between No Field Work Change and

<p>3. 8.0dB Loop</p>	<p>Conversion orders compared to SBC Retail No Field Work Change orders.</p> <p>3. Compared to Retail POTS Business and Retail POTS Residence combined</p>
<p><u>Specials Resale/UNE</u></p>	
<p>4. DS0 (DDS, VGPL, 5 db Loops, & switch ports)</p>	<p>4. 5%</p>
<p>5. DS1 and above (DS1,DS3, OCn and Dark Fiber) Loops and Transport</p>	<p>5. 4% (Critical Z does not apply)</p>
<p>6. ISDN & BRI (resale, loops and ports)</p>	<p>6. 5%</p>
<p>7. DSL and Line Splitting</p>	<p>7. 5%</p>
<p>8. Line Sharing and IDSL</p>	<p>8. 5%</p>
<p>9. EELS – DS0</p>	<p>9. 8%, 5% in 6 months</p>
<p>10. EELS – DS1</p>	<p>10. 8%, 5% in 6 months (Critical Z does not apply)</p>

101. Measurement:	
Percent Out of Service < 60 minutes	
Definition:	
The Number of LNP related conversions where the time required to facilitate the activation of the port in SBC's network is less than 60, expressed as a percentage of total number of activations that took place.	
Exclusions:	
<ul style="list-style-type: none"> • CLEC-caused errors. • NPAC-caused errors unless caused by SBC. • Stand Alone LNP Orders with more than 500 number activations. 	
Business Rules:	
The Start time is the receipt of the NPAC broadcast activation message in SBC's LSMS. The End time is when the Provisioning event is successfully completed in SBC's network as reflected in SBC's LSMS. Count the number of activations that took place in less than 60 minutes.	
Levels of Disaggregation:	
<ul style="list-style-type: none"> • None 	
Calculation:	Report Structure:
(Number of activations provisioned in less than 60minutes) ÷ (total LNP activations) * 100.	Reported by CLEC and all CLECs by state.
Disaggregations and Benchmarks:	
None	96.5% Critical z-value does not apply