

RECEIVED

RULES GOVERNING RENDERING OF
SEWER SERVICE

MAR 10 1998

Rule 1 DEFINITIONS (continued)

MO. PUBLIC SERVICE COMM

- (i) "NON-DOMESTIC SEWAGE" is all sewage other than domestic sewage including, but not limited to, commercial or industrial wastes. (See Rule 6 pertaining to Improper Waste and Excessive Use.)
- (j) "pH" is the relative degree of acidity or alkalinity of water as indicated by the hydrogen ion concentration. pH is indicated on a scale reading from 1-14, with 7 being neutral, below 7 acid, and above 7 alkaline; more technically defined as the logarithm of the reciprocal of the hydrogen ion concentration.
- (k) "REPAIRABLE PARTS" consist of one motor, one pump, one liquid level control, one heater, if applicable, one pressure release valve, two check valves, one gate valve, and one alarm system.
- (l) "SEPTIC TANK" is the tank which receives the wastewater from the living unit constructed of concrete or other permanent material approved by the Company.
- (m) A "SERVICE CONNECTION" is the connection of a service sewer to the Company collecting sewer either at the bell of a "Y" branch or the bell of a saddle placed on the barrel of the collecting sewer, and that portion of the pipe to the customer's property line.
- (n) A "SERVICE SEWER" is a pipe with appurtenances installed, owned and maintained by the customer, used to conduct sewage from the customer's premises to the property line, excluding service wyes or saddles.
- (o) "SUSPENDED SOLIDS" are the concentration of insoluble materials suspended or dispersed waste expressed in milligrams per liter on a dry weight basis as determined by standard procedures.
- (p) "TERMINATION OF SERVICE" is the cessation of the use of service by the customer as verified and recognized in writing by the Company.
- (q) The word "UNIT" shall be used herein to define the standard user or property served and shall include mobile homes or any building, residential, commercial, or industrial, owned or leased and each unit of any multi-unit structure.

Exh. 327

DATE OF ISSUE March 6, 1998

DATE EFFECTIVE

APR 11 1998

ISSUED BY: Gregory D. Williams, President, Highway 54 South, Osage Beach, Missouri

APR 11 1998
97-110

MO. PUBLIC SERVICE COMM

P.S.C.MO. No. 1

Original Sheet No. 11

Osage Water Company

For Sewer Service in All Service Areas

Name of Issuing Corporation

RECEIVED

RULES GOVERNING RENDERING OF

SEWER SERVICE

MAR 10 1998

SCHEDULE OF SERVICE CHARGES

MO. PUBLIC SERVICE COMM

Construction inspection charge per connection where connection is made by Customer..... \$100.00

New Service Connection by Company (includes inspection & shutoff) Backhoe charges additional as necessary..... \$150.00 + backhoe time

Disconnect and reconnect charge - installation of shutoff by backhoe required \$400.00

Disconnect and reconnect charge - water meter or sewer shutoff available, less than 6 days notice \$50.00

Disconnect or reconnect at customer's request - water meter or sewer shutoff available, 6 days notice N/C

Returned check charge..... \$15.00

Past Due Notice (Residential)..... \$6.50/notice

Over Due Commercial Bills (more than 30 days).....\$1.5%/month

FILED

APR 11 1998

97-110

MO. PUBLIC SERVICE COMM

DATE OF ISSUE March 6, 1998

DATE EFFECTIVE APR 11 1998

ISSUED BY: Gregory D. Williams, President, Highway 54 South, Osage Beach, Missouri

RECEIVED

RULES GOVERNING RENDERING OF
SEWER SERVICE

MAR 10 1998

Rule 1 DEFINITIONS (continued)

MO. PUBLIC SERVICE COMM

- (i) "NON-DOMESTIC SEWAGE" is all sewage other than domestic sewage including, but not limited to, commercial or industrial wastes. (See Rule 6 pertaining to Improper Waste and Excessive Use.)
- (j) "pH" is the relative degree of acidity or alkalinity of water as indicated by the hydrogen ion concentration. pH is indicated on a scale reading from 1-14, with 7 being neutral, below 7 acid, and above 7 alkaline; more technically defined as the logarithm of the reciprocal of the hydrogen ion concentration.
- (k) "REPAIRABLE PARTS" consist of one motor, one pump, one liquid level control, one heater, if applicable, one pressure release valve, two check valves, one gate valve, and one alarm system.
- (l) "SEPTIC TANK" is the tank which receives the wastewater from the living unit constructed of concrete or other permanent material approved by the Company.
- (m) A "SERVICE CONNECTION" is the connection of a service sewer to the Company collecting sewer either at the bell of a "Y" branch or the bell of a saddle placed on the barrel of the collecting sewer, and that portion of the pipe to the customer's property line.
- (n) A "SERVICE SEWER" is a pipe with appurtenances installed, owned and maintained by the customer, used to conduct sewage from the customer's premises to the property line, excluding service wyes or saddles.
- (o) "SUSPENDED SOLIDS" are the concentration of insoluble materials suspended or dispersed waste expressed in milligrams per liter on a dry weight basis as determined by standard procedures.
- (p) "TERMINATION OF SERVICE" is the cessation of the use of service by the customer as verified and recognized in writing by the Company.
- (q) The word "UNIT" shall be used herein to define the standard user or property served and shall include mobile homes or any building, residential, commercial, or industrial, owned or leased and each unit of any multi-unit structure.

DATE OF ISSUE March 6, 1998

DATE EFFECTIVE APR 11 1998

ISSUED BY: Gregory D. Williams, President, Highway 54 South, Osage Beach, Missouri

APR 11 1998
97-110

MO. PUBLIC SERVICE COMM