

APPENDIX ITR (Interconnection Trunking Requirements)

TABLE OF CONTENTS

INTRODUCTION.....	1
DEFINITIONS	2
ONE-WAY AND TWO-WAY TRUNK GROUPS.....	3
TANDEM TRUNKING AND DIRECT END OFFICE TRUNKING	4
TRUNK GROUPS.....	5
TRUNK FORECASTING RESPONSIBILITIES: <u>AT&T-13STATE</u>	6
TRUNK DESIGN BLOCKING CRITERIA: <u>AT&T-13STATE</u>	7
TRUNK SERVICING: <u>AT&T-13STATE</u>	8
TRUNK DATA EXCHANGE: <u>AT&T-13STATE</u>	9
NETWORK MANAGEMENT: <u>AT&T-13STATE</u>	10
OUT OF EXCHANGE TRAFFIC.....	11
EXISTING LOCAL AND INTRALATA TOLL SERVICE TO BUSINESS USERS WITH PBX OVER FEATURE GROUP B AND/OR D TRUNK GROUPS	12
SWITCHED ACCESS TRAFFIC.....	13

APPENDIX ITR (Interconnection Trunking Requirements)

1. INTRODUCTION

- 1.1 This Appendix sets forth terms and conditions for Interconnection provided by the applicable AT&T Inc. (AT&T) owned Incumbent Local Exchange Carrier (ILEC) and Competitive Local Exchange Carrier (CLEC).
- 1.2 This Appendix provides descriptions of the trunking requirements between CLEC and AT&T-13STATE. Any references to incoming and outgoing trunk groups are from the perspective of CLEC. The paragraphs below describe the required and optional trunk groups for Section 251(b)(5) Traffic, ISP-Bound Traffic, IntraLATA Toll Traffic, InterLATA "Meet Point" Traffic, Mass Calling, E911, Operator Services and Directory Assistance traffic.
- 1.3 Local Only and Local Interconnection Trunk Groups may only be used to transport traffic between the Parties' End Users.
- 1.4 **AT&T Inc. (AT&T)** means the holding company which directly or indirectly owns the following ILECs: Illinois Bell Telephone Company d/b/a AT&T Illinois, Indiana Bell Telephone Company Incorporated d/b/a AT&T Indiana, Michigan Bell Telephone Company d/b/a AT&T Michigan, Nevada Bell Telephone Company d/b/a AT&T Nevada, The Ohio Bell Telephone Company d/b/a AT&T Ohio, Pacific Bell Telephone Company d/b/a AT&T California, The Southern New England Telephone Company d/b/a AT&T Connecticut, Southwestern Bell Telephone Company d/b/a AT&T Arkansas, AT&T Kansas, AT&T Missouri, AT&T Oklahoma and/or AT&T Texas and/or Wisconsin Bell, Inc. d/b/a AT&T Wisconsin.
- 1.5 AT&T-2STATE - As used herein, AT&T-2STATE means AT&T CALIFORNIA and AT&T NEVADA, the applicable AT&T-owned ILEC(s) doing business in California and Nevada.
- 1.6 AT&T-4STATE - As used herein, AT&T-4STATE means Southwestern Bell Telephone Company d/b/a AT&T Arkansas, AT&T Kansas, AT&T Missouri, and AT&T Oklahoma the applicable AT&T-owned ILEC(s) doing business in Arkansas, Kansas, Missouri and Oklahoma.
- 1.7 AT&T-7STATE - As used herein, AT&T-7STATE means AT&T SOUTHWEST REGION 5-STATE, AT&T CALIFORNIA and AT&T NEVADA, the applicable AT&T-owned ILEC(s) doing business in Arkansas, California, Kansas, Missouri, Nevada, Oklahoma and Texas.
- 1.8 AT&T-8STATE - As used herein, AT&T-8STATE means AT&T SOUTHWEST REGION 5-STATE, AT&T CALIFORNIA, AT&T NEVADA and AT&T CONNECTICUT the applicable AT&T-owned ILEC(s) doing business in Arkansas, California, Connecticut, Kansas, Missouri, Nevada, Oklahoma and Texas.
- 1.9 AT&T-10STATE - As used herein, AT&T-10STATE means AT&T SOUTHWEST REGION 5-STATE and AT&T MIDWEST REGION 5-STATE an the applicable AT&T-owned ILEC(s) doing business in Arkansas, Illinois, Indiana, Kansas, Michigan, Missouri, Ohio, Oklahoma, Texas and Wisconsin.
- 1.10 AT&T-12STATE - As used herein, AT&T-12STATE means AT&T SOUTHWEST REGION 5-STATE, AT&T MIDWEST REGION 5-STATE and AT&T-2STATE the applicable AT&T-owned ILEC(s) doing business in Arkansas, California, Illinois, Indiana, Kansas, Michigan, Missouri, Nevada, Ohio, Oklahoma, Texas and Wisconsin.
- 1.11 AT&T-13STATE - As used herein, AT&T-13STATE means AT&T SOUTHWEST REGION 5-STATE, AT&T MIDWEST REGION 5-STATE, AT&T-2STATE and AT&T CONNECTICUT the applicable AT&T-owned ILEC(s) doing business in Arkansas, California, Connecticut, Illinois, Indiana, Kansas, Michigan, Missouri, Nevada, Ohio, Oklahoma, Texas and Wisconsin.
- 1.12 AT&T ARKANSAS - As used herein, AT&T ARKANSAS means Southwestern Bell Telephone Company d/b/a AT&T Arkansas, the applicable AT&T-owned ILEC doing business in Arkansas.

- 1.13 AT&T CALIFORNIA - As used herein, AT&T CALIFORNIA means Pacific Bell Telephone Company d/b/a AT&T California, the applicable AT&T-owned ILEC doing business in California.
- 1.14 AT&T CONNECTICUT - As used herein, AT&T CONNECTICUT means The Southern New England Telephone Company, the applicable above listed ILEC doing business in Connecticut.
- 1.15 AT&T KANSAS - As used herein, AT&T KANSAS means Southwestern Bell Telephone Company d/b/a AT&T Kansas, the applicable AT&T-owned ILEC doing business in Kansas.
- 1.16 AT&T ILLINOIS - As used herein, AT&T ILLINOIS means Illinois Bell Telephone Company d/b/a AT&T Illinois, the applicable AT&T-owned ILEC doing business in Illinois.
- 1.17 AT&T INDIANA - As used herein, AT&T INDIANA means Indiana Bell Telephone Company Incorporated d/b/a AT&T Indiana, the applicable AT&T-owned ILEC doing business in Indiana.
- 1.18 AT&T MICHIGAN - As used herein, AT&T MICHIGAN means Michigan Bell Telephone Company d/b/a AT&T Michigan, the applicable AT&T-owned ILEC doing business in Michigan.
- 1.19 AT&T MIDWEST REGION 5-STATE - As used herein, AT&T MIDWEST REGION 5-STATE means Illinois Bell Telephone Company d/b/a AT&T Illinois, Indiana Bell Telephone Company Incorporated d/b/a AT&T Indiana, Michigan Bell Telephone Company d/b/a AT&T Michigan, The Ohio Bell Telephone Company d/b/a AT&T Ohio, and/or Wisconsin Bell, Inc. d/b/a AT&T Wisconsin, the applicable AT&T-owned ILEC(s) doing business in Illinois, Indiana, Michigan, Ohio and Wisconsin.
- 1.20 AT&T MISSOURI - As used herein, AT&T MISSOURI means Southwestern Bell Telephone Company d/b/a AT&T Missouri, the applicable AT&T-owned ILEC doing business in Missouri.
- 1.21 AT&T NEVADA - As used herein, AT&T NEVADA means Nevada Bell Telephone Company d/b/a AT&T Nevada, the applicable AT&T-owned ILEC doing business in Nevada.
- 1.22 AT&T OHIO - As used herein, AT&T OHIO means The Ohio Bell Telephone Company d/b/a AT&T Ohio, the applicable AT&T-owned ILEC doing business in Ohio.
- 1.23 AT&T OKLAHOMA - As used herein, AT&T OKLAHOMA means Southwestern Bell Telephone Company d/b/a AT&T Oklahoma, the applicable AT&T-owned ILEC doing business in Oklahoma.
- 1.24 AT&T SOUTHWEST REGION 5-STATE - As used herein, AT&T SOUTHWEST REGION 5-STATE means Southwestern Bell Telephone Company d/b/a AT&T Arkansas, AT&T Kansas, AT&T Missouri, AT&T Oklahoma and/or AT&T Texas the applicable above listed ILEC(s) doing business in Arkansas, Kansas, Missouri, Oklahoma and Texas.
- 1.25 AT&T TEXAS - As used herein, AT&T TEXAS means Southwestern Bell Telephone Company d/b/a AT&T Texas, the applicable AT&T-owned ILEC doing business in Texas.
- 1.26 AT&T WISCONSIN - As used herein, AT&T WISCONSIN means Wisconsin Bell, Inc. d/b/a AT&T Wisconsin, the applicable AT&T-owned ILEC doing business in Wisconsin.

2. DEFINITIONS

- 2.1 "Access Tandem Switch" is defined as a switching machine within the public switched telecommunications network that is used to connect and switch trunk circuits between and among End Office Switches for IXC (Inter-exchange Carrier) carried traffic and IntraLATA Toll Traffic in the AT&T SOUTHWEST REGION 5-STATE as well as switching Section 251(b)(5) Traffic and ISP-Bound Traffic in AT&T-2STATE, AT&T MIDWEST REGION 5-STATE and AT&T CONNECTICUT.
- 2.2 "End Office" or "End Office Switch" is a switching machine that directly terminates traffic to and receives traffic from end users purchasing local exchange services. A PBX is not considered an End Office Switch.
- 2.3 "IntraLATA Toll Traffic" or "IntraLATA Toll" is defined as traffic between one AT&T-13STATE local calling area and the local calling area of another AT&T-13STATE or ILEC within one LATA within the respective state.

- 2.4 "IntraLATA Toll Trunk Group" is defined as a trunk group carrying IntraLATA Toll Traffic as defined above.
- 2.5 "ISP-Bound Traffic" is as defined in Attachment: Inter-carrier Compensation.
- 2.6 "Local Interconnection Trunk Groups" are two-way trunk groups used to carry Section 251(b)(5)/IntraLATA Toll Traffic between CLEC End Users and AT&T-12STATE End Users. In AT&T CONNECTICUT these trunk groups will carry the same type of traffic, but they will be established and used as one-way.
- 2.7 "Local/IntraLATA Tandem Switch" is defined as a switching machine within the public switched telecommunications network that is used to connect and switch trunk circuits between and among subtending End Office Switches for Section 251(b)(5)/IntraLATA Toll Traffic.
- 2.8 "Local Only Tandem Switch" is defined as a switching machine within the public switched telecommunications network that is used to connect and switch trunk circuits between and among other End Office Switches for Section 251(b)(5) and ISP-Bound Traffic.
- 2.9 "Local Only Trunk Groups" are two-way trunk groups used to carry Section 251(b)(5) and ISP-Bound Traffic only.
- 2.10 "Local Tandem" refers to any Local Only, Local/IntraLATA, Local/Access or Access Tandem Switch serving a particular local calling area.
- 2.11 "Meet Point Trunk Group" carries traffic between CLEC's End Users and Interexchange Carriers (IXCs) via AT&T-13STATE Access or Local/Access Tandem Switches.
- 2.12 "Offers Service" is defined as when CLEC opens an NPA-NXX, ports a number to serve an End User or pools a block of numbers to serve End Users.
- 2.13 "Section 251(b)(5) Traffic" is as defined in Attachment: Inter-carrier Compensation.
- 2.14 "Section 251(b)(5)/IntraLATA Toll Traffic" shall mean for purposes of this Attachment, (i) Section 251(b)(5) Traffic, (ii) ISP-Bound Traffic, (iii) IntraLATA Toll traffic originating from an End User obtaining local dialtone from CLEC where CLEC is both the Section 251(b)(5) Traffic and IntraLATA Toll provider, and/or (iv) IntraLATA Toll traffic originating from an End User obtaining local dialtone from AT&T-13STATE where AT&T-13STATE is both the Section 251(b)(5) Traffic and IntraLATA Toll provider.

3. ONE-WAY AND TWO-WAY TRUNK GROUPS

- 3.1 CLEC shall issue Access Service Requests (ASRs) for two-way Local Only Trunk Groups, Local Interconnection Trunk Groups and Meet Point Trunk Groups. CLEC shall issue ASRs for one-way trunk groups originating at CLEC's switch. AT&T-13STATE shall issue ASRs for one-way trunk groups originating at the AT&T-13STATE switch.
- 3.2 Trunk groups for ancillary services (e.g. OS/DA, BLVI, High Volume Call In, and E911) and Meet Point Trunk Groups can be established between CLEC's switch and the appropriate AT&T-13STATE Tandem Switch as further provided in this Appendix ITR.
- 3.3 Two-way Local Interconnection Trunk Groups can be established between CLEC's switch and an AT&T-12STATE Local Tandem or End Office Switch. Two-way Local Only Trunk Groups can be established between CLEC's switch and an AT&T-12STATE Local Tandem. These trunk groups will utilize Signaling System 7 (SS7) or multi-frequency (MF) signaling protocol, with SS7 signaling preferred whenever possible.
- 3.4 Local Interconnection Trunk Groups in AT&T CONNECTICUT must be ordered and provisioned as one-way to accommodate billing and technical limitations.
- 3.5 AT&T-13STATE acknowledges that CLEC has an embedded base of one-way trunks ordered and installed prior to the Effective Date of this Agreement that exists for termination of CLEC's Section 251(b)(5)/IntraLATA Toll Traffic to AT&T-13STATE ("Embedded Base"). CLEC shall only augment Trunk Groups in the Embedded Base with the mutual agreement of both parties. CLEC shall not order any new

one-way trunk groups following the Effective Date of this Agreement. Moreover, the Parties agree that the Embedded Base will be converted to two-way trunk groups upon the following:

(i) With reasonable notification from AT&T-13STATE, and upon AT&T-13STATE's request, CLEC shall convert all of its Embedded Base to two-way trunks.

(ii) At any time an Embedded Base trunk group (either originating or terminating) requires augmentation, the ILEC can require the associated originating and terminating trunks to be converted to a single two-way trunk group.

(iii) In regard to any network changes performed on a project basis (i.e. central office conversions, tandem re-homes, etc.) and as required by AT&T-13STATE, but only upon notice from AT&T-13STATE, CLEC will convert all of its Embedded Base affected by the project within the intervals and due dates required by the project parameters.

In addition to the foregoing, CLEC may choose, at any time, to convert its Embedded Base to two-way trunk groups.

The Parties will coordinate any such migration, trunk group prioritization, and implementation schedule. AT&T-12STATE agrees to develop a cutover plan within thirty (30) days of notification to CLEC of the need to convert pursuant to (i) and (iii) above.

4. TANDEM TRUNKING AND DIRECT END OFFICE TRUNKING

- 4.1 AT&T-13STATE deploys in its network Local Only Tandem Switches (AT&T SOUTHWEST REGION 5-STATE and AT&T MIDWEST REGION 5-STATE), Local/IntraLATA Tandem Switches (AT&T SOUTHWEST REGION 5-STATE) Local/Access Tandem Switches and Access Tandem Switches. In addition AT&T-13STATE deploys Tandems that switch ancillary traffic such as E911 (E911 Tandem or E911 Selective Routing Tandem), Operator Services/ Directory Assistance (OS/DA Tandem), and Mass Calling (choke Tandem).
- 4.2 CLEC shall establish Local Only or Local Interconnection Trunk Groups to all Local Tandems in the LATA in which CLEC Offers Service in AT&T CONNECTICUT, AT&T MIDWEST REGION 5-STATE, and AT&T-2STATE. If CLEC Offers Service in a LATA in which there is no AT&T Local Tandem, CLEC shall establish Local Interconnection Trunk Groups to each AT&T-13STATE End Office Switch in that LATA in which it Offers Service. CLEC shall establish Local Only or Local Interconnection Trunk Groups to all Local Tandems in the local exchange area in which CLEC Offers Service in AT&T SOUTHWEST REGION 5-STATE. If there are no Local Tandems in the local exchange area in which CLEC Offers Service in the AT&T SOUTHWEST REGION 5-STATE, CLEC shall establish a Local Interconnection Trunk Group to each AT&T-13STATE End Office Switch in that local exchange area in which CLEC Offers Service. CLEC shall route appropriate traffic (i.e. only traffic to End Offices that subtend that Local Tandem) to the respective AT&T-13STATE Local Tandem on the trunk groups defined below. AT&T-13STATE shall route appropriate traffic to CLEC switches on the trunk groups defined below.
- 4.3 Direct End Office Trunk Group(s) (DEOTs) transport Section 251(b)(5)/IntraLATA Toll Traffic between CLEC's switch and an AT&T-13STATE End Office and are not switched at a Local Tandem location. CLEC shall establish a two-way Direct End Office Trunk Group (one-way in AT&T CONNECTICUT) when actual or projected End Office Section 251(b)(5)/IntraLATA Toll Traffic requires twenty-four (24) or more trunks. Once provisioned, traffic from CLEC to AT&T-13STATE must be redirected to route first to the DEOT with overflow traffic alternate routed to the appropriate AT&T-13STATE Local Tandem. If an AT&T-13STATE End Office does not subtend an AT&T-13STATE Local Tandem, a direct final Direct End Office Trunk Group will be established by CLEC, and there will be no overflow of Section 251(b)(5)/IntraLATA Toll Traffic.
- 4.4 All traffic received by AT&T-13STATE on the DEOT from CLEC must terminate in the End Office, i.e. no Tandem switching will be performed in the End Office. Where End Office functionality is provided in a Remote End Office Switch of a host/remote configuration, CLEC shall establish the DEOT at the host

switch. The number of digits to be received by the AT&T-13STATE End Office shall be mutually agreed upon by the Parties. This trunk group shall be two-way (one-way in AT&T CONNECTICUT).

4.5 Trunk Configuration

4.5.1 Trunk Configuration – AT&T SOUTHWEST REGION 5-STATE, AT&T MIDWEST REGION 5-STATE and AT&T CONNECTICUT

4.5.1.1 Where available and upon the request of the other Party, each Party shall cooperate to ensure that its trunk groups are configured utilizing the Bipolar 8 Zero Substitution Extended Super Frame (B8ZS ESF) protocol for 64 kbps Clear Channel Capability (64CCC) transmission to allow for ISDN interoperability between the Parties' respective networks. Trunk groups configured for 64CCC and carrying Circuit Switched Data (CSD) ISDN calls shall carry the appropriate Trunk Type Modifier in the CLCI-Message code. Trunk groups configured for 64CCC and not used to carry CSD ISDN calls shall carry a different appropriate Trunk Type Modifier in the CLCI-Message code.

4.5.1.2 Any AT&T-13STATE switch incapable of handling 64CCC traffic will require that Local Interconnection Trunk Groups be established at those switches using Alternate Mark Inversion (AMI).

4.5.2 Trunk Configuration – AT&T-2STATE

4.5.2.1 When Interconnecting at AT&T-2STATE's digital End Offices, the Parties have a preference for use of Bipolar 8 Zero Substitution Extended Super Frame (B8ZS ESF) two-way trunks for all traffic between their networks. Where available, such trunk equipment will be used for Local Interconnection Trunk Groups. Where AMI trunks are used, either Party may request upgrade to B8ZS ESF when such equipment is available.

4.5.2.2 When interconnecting at AT&T CALIFORNIA's DMS Access Tandem(s), 64CCC data and voice traffic may be combined on the same two-way Local Interconnection Trunk Group. 64 CCC data and voice traffic must be on separate two-way Local Interconnection Trunk Groups and not combined at AT&T CALIFORNIA's 4E Access Tandems.

5. TRUNK GROUPS

5.1 When CLEC Offers Service in a Local Exchange Area or LATA, the following trunk groups shall be used to exchange various types of traffic between CLEC End Users and AT&T-13STATE End Users.

5.2 Local Only and Local Interconnection Trunk Group(s) in each Local Exchange Area: AT&T SOUTHWEST REGION 5-STATE.

5.2.1 A two-way Local Only Trunk Group shall be established between CLEC's switch and each AT&T SOUTHWEST REGION 5-STATE Local Only Tandem Switch in the local exchange area. Inter-Tandem switching is not provided.

5.2.2 A two-way Local Interconnection Trunk Group shall be established between CLEC switch and each AT&T SOUTHWEST REGION 5-STATE Local/IntraLATA Tandem Switch and each Local/Access Tandem Switch in the local exchange area. Inter-Tandem switching is not provided.

5.2.3 AT&T SOUTHWEST REGION 5-STATE reserves the right to initiate a one-way IntraLATA Trunk Group to CLEC in order to provide Tandem relief when a community of interest is outside the local exchange area in which CLEC is interconnected.

5.2.4 Where traffic from CLEC switch to an AT&T SOUTHWEST REGION 5-STATE End Office is sufficient (24 or more trunks), a Local Interconnection Trunk Group shall also be established to the AT&T SOUTHWEST REGION 5-STATE End Office.

5.2.5 A Local Interconnection Trunk Group shall be established from CLEC switch to each AT&T SOUTHWEST REGION 5-STATE End Office in a local exchange area that has no Local Tandem. This trunk group shall be established as a direct final.

- 5.2.6 When AT&T SOUTHWEST REGION 5-STATE has a separate Local Only Tandem Switch(es) in the local exchange area, and a separate Access Tandem Switch that serves the same local exchange area, a two-way IntraLATA Toll Trunk Group shall be established to the AT&T SOUTHWEST REGION 5-STATE Access Tandem Switch. In addition a two-way Local Only Trunk Group(s) shall be established from CLEC's switch to each AT&T SOUTHWEST REGION 5-STATE Local Only Tandem Switch.
- 5.2.7 Each Party shall deliver to the other Party over the Local Only and/or Local Interconnection Trunk Group(s) only such traffic that originates and terminates in the same local exchange area.
- 5.3 Local Only and/or Local Interconnection Trunk Group(s) in Each LATA: AT&T MIDWEST REGION 5-STATE, AT&T CONNECTICUT, AT&T-2STATE
- 5.3.1 Tandem Trunking – AT&T-2STATE and AT&T MIDWEST REGION 5-STATE
- 5.3.1.1 In AT&T-2STATE and AT&T MIDWEST REGION 5-STATE:
- 5.3.1.1.1 Section 251(b)(5) and ISP Bound Traffic shall be routed on Local Only Trunk Groups established at all AT&T Local Only Tandems in the LATA for calls destined to or from all AT&T MIDWEST REGION 5-STATE End Offices that subtend the designated tandem. These trunk groups shall be two-way and will utilize Signaling System (SS7) signaling.
- 5.3.1.1.2 Section 251(b)(5)/IntraLATA Toll Traffic shall be routed on Local Interconnection Trunk Groups established at all AT&T Local/IntraLATA, Local/Access, or Access Tandem Switch(es) (AT&T-2STATE only) in the LATA for calls destined to or from all AT&T-2STATE and AT&T MIDWEST REGION 5-STATE End Offices that subtend the designated tandems. These trunk groups shall be two-way and will utilize Signaling System (SS7) signaling.
- 5.3.2 Tandem Trunking – AT&T CONNECTICUT
- 5.3.2.1 In AT&T CONNECTICUT, Section 251(b)(5)/IntraLATA Toll Traffic shall be routed on Local Interconnection Trunk Groups established at all AT&T Local Tandems in the LATA for calls destined to or from all AT&T CONNECTICUT End Offices that subtend the designated tandem. These trunk groups shall be one-way and will utilize Signaling System 7 (SS7) signaling.
- 5.3.3 Direct End Office Trunking
- 5.3.3.1 The Parties shall establish Direct End Office Trunk Groups for the exchange of Section 251(b)(5)/IntraLATA Toll Traffic where actual or projected traffic demand is or will be twenty-four (24) or more trunks.
- 5.4 Meet Point Trunk Group: AT&T-13STATE
- 5.4.1 IXC carried traffic shall be transported between CLEC's switch and the AT&T-13STATE Access Tandem Switch or Local/Access Tandem Switch over a Meet Point Trunk Group separate from Section 251(b)(5)/IntraLATA Toll Traffic. The Meet Point Trunk Group will be established for the transmission and routing of exchange access traffic between CLEC's End Users and IXCs via an AT&T-13STATE Access Tandem Switch or Local/Access Tandem Switch.
- 5.4.2 Meet Point Trunk Groups shall be provisioned as two-way and will utilize SS7 signaling, except multifrequency ("MF") signaling will be used on a separate Meet Point Trunk Group to complete originating calls to switched access customers that use MF FGD signaling protocol.
- 5.4.3 When AT&T-13STATE has more than one Access or Local/Access Tandem Switch in a local exchange area or LATA, CLEC shall establish a Meet Point Trunk Group to every AT&T-13STATE Access or Local/Access Tandem Switch where CLEC has homed its NXX code(s).

- 5.4.4 AT&T-13STATE will not block switched access customer traffic delivered to any AT&T-13STATE Access Tandem Switch or Local/Access Tandem Switch for completion on CLEC's network. The Parties understand and agree that Meet Point trunking arrangements are available and functional only to/from switched access customers who directly connect with any AT&T-13STATE Access Tandem Switch or Local/Access Tandem Switch that CLEC's switch subtends in each LATA. In no event will AT&T-13STATE be required to route such traffic through more than one of its tandem switches for connection to/from switched access customers. AT&T-13STATE shall have no responsibility to ensure that any switched access customer will accept traffic that CLEC directs to the switched access customer.
- 5.4.5 CLEC shall provide all SS7 signaling information including, without limitation, charge number and originating line information ("OLI"). For terminating FGD, AT&T-13STATE will pass all SS7 signaling information including, without limitation, CPN if it receives CPN from FGD carriers. All privacy indicators will be honored. Where available, network signaling information such as transit network selection ("TNS") parameter, carrier identification codes ("CIC") (CCS platform) and CIC/OZZ information (non-SS7 environment) will be provided by CLEC wherever such information is needed for call routing or billing. The Parties will follow all OBF adopted standards pertaining to TNS and CIC/OZZ codes.
- 5.5 800/(8YY) Traffic: AT&T-13STATE
- 5.5.1 If CLEC chooses AT&T-13STATE to handle 800/(8YY) database queries from its switches, all CLEC originating 800/(8YY) traffic will be routed over the Meet Point Trunk Group. This traffic will include a combination of both Interexchange Carrier (IXC) 800/(8YY) service and CLEC 800/(8YY) service that will be identified and segregated by carrier through the database query handled through the AT&T-13STATE Access or Local/Access Tandem Switch.
- 5.5.2 All originating Toll Free Service 800/(8YY) calls for which CLEC requests that AT&T-13STATE perform the Service Switching Point ("SSP") function (e.g. perform the database query) shall be delivered using GR-394 format over the Meet Point Trunk Group. Carrier Code "0110" and Circuit Code (to be determined for each LATA) shall be used for all such calls.
- 5.5.3 CLEC may handle its own 800/(8YY) database queries from its switch. If so, CLEC will determine the nature (local/intraLATA/interLATA) of the 800/(8YY) call based on the response from the database. If the query determines that the call is a local or IntraLATA 800/(8YY) number, CLEC will route the post-query local or IntraLATA converted ten-digit local number to AT&T-13STATE over the Local Interconnection Trunk Group. In such case, CLEC is to provide an 800/(8YY) billing record when appropriate. If the query reveals the call is an InterLATA 800/(8YY) number, CLEC will route the post-query inter-LATA call (800/(8YY) number) directly from its switch for carriers interconnected with its network or over the Meet Point Trunk Group to carriers not directly connected to its network but are connected to AT&T-13STATE's Access or Local/Access Tandem Switch. Calls will be routed to AT&T-13STATE over the Local Only and/or Local Interconnection Trunk Groups or Meet Point Trunk Groups within the LATA in which the calls originate.
- 5.5.4 All post-query Toll Free Service 800/(8YY) calls for which CLEC performs the SSP function, if delivered to AT&T-13STATE, shall be delivered using GR-394 format over the Meet Point Trunk Group for calls destined to IXCs, or shall be delivered by CLEC using GR-317 format over the Local Only and/or Local Interconnection Trunk Group for calls destined to End Offices that directly subtend the tandem.
- 5.6 E911 Trunk Group
- 5.6.1 A dedicated trunk group for each NPA shall be established to each appropriate E911 switch within the local exchange area or LATA in which CLEC Offers Service. This trunk group shall be provisioned as one-way outgoing only and will utilize MF CAMA signaling or, where available, SS7 signaling. CLEC will have administrative control for the purpose of issuing ASRs on this trunk group. Where the parties utilize SS7 signaling and the E911 network has the technology available, only

one E911 trunk group shall be established to handle multiple NPAs within the local exchange area or LATA. If the E911 network does not have the appropriate technology available, a SS7 trunk group shall be established for each NPA in the local exchange area or LATA. CLEC shall provide a minimum of two (2) one-way outgoing channels on E911 trunk groups per default PSAP or default ESN assignment dedicated for originating E911 emergency service calls from the Point of Interconnection (POI) to the AT&T-13STATE E911 Selective Router switch that serves a specified geographic rate area.

5.6.2 In AT&T CONNECTICUT only, CLEC will comply with the CT DPUC directives regarding the E911 trunk groups. The current directive requires CLEC to establish three separate dedicated trunk groups for each Connecticut NPA and default PSAP or default ESN assignment, from its switch to each of the Connecticut E911 Selective Routing tandems. For each NPA, one trunk group using SS7 signaling will go to the Primary E911 Selective Routing tandem. A second trunk group using SS7 will go to the Secondary E911 Selective routing tandem. The third trunk group will have MF CAMA signaling and will go to the Primary E911 Selective Routing tandem and serve as a backup. These trunk groups shall be provisioned by CLEC as one-way outgoing only. CLEC will have administrative control for the purpose of issuing ASRs.

5.6.3 CLEC will cooperate with AT&T-13STATE to promptly test all E911 trunks and facilities between CLEC's network and the AT&T-13STATE E911 Selective Routing Tandem to assure proper functioning of E911 service. CLEC will not turn up live traffic until successful testing is completed by both Parties.

5.7 High Volume Call In (HVCI) / Mass Calling (Choke) Trunk Group: AT&T-12STATE

5.7.1 A dedicated trunk group shall be required to the designated Public Response HVCI/Mass Calling Network Access Tandem in each serving area. This trunk group shall be one-way outgoing only and shall utilize MF signaling. As the HVCI/Mass Calling trunk group is designed to block all excessive attempts toward HVCI/Mass Calling NXXs, it is necessarily exempt from the one percent blocking standard described elsewhere for other final Local Interconnection Trunk Groups. CLEC will have administrative control for the purpose of issuing ASRs on this one-way trunk group. The Parties will not exchange live traffic until successful testing is completed by both Parties.

5.7.2 This group shall be sized as follows:

<i>Number of Access Lines Served</i>	<i>Number of Mass Calling Trunks</i>
<i>0 – 10,000</i>	<i>2</i>
<i>10,001 – 20,000</i>	<i>3</i>
<i>20,001 – 30,000</i>	<i>4</i>
<i>30,001 – 40,000</i>	<i>5</i>
<i>40,001 – 50,000</i>	<i>6</i>
<i>50,001 – 60,000</i>	<i>7</i>
<i>60,001 – 75,000</i>	<i>8</i>
<i>75,000 +</i>	<i>9 maximum</i>

5.7.3 If CLEC should acquire a HVCI/Mass Calling customer, i.e. a radio station, CLEC shall notify AT&T-12STATE at least 60 days in advance of the need to establish a one-way outgoing SS7 or MF trunk group from the AT&T-12STATE HVCI/Mass Calling Serving Office to the CLEC customer's serving office. CLEC will have administrative control for the purpose of issuing ASRs on this one-way trunk group.

5.7.4 If CLEC finds it necessary to issue a new choke telephone number to a new or existing HVCI/Mass Calling customer, CLEC may request a meeting to coordinate with AT&T-12STATE the assignment of HVCI/Mass Calling telephone number from the existing choke NXX. In the event that the CLEC establishes a new choke NXX, CLEC must notify AT&T-12STATE a minimum of ninety (90) days prior to deployment of the new HVCI/Mass Calling NXX. AT&T-12STATE will perform the necessary

translations in its End Offices and Tandem(s) and issue ASRs to establish a one-way outgoing SS7 or MF trunk group from the AT&T-12STATE Public Response HVC/ Mass Calling Network Access Tandem to CLEC's choke serving office.

- 5.7.5 In AT&T CONNECTICUT, where HVC/ Mass Calling NXXs have not been established, the Parties agree to utilize "call gapping" as the method to control high volumes of calls, where technically feasible in the originating switch, to specific high volume customers or in situations such as those described in Section 35 Network Maintenance and Management of the General Terms and Conditions.
- 5.8 Operator Services/Directory Assistance Trunk Group(s)
 - 5.8.1 Terms and Conditions for Inward Assistance Operator Services are found in Appendix INW.
 - 5.8.2 If AT&T-13STATE agrees through a separate appendix or contract to provide Directory Assistance and/or Operator Services for CLEC the following trunk groups are required:
 - 5.8.2.1 Directory Assistance (DA)
 - 5.8.2.1.1 CLEC may contract for DA services only. A segregated trunk group for these services will be required to the appropriate AT&T-13STATE Operator Services Tandem in the LATA for the NPA the CLEC wishes to serve. This trunk group is provisioned as one-way outgoing only and utilizes Modified Operator Services Signaling (2 Digit Automatic Number Identification (ANI)). CLEC will have administrative control for the purpose of issuing ASRs on this one-way trunk group.
 - 5.8.2.2 Directory Assistance Call Completion (DACC)
 - 5.8.2.2.1 CLEC contracting for DA services may also contract for DACC. This requires a segregated one-way trunk group to each AT&T-13STATE Operator Services Tandem within the LATA for the combined DA and DACC traffic. This trunk group is provisioned as one-way outgoing only and utilizes Modified Operator Services Signaling (2 Digit ANI). CLEC will have administrative control for the purpose of issuing ASRs on this one-way trunk group.
 - 5.8.2.3 Busy Line Verification/Emergency Interrupt (BLV/EI)
 - 5.8.2.3.1 When AT&T-13STATE's operator is under contract to verify the busy status of CLEC End Users, AT&T-13STATE will utilize a segregated one-way with MF signaling trunk group from AT&T-13STATE's Operator Services Tandem to CLEC switch. CLEC will have administrative control for the purpose of issuing ASRs on this one-way trunk group.
 - 5.8.2.4 Operator Assistance (0+, 0-)
 - 5.8.2.4.1 This service requires a one-way trunk group from CLEC switch to AT&T-13STATE's Operator Services Tandem. Two types of trunk groups may be utilized. If the trunk group transports DA/DACC, the trunk group will be designated with the appropriate traffic use code and modifier. If DA is not required or is transported on a segregated trunk group, then the group will be designated with a different appropriate traffic use code and modifier. Modified Operator Services Signaling (2 Digit ANI) will be required on the trunk group. CLEC will have administrative control for the purpose of issuing ASRs on this one-way trunk group.
 - 5.8.2.5 Digit-Exchange Access Operator Services Signaling
 - 5.8.2.5.1 CLEC will employ Exchange Access Operator Services Signaling (EAOSS) from the equal access End Offices (EAEO) to the Operator Services switch that are equipped to accept 10 Digit Signaling for Automatic Number Identification (ANI).

5.8.2.6 OS Questionnaire

- 5.8.2.6.1 If CLEC chooses AT&T-13STATE to provide either OS and/or DA, then CLEC agrees to accurately complete the OS Questionnaire prior to submitting ASRs for OS and DA trunks.

6. **TRUNK FORECASTING RESPONSIBILITIES: AT&T-13STATE**

- 6.1 CLEC agrees to provide an initial forecast for all trunk groups described in this Appendix ITR. AT&T-13STATE shall review this trunk forecast and provide any additional information that may impact the trunk forecast information provided by CLEC. Subsequent trunk forecasts shall be provided on a semi-annual basis, not later than January 1 and July 1 in order to be considered in the semi-annual publication of the AT&T-13STATE General Trunk Forecast. Parties agree to the use of Common Language Location Identification (CLLI) coding and Common Language Circuit Identification for Message Trunk coding (CLCI-MSG) which is described in TELCORDIA TECHNOLOGIES documents BR795-100-100 and BR795-400-100 respectively. Inquiries pertaining to use of TELCORDIA TECHNOLOGIES Common Language Standards and document availability should be directed to TELCORDIA TECHNOLOGIES at 1-800-521-2673.
- 6.2 The semi-annual forecasts shall include:
- 6.2.1 Yearly forecasted trunk quantities for all trunk groups required in this Appendix for a minimum of three (current plus 2 future) years; and
- 6.2.2 A description of major network projects anticipated for the following six months. Major network projects include trunking or network rearrangements, shifts in anticipated traffic patterns, orders greater than four (4) DS1s, or other activities that are reflected by a significant increase or decrease in trunking demand for the following forecasting period.
- 6.2.3 The Parties shall agree on these forecasts to ensure efficient trunk utilization. For forecast quantities that are in dispute, the Parties shall make all reasonable efforts to develop a mutually agreeable forecast.
- 6.2.4 Orders for trunks that exceed forecasted quantities for forecasted locations will be accommodated as mutually agreed to by the Parties. Parties shall make all reasonable efforts and cooperate in good faith to develop alternative solutions to accommodate these orders.
- 6.3 CLEC shall be responsible for forecasting two-way trunk groups. AT&T-13STATE shall be responsible for forecasting the one-way trunk groups terminating to CLEC and CLEC shall be responsible for forecasting the one-way trunk groups terminating to AT&T-13STATE, unless otherwise specified in this Appendix.
- 6.4 Each Party shall provide a specified point of contact for planning and forecasting purposes.

7. **TRUNK DESIGN BLOCKING CRITERIA: AT&T-13STATE**

- 7.1 Trunk requirements for forecasting and servicing shall be based on the blocking objectives shown in Table 1. Trunk requirements shall be based upon time consistent average busy season busy hour twenty (20) day averaged loads applied to industry standard Neal-Wilkinson Trunk Group Capacity algorithms (using Medium day-to-day Variation and 1.0 Peakedness factor until actual traffic data is available).

TABLE 1

<u>Trunk Group Type</u>	<u>Design Blocking Objective</u>
Local Interconnection Trunk Group - Direct End Office (Primary High)	ECCS*
Local Interconnection Trunk Group - Direct End Office (Final)	2%
IntraLATA Toll Trunk Group (Local/Access or Access Tandem Switch)	1%
Local Interconnection Trunk Group (Local Tandem)	1%
Meet Point (Local/Access or Access Tandem Switch)	0.5%
E911	1%

Operator Services (DA/DACC)	1%
Operator Services (0+, 0-)	1%
Busy Line Verification/Emergency Interrupt	1%

*During implementation the Parties will mutually agree on an Economic Centum Call Seconds (ECCS) or some other means for the sizing of this trunk group.

8. TRUNK SERVICING: AT&T-13STATE

- 8.1 Orders between the Parties to establish, add, change or disconnect trunks shall be processed by using an Access Service Request (ASR). CLEC will have administrative control for the purpose of issuing ASRs on two-way trunk groups. In AT&T CONNECTICUT where one-way trunks are provisioned, AT&T CONNECTICUT will issue ASRs for trunk groups for traffic that originates from AT&T CONNECTICUT and terminates to CLEC.
- 8.2 Both Parties will jointly manage the capacity of Local Only, Local Interconnection, and Meet Point Trunk Groups. Both Parties may send a Trunk Group Service Request (TGRS) to the other Party to trigger changes to the Local Only, Local Interconnection, and Meet Point Trunk Groups based on capacity assessment. The TGRS is a standard industry support interface developed by the Ordering and Billing Forum of the Carrier liaison Committee of the Alliance for Telecommunications Solutions (ATIS) organization. TELCORDIA TECHNOLOGIES Special Report STS000316 describes the format and use of the TGRS. Contact TELCORDIA TECHNOLOGIES at 1-800-521-2673 regarding the documentation availability and use of this form.
- 8.3 Utilization: Utilization shall be defined as Trunks Required as a percentage of Trunks In Service.
 - 8.3.1 In A Blocking Situation (Over-utilization)
 - 8.3.1.1 In a blocking situation, CLEC is responsible for issuing ASRs on all two-way Local Only, Local Interconnection and Meet Point Trunk Groups and one-way CLEC originating Local Only and/or Local Interconnection Trunk Groups to reduce measured blocking to design objective blocking levels based on analysis of trunk group data. If an ASR is not issued, AT&T-13STATE will issue a TGRS. CLEC will issue an ASR within three (3) business days after receipt and review of the TGRS. CLEC will note "Service Affecting" on the ASR.
 - 8.3.1.2 In a blocking situation, AT&T-13STATE is responsible for issuing ASRs on one-way AT&T originating Local Only and/or Local Interconnection Trunk Groups to reduce measured blocking to design objective blocking levels based on analysis of trunk group data. If an ASR is not issued, CLEC will issue a TGRS. AT&T-13STATE will issue an ASR within three (3) business days after receipt and review of the TGRS.
 - 8.3.1.3 If an alternate final Local Only Trunk Group or Local Interconnection Trunk Group is at seventy-five percent (75%) utilization, a TGRS is sent to CLEC for the final and all subtending high usages that are contributing any amount of overflow to the alternate final route.
 - 8.3.1.4 If a direct final Meet Point Trunk Group is at seventy-five percent (75%) utilization, a TGRS shall be sent to CLEC.
 - 8.3.2 Underutilization
 - 8.3.2.1 Underutilization of Local Only Trunk Groups, Local Interconnection Trunk Groups and Meet Point Trunk Groups exists when provisioned capacity is greater than the current need. Those situations where more capacity exists than actual usage requires will be handled in the following manner:
 - 8.3.2.1.1 If a Local Only Trunk Group, Local Interconnection Trunk Group or a Meet Point Trunk Group is under seventy-five percent (75%) of CCS capacity on a monthly average basis, for each month of any three (3) consecutive months period, either

Party may request the issuance of an order to resize the Local Only Trunk Group, Local Interconnection Trunk Group or the Meet Point Trunk Group, which shall be left with not less than twenty-five percent (25%) excess capacity. In all cases, grade of service objectives shall be maintained.

8.3.2.1.2 Either party may send a TGSR to the other Party to trigger changes to the Local Only Trunk Groups, Local Interconnection Trunk Groups or Meet Point Trunk Groups based on capacity assessment. Upon receipt of a TGSR, the receiving Party will issue an ASR to the other Party within twenty (20) business days after receipt of the TGSR.

8.3.2.1.3 Upon review of the TGSR, if a Party does not agree with the resizing, the Parties will schedule a joint planning discussion within the twenty (20) business days. The Parties will meet to resolve and mutually agree to the disposition of the TGSR.

8.3.2.1.4 If AT&T-13STATE does not receive an ASR, or if CLEC does not respond to the TGSR by scheduling a joint discussion within the twenty (20) business day period, AT&T-13STATE will attempt to contact CLEC to schedule a joint planning discussion. If CLEC will not agree to meet within an additional five (5) business days and present adequate reason for keeping trunks operational, AT&T-13STATE reserves the right to issue ASRs to resize the Local Only Trunk Groups, Local Interconnection Trunk Groups, or Meet Point Trunk Groups.

8.3.3 Trunk Servicing – AT&T SOUTHWEST REGION 5-STATE Exceptions

8.3.3.1 The Parties will process trunk service requests submitted via a properly completed ASR within ten (10) business days of receipt of such ASR unless defined as a major project. Incoming orders will be screened by AT&T SOUTHWEST REGION 5-STATE trunk engineering personnel for reasonableness based upon current utilization and/or consistency with forecasts. If the nature and necessity of an order requires determination, the ASR will be placed in held status, and a Joint Planning discussion conducted. Parties agree to expedite this discussion in order to minimize delay in order processing. Extension of this review and discussion process beyond two days from ASR receipt will require the ordering Party to Supplement the order with proportionally adjusted Customer Desired Due Dates. Facilities must also be in place before trunk orders can be completed.

8.4 Projects require the coordination and execution of multiple orders or related activities between and among AT&T-13STATE and CLEC work groups, including but not limited to the initial establishment of Local Only, Local Interconnection or Meet Point Trunk Groups and service in an area, NXX code moves, re-homes, facility grooming, or network rearrangements.

8.4.1 Orders that comprise a project, i.e. greater than four (4) DS1s, shall be submitted at the same time, and their implementation shall be jointly planned and coordinated.

8.5 Projects-Tandem Rehomes/Switch Conversion/Major Network Projects

8.5.1 AT&T-13STATE will advise CLEC of all projects significantly affecting CLEC trunking. Such Projects may include Tandem Rehomes, Switch Conversions and other major network changes. An Accessible Letter with project details will be issued at least 6 months prior to the project due dates. AT&T-13STATE will follow with a Trunk Group Service Request (TGSR) approximately 4 to 6 months before the due date of the project. A separate TGSR will be issued for each CLEC trunk group and will specify the required CLEC ASR issue date. Failure to submit ASR(s) by the required date may result in AT&T-13STATE ceasing to deliver traffic until the ASR(s) are received and processed.

9. TRUNK DATA EXCHANGE: AT&T-13STATE

- 9.1 The Parties agree to exchange traffic data on two-way trunk groups and to implement such an exchange within three (3) months of the date that two-way trunking is established and the trunk groups begin passing live traffic, or another date is agreed to by the Parties.
- 9.2 Exchange of traffic data enables each Party to make accurate and independent assessments of trunk group service levels and requirements. The Parties may agree to establish a timeline for implementing an exchange of traffic data utilizing the DIXC process via a Network Data Mover (NDM) or FTP computer to computer file transfer process. Implementation shall be within three (3) months of the date, or such date as agreed upon, that the trunk groups begin passing live traffic. The traffic data to be exchanged will be the Originating Attempt Peg Count, Usage (measured in Hundred Call Seconds), Overflow Peg Count, and Maintenance Usage (measured in Hundred Call Seconds on a seven (7) day per week, twenty-four (24) hour per day, fifty-two (52) weeks per year basis). The Parties agree that twenty (20) business days is the study period duration objective. However, on occasion a study period may be less than twenty (20) business days but at minimum must be at least three (3) business days to be utilized for engineering purposes, although with less statistical confidence. For AT&T originated one-way, or for any two-way trunk groups, these reports can be made available weekly upon request.
- 9.3 A trunk group utilization report (TIKI) is available upon request. The report is provided in an MS-Excel format.

10. NETWORK MANAGEMENT: AT&T-13STATE**10.1 Restrictive Controls**

- 10.1.1 Either Party may use protective network traffic management controls such as 7-digit and 10-digit code gaps set at appropriate levels on traffic toward each other's network, when required, to protect the public switched network from congestion due to facility failures, switch congestion, or failure or focused overload. CLEC and AT&T-13STATE will immediately notify each other of any protective control action planned or executed.

10.2 Expansive Controls

- 10.2.1 Where the capability exists, originating or terminating traffic reroutes may be implemented by either Party to temporarily relieve network congestion due to facility failures or abnormal calling patterns. Reroutes will not be used to circumvent normal trunk servicing. Expansive controls will only be used when mutually agreed to by the Parties.

10.3 Mass Calling

- 10.3.1 CLEC and AT&T-13STATE shall cooperate and share pre-planning information regarding cross-network call-ins expected to generate large or focused temporary increases in call volumes.

11. OUT OF EXCHANGE TRAFFIC

- 11.1 Interconnection services are available in accordance with section 251(a)(1) of the Act for the purposes of exchanging traffic to/from a non-AT&T incumbent exchange and consistent with the Appendix Out of Exchange Traffic.

12. EXISTING LOCAL AND INTRALATA TOLL SERVICE TO BUSINESS USERS WITH PBX OVER FEATURE GROUP B AND/OR D TRUNK GROUPS

- 12.1 As of the Effective Date of this Agreement, where CLEC has existing arrangements in which it provides local and intraLATA service over Feature Group B and/or D trunk groups to CLEC's existing business users with PBX, either Party may combine local and intraLATA toll traffic on such Feature Group B and/or D access trunk groups. All traffic (including, without limitation, local and IntraLATA traffic) over these trunk groups will be billed at switched access rates. CLEC shall not establish any new Feature Group B and/or D

trunks for the purposes of providing local and intraLATA services to new business users with PBX after the Effective Date of this Agreement.

- 12.2 Where CLEC elects to deliver its originating local and intraLATA toll traffic to AT&T-13STATE in a LATA utilizing Feature Group B and/or D trunks, CLEC POI will be the AT&T-13STATE end office or tandem where CLEC currently delivers its Feature Group B and/or D exchange access traffic. For these type services, AT&T-13STATE POI will be at a CLEC POP or switch location, designated by CLEC, where both Parties already have existing facilities.

13. SWITCHED ACCESS TRAFFIC

- 13.1 For purposes of this Agreement only, Switched Access Traffic shall mean all traffic that originates from an end user physically located in one local exchange and delivered for termination to an end user physically located in a different local exchange (excluding traffic from exchanges sharing a common mandatory local calling area as defined in AT&T-13STATE's local exchange tariffs on file with the applicable state commission) including, without limitation, any traffic that (i) terminates over a Party's circuit switch, including traffic from a service that originates over a circuit switch and uses Internet Protocol (IP) transport technology (regardless of whether only one provider uses IP transport or multiple providers are involved in providing IP transport) and/or (ii) originates from the end user's premises in IP format and is transmitted to the switch of a provider of voice communication applications or services when such switch utilizes IP technology and terminates over a Party's circuit switch. Notwithstanding anything to the contrary in this Agreement, all Switched Access Traffic shall be delivered to the terminating Party over feature group access trunks per the terminating Party's access tariff(s) and shall be subject to applicable intrastate and interstate switched access charges; provided, however, the following categories of Switched Access Traffic are not subject to the above stated requirement relating to routing over feature group access trunks:
- (i) IntraLATA toll Traffic or Optional EAS Traffic from a CLEC end user that obtains local dial tone from CLEC where CLEC is both the Section 251(b)(5) Traffic provider and the intraLATA toll provider,
 - (ii) IntraLATA toll Traffic or Optional EAS Traffic from an AT&T end user that obtains local dial tone from AT&T where AT&T is both the Section 251(b)(5) Traffic provider and the intraLATA toll provider;
 - (iii) Switched Access Traffic delivered to AT&T from an Interexchange Carrier (IXC) where the terminating number is ported to another CLEC and the IXC fails to perform the Local Number Portability (LNP) query; and/or
 - (iv) Switched Access Traffic delivered to either Party from a third party competitive local exchange carrier over interconnection trunk groups carrying Section 251(b)(5) Traffic and ISP-Bound Traffic (hereinafter referred to as "Local Interconnection Trunk Groups") destined to the other Party.

Notwithstanding anything to the contrary in this Agreement, each Party reserves its rights, remedies, and arguments relating to the application of switched access charges for traffic exchanged by the Parties prior to the Effective Date of this Agreement and described in the FCC's Order issued in the Petition for Declaratory Ruling that AT&T's Phone-to-Phone IP Telephony Services Exempt from Access Charges, WC Docket No. 01-361(Released April 21, 2004).

- 13.2 In the limited circumstances in which a third party competitive local exchange carrier delivers Switched Access Traffic as described in Section 12.1 (iv) above to either Party over Local Interconnection Trunk Groups, such Party may deliver such Switched Access Traffic to the terminating Party over Local Interconnection Trunk Groups. If it is determined that such traffic has been delivered over Local Interconnection Trunk Groups, the terminating Party may object to the delivery of such traffic by providing written notice to the delivering Party pursuant to the notice provisions set forth in the General Terms and Conditions and request removal of such traffic. The Parties will work cooperatively to identify the traffic with the goal of removing such traffic from the Local Interconnection Trunk Groups. If the delivering Party has not removed or is unable to remove such Switched Access Traffic as described in Section 12.1(iv) above from the Local Interconnection Trunk Groups within sixty (60) days of receipt of notice from the other party, the Parties agree to jointly file a complaint or any other appropriate action with the applicable Commission to seek any necessary permission to remove the traffic from such interconnection trunks up to and including

the right to block such traffic and to obtain compensation, if appropriate, from the third party competitive local exchange carrier delivering such traffic to the extent it is not blocked.